

OFFICE OF THE EXECUTIVE ENGINEER SPECIAL PHE JAL SHAKTI DIVISION KULGAM

M/S Foyaz Ahmad Khanday
S/o Ab Gaffar Khanday
R/o Shiganpora Kulgam
Regd No 16-AAY/SE/Hyd/Ang/2007-08
PAN No. ASRPK1222H

No:- PHE/Wks/ 1470-73
Dated: 15/06/2023
01ASRPK1222H224

Allotment order No 39 of 2023-24
Dated: 06/06/2023

Name of work: Laying/ Fitting of pipes, Construction of 0.10 Mc gallons S.R. Pump operator quarter, intake Chamber, and Renovation of existing OHT, Chain link fencing and allied works including installation of FHTC for WSS Shiganpora under JJM

Ref:- This office e-NIT No.60 of 2022-23 issued under No.: PHEK/7243-56 Date: 17/12/2022. This office LOI No SPHE/K/7917-21 dated 16/01/2023. SE Hyd Circle Anantnags authorization No Se/Hyd/DB/10825 dated 06/01/2023

| | |
|---|---|
| Accord of Administrative No and date | SE/Hyd/DB/AA/JJM/3465-67 Dated 08/07/2022 |
| Technical sanction No and date: | SE/Hyd/DB/5764-67 Dated 27/08/2022 |
| Advertised amount of work | Rs54.62 lacs |
| Alloted amount of work | Rs5440487.00 |
| Rupees Fifty four lac forty thousand four hundred eighty seven only | |

For and on behalf of Lt.Governor of UT of J&K, the contract for the above work is hereby fixed with you on the following rates quoted/accepted by you on the terms and conditions given as under:

| SLNo | Bidder Name | Quoted /negotiated Percentage | Alloted Amount In Figures and Words | |
|------|--|-------------------------------|-------------------------------------|---|
| | | | Rate | Amount |
| | Abdul Rehman Lone | 0.40 | Rs5440487.00 | Rupees Fifty four lac forty thousand four hundred eighty seven only |
| 1 | Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :all kinds of soil | 12.79 | Cum | 81.65 / 1044.30 |
| 2 | Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.all kinds of soil | 214.63 | Cum | 539.35 / 115760.69 |
| 3 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides andramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: all kinds of soil 1 meter from cutting edge | 1270.95 | Cum | 436.00 / 554134.20 |
| 4 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | 1208.24 | Cum | 198.70 / 240078.08 |
| 5 | Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete. | 36.28 | Cum | 1320.00 / 47889.60 |
| 6 | Proyjdng and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) | 39.44 | Cum | 6434.01 / 253757.35 |
| 7 | 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) | 18.77 | Cum | 4861.84 / 91256.64 |
| 8 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 13.13 | Cum | 7800.76 / 102423.98 |

| | | | | | |
|----|--|---------|-----|----------|-----------|
| 9 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 36.37 | Cum | 9408.14 | 342173.87 |
| 10 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with: | 9.50 | Cum | 9849.35 | 93568.78 |
| 11 | Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 2.10 | Cum | 10404.52 | 21849.48 |
| 12 | Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns etc. for mass concrete. | 55.71 | sqm | 262.30 | 14612.73 |
| 13 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 343.42 | sqm | 573.85 | 197071.57 |
| 14 | Suspended floors, roofs, landings, balconies and access platforms. | 52.30 | sqm | 635.60 | 33241.88 |
| 15 | Lintel, beams, plinth beams, girders, bressumers and cantilevers. | 28.24 | sqm | 502.85 | 14200.48 |
| 16 | Arches, domes, vaults upto 6 m span | 14.58 | sqm | 2086.80 | 30425.54 |
| 17 | Extra for shuttering in circular work (20% of respective centering and Shuttering items) Foundations, footings, bases of columns etc. for mass concrete. | 5.50 | sqm | 52.46 | 288.53 |
| 18 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 202.64 | sqm | 114.77 | 23256.99 |
| 19 | Lintel, beams, plinth beams, girders, bressumers and cantilevers. | 28.24 | sqm | 100.57 | 2840.10 |
| 20 | Arches, domes, vaults upto 6 m span | 14.58 | sqm | 417.36 | 6085.11 |
| 21 | Extra for concrete work for above floor fifth level | 10.60 | Cum | 1009.50 | 10700.70 |
| 22 | Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement) | 294.00 | kgs | 57.90 | 17022.60 |
| 23 | Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level. TMT bars | 5872.00 | Kg | 87.18 | 511891.60 |
| 24 | Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete welded | 4438.00 | Kg | 102.14 | 453275.13 |
| 25 | 12mm Cement plaster finished with a floating coat of neat cement of mix 1 : 3 (1 cement : 3 fine sand) | 241.03 | sqm | 343.75 | 82854.06 |
| 26 | 1 : 4 (1 cement : 4 fine sand) | 250.10 | sqm | 325.45 | 81395.05 |
| 27 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. two or more coats on new work. | 251.91 | sqm | 121.95 | 30720.42 |
| 28 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge Made of G.I. wire of dia 4 mm | 140.76 | sqm | 733.50 | 103247.46 |
| 29 | Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. 15 mm and 20 mm dia. G.I. pipes | 2500.00 | Mtr | 20.25 | 50625.00 |
| 30 | 25 mm and 32 mm dia. G.I. pipes | 2000.00 | Mtr | 30.65 | 61300.00 |
| 31 | 40 mm and 50 mm dia. G.I. pipes | 2000.00 | Mtr | 40.80 | 81600.00 |

Handwritten signature and initials

| | | | | | |
|----|--|---------|--------|-----------|-----------|
| 32 | 65 mm and 80 mm dia. G.I. pipes | 1200.00 | Mtr | 73.05 | 87660.00 |
| 33 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore | 100.00 | each | 666.25 | 66625.00 |
| 34 | 50 to 80 mm nominal bore | 8.00 | each | 1268.25 | 10146.00 |
| 35 | Providing scaffolding, painting and plaster to existing OHT incl. all types of carriages. (Complete Job) | 222.19 | sqm | 651.13 | 122455.57 |
| 36 | RANDOM RUBBLE MASONRY Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with: (Quarry Stone) Cement mortar 1:6 (1 Cement : 6 coarse sand) | 37.78 | Cum | 4435.25 | 167475.04 |
| 37 | RANDOM RUBBLE MASONRY LAID IN DRY | 15.90 | Cum | 2497.50 | 39710.25 |
| 38 | Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. 50mm thick with 12.5 mm nominal size stone aggregate | 24.17 | SQM | 505.00 | 12205.85 |
| 39 | Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in :Cement mortar 1:6 (1 cement : 6 coarse sand) | 28.59 | Cum | 7111.31 | 203312.44 |
| 40 | Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level | 24.40 | Cum | 1522.20 | 37141.63 |
| 41 | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): first class kail wood | 0.87 | Cum | 106894.15 | 92997.91 |
| 42 | Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. first class kail wood 30mm thick | 4.93 | sqm | 2784.10 | 13725.61 |
| 43 | Providing and fixing of Panneling or panelling and glazing in panelled or panelled and glazed shutters for doors and windows, Panelling 25mm to 40mm thick of kail wood | 2.54 | sqm | 2501.75 | 6354.45 |
| 44 | Providing and fixing fly proof wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions all complete. With Galvanized M.S. Wire gauge with wire of dia 0.63 mm | 8.55 | mm/sqm | 3651.65 | 31221.61 |
| 45 | Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete.50 mm thick with 20mm nominal size stone aggregate. | 44.63 | sqm | 505.00 | 22538.15 |
| 46 | Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including skirting in vertical & pointing the joints with white cement and matching pigment etc., complete in colour such as White, Ivory, Grey, Fume, Red Brown (as directed by the engineer incharge) | 14.94 | sqm | 1052.25 | 15720.62 |

Qeak
J. K. S.


| | | | | | |
|----|--|-------|-----|----------|----------|
| 47 | Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Long pattern W.C Pan of size 580x440 mm | 1.00 | no | 2979.40 | 2979.40 |
| 48 | Providing and Fixing stainless steel A ISI 304 (18/8) Kitchen Sink as per is: 13983 with ciand stainless steel plug 40mm, including painting of footings and , cutting and making good the walls wherever required Kitchen sink 610x510 mm bowl depth 200 mm | 1.00 | no | 4575.20 | 4575.20 |
| 49 | Providing and fixing of PVC waste pipe for sink incl Pvc waste fitting (Flexible 40 mm dia) | 1.00 | no | 85.30 | 85.30 |
| 50 | Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m ² | 85.77 | sqm | 830.25 | 71210.54 |
| 51 | Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete 0.50 mm thick with zinc coating not less than 275 gram/m ² | 25.38 | Mtr | 626.70 | 15905.65 |
| 52 | Providing and fixing plained eaves boarding. 2nd class kail wood 300x40 mm (nominal size) | 32.20 | Mtr | 998.85 | 32162.97 |
| 53 | Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. 1mm thick | 79.16 | sqm | 129.50 | 10251.22 |
| 54 | Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over and including priming coat with water thinnable cement primer. | 79.16 | sqm | 149.05 | 11798.80 |
| 55 | Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm) | 62.84 | sqm | 91.80 | 5750.35 |
| 56 | P/F of PVC sanitary fittings with all accessories PVC pipe 100mm | 30.00 | m | 330.00 | 9900.00 |
| 57 | PVC pipe 75mm | 30.00 | m | 300.00 | 9000.00 |
| 58 | Angle Valve | 5.00 | No | 500.00 | 2500.00 |
| 59 | Bib Cock CP | 6.00 | No | 1000.00 | 6000.00 |
| 60 | Basin Mixer CP | 2.00 | No | 2500.00 | 5000.00 |
| 61 | PVC Flow trap | 2.00 | No | 300.00 | 600.00 |
| 62 | Door bend/Tee 100mm/75mm | 2.00 | No | 250.00 | 500.00 |
| 63 | PVC bends 100/75mm | 6.00 | No | 200.00 | 1200.00 |
| 64 | 15mm dia internal pipe | 30.00 | M | 158.84 | 4765.20 |
| 65 | Floor Trap for 75/100mm pipe with grating | 2.00 | No | 250.00 | 500.00 |
| 66 | Bevelled edge mirror 450x600 | 1.00 | No | 1000.00 | 1000.00 |
| 67 | P/F of electriion items of reputed make with ISI mark complete job including cost of MCBs etc Lighting points 1.5mm sq wire | 10.00 | No | 1000.00 | 10000.00 |
| 68 | Heating points 2.5mm sq wire | 6.00 | No | 1500.00 | 9000.00 |
| 69 | P/F of ceiling fan 1200mm sweep | 2.00 | No | 2000.00 | 4000.00 |
| 70 | P/F of exhaust fan 300mm | 2.00 | No | 1500.00 | 3000.00 |
| 71 | P/F of 50 liter Gyser inclding all fitting/fixures complete | 2.00 | No | 16500.00 | 33000.00 |
| 72 | P/F of service line of 10 sqm copper | 20.00 | m | 180.00 | 3600.00 |
| 73 | Luminous inverter along with 180 AH 12 volt battery | 1.00 | No | 35000.00 | 35000.00 |

Handwritten signature and initials

| | | | | | |
|-----|---|----------|-------|---------|----------|
| 74 | Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank | 1500.00 | Liter | 11.25 | 16875.00 |
| 75 | Providing and fixing hardware items to Doors and Windows Main Door (link locks) | 1.00 | No | 2500.00 | 2500.00 |
| 76 | Butt hinges 100/75mm | 50.00 | No | 32.50 | 1625.00 |
| 77 | Tower bolts 100mm | 50.00 | No | 41.85 | 2092.50 |
| 78 | Handles 100mm | 20.00 | No | 189.20 | 3784.00 |
| 79 | Handles 125 mm | 6.00 | No | 203.90 | 1223.40 |
| 80 | Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters.80x0.90 mm M.S. laths with 0.90 mm thick top cover | 5.02 | Sqm | 2636.15 | 13233.47 |
| 81 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND: 5kms | 94.83 | Cum | 206.28 | 19561.15 |
| | | 94.83 | Cum | 74.58 | 7072.42 |
| 82 | Beyond 5 km upto 10 km per km | 84.83 | Cum | 121.44 | 11516.16 |
| 83 | Beyond 10 km upto 20 km per km | | | | |
| 84 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 20mm 5kms | 92.34 | Cum | 206.28 | 19047.53 |
| | | 92.34 | Cum | 74.58 | 6886.72 |
| 85 | Beyond 5 km upto 10 km per km | 92.34 | Cum | 121.44 | 11213.77 |
| 86 | Beyond 10 km upto 20 km per km | | | | |
| 87 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above : 5kms | 16.59 | Cum | 224.20 | 3719.54 |
| | | 16.59 | Cum | 81.08 | 1345.03 |
| 88 | Beyond 5 km upto 10 km per km | 16.59 | Cum | 132.02 | 2190.21 |
| 89 | Beyond 10 km upto 20 km per km | | | | |
| 90 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Stone Soling :5kms | 91.62 | Cum | 242.67 | 22233.70 |
| | | 91.62 | Cum | 87.75 | 8039.20 |
| 91 | Beyond 5 km upto 10 km per km | 91.62 | Cum | 142.83 | 13086.08 |
| 92 | Beyond 10 km upto 20 km per km | | | | |
| 93 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel/ CGI Sheets:5kms | 5.87 | M.T | 183.36 | 1076.67 |
| | | 5.87 | M.T | 66.30 | 389.31 |
| 94 | Beyond 5 km upto 10 km per km | 5.87 | M.T | 107.99 | 634.12 |
| 95 | Beyond 10 km upto 20 km per km | | | | |
| 96 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Bricks:5km | 13578.00 | No | 0.55 | 7467.90 |
| | | 13578.00 | No | 0.04 | 543.12 |
| 97 | Beyond 5 km upto 10 km per km | 13578.00 | No | 0.03 | 434.50 |
| 98 | Beyond 10 km upto 20 km per km | | | | |
| 99 | Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement: 5kms | 56.78 | M.T | 183.36 | 10410.95 |
| | | 56.78 | M.T | 66.30 | 3764.51 |
| 100 | Beyond 5 km upto 10 km per km | 56.78 | M.T | 107.99 | 6131.67 |
| 101 | Beyond 10 km upto 20 km per km | | | | |
| 102 | Carriage of G.I./D.I pipes below 100mm dia from Stocking yard to the site by mechanical means 5km | 21.43 | M.T | 183.36 | 3929.32 |
| | | 21.43 | M.T | 66.30 | 1420.81 |
| 103 | Beyond 5 km upto 10 km per km | 21.43 | M.T | 107.99 | 2314.23 |
| 104 | Beyond 10 km upto 20 km per km | | | | |

Handwritten signature

| | | | | | |
|-----|--|----------|-----|---------|----------|
| 105 | Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand) ist 50m | 94.83 | Cum | 209.90 | 19904.63 |
| 106 | Beyond Ist 50m (100Mtrs) | 04.83 | Cum | 46.70 | 4333.83 |
| 107 | Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate Below 40mm ist 50m | 92.34 | Cum | 209.90 | 19381.98 |
| 108 | Beyond Ist 50m (100Mtrs) | 92.35 | Cum | 43.41 | 4008.78 |
| 109 | Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate 40mm and Above ist 50m | 16.59 | Cum | 226.92 | 3764.57 |
| 110 | Beyond Ist 50m (100Mtrs) | 16.59 | Cum | 49.40 | 819.55 |
| 111 | Carriage of materials by manual means including loading, unloading, stacking of materials- Stone Soling ist 50m | 91.62 | Cum | 246.94 | 22624.64 |
| 112 | Beyond Ist 50m (100Mtrs) | 91.62 | Cum | 51.07 | 4679.03 |
| 113 | Carriage of materials by manual means including loading, unloading, stacking of materials- Steel/CGI Sheets ist 50m | 5.87 | M.T | 261.10 | 1533.16 |
| 114 | Beyond Ist 50m (100Mtrs) | 5.87 | M.T | 36.40 | 213.74 |
| 115 | Carriage of materials by manual means including loading, unloading, stacking of materials- Cement ist 50m | 56.78 | M/T | 121.57 | 6902.57 |
| 116 | Beyond Ist 50m (100Mtrs) | 56.78 | M.T | 16.94 | 961.85 |
| 117 | Carriage of G.I./D.I pipes below 100mm dia from dumping site to actual site of work by manual means ist 50m | 21.43 | M.T | 153.25 | 3284.13 |
| 118 | Beyond Ist 50m (500Mtrs) | 21.43 | M.T | 22.49 | 481.96 |
| 119 | Carriage of materials by manual means including loading, unloading, stacking of materials- Brick ist 50m | 13578.00 | No | 0.39 | 5309.00 |
| 120 | Beyond Ist 50m (TOTAL LEAD= 500MTRS) | 13578.00 | No | 0.09 | 1154.13 |
| 121 | Restoration of Road Berm Along Pipe alignment to be damaged | 200.00 | Mtr | 480.00 | 96000.00 |
| 122 | Restoration of W.B.M road at spots | 30.00 | Mtr | 1000.00 | 30000.00 |
| 123 | Cutting bajri paths and making good the same including supply of extra quantities of brick aggregate, moorum and red bajri required. | 50.00 | sqm | 181.25 | 9062.50 |
| 124 | Supply of labour for cutting the bitmunious road surfaces manually, Desilting of existing Sump, OHT and dismantling of damaged plaster | 30.00 | Lab | 503.00 | 15090.00 |
| 125 | Providing fixing of MS Bends, tees etc incl. the cost of MS tubes, Nuts bolts washers flanges incl welding charges all types of carriages complete Job | 200.00 | Kgs | 150.00 | 30000.00 |
| 126 | Providing fixing of gun metal gate valve with CI Wheel of approved quality | 1.00 | Nos | 1568.85 | 1568.85 |
| 127 | 50mm | 1.00 | Nos | 942.75 | 942.75 |
| 128 | P/F of G.I Unions in GI pipes including cutting and threading the pipe and making long screws complete | 10.00 | Nos | 886.25 | 8862.50 |
| 129 | 50mm | 5.00 | Nos | 648.10 | 3240.50 |
| 130 | 40mm | 15.00 | Nos | 492.30 | 7384.50 |
| 131 | 25mm | 20.00 | Nos | 355.85 | 7117.00 |
| 132 | 20mm | 25.00 | Nos | 315.70 | 7892.50 |
| 133 | P/F of G.I Bends/Elbows | 5.00 | Nos | 325.00 | 1625.00 |
| 134 | 65mm | 3.00 | Nos | 200.00 | 600.00 |
| 135 | 50mm | 10.00 | Nos | 115.00 | 1150.00 |
| 136 | 40mm | 15.00 | Nos | 55.00 | 825.00 |
| 137 | 25mm | 20.00 | Nos | 40.00 | 800.00 |
| 138 | P/F of G.I Reducer Sockets | 2.00 | Nos | 350.00 | 700.00 |
| 139 | 65mm x 50mm | 2.00 | Nos | 325.00 | 650.00 |
| 140 | 50mm x 40mm | 3.00 | Nos | 290.00 | 870.00 |
| 141 | 40mm x 25mm | 5.00 | Nos | 200.00 | 1000.00 |
| 142 | 40mm x 20mm | 5.00 | Nos | 200.00 | 1000.00 |
| 143 | 25mm x 20mm | 10.00 | Nos | 180.00 | 1800.00 |



| | | | | | |
|--|---|-------|-----|--------|---------------------|
| 144 | P/F of G.I Nipples of different lengths 65mm | 3.00 | Nos | 400.00 | 1200.00 |
| 145 | 50mm | 5.00 | Nos | 390.00 | 1950.00 |
| 146 | 40mm | 5.00 | Nos | 300.00 | 1500.00 |
| 147 | 25mm | 20.00 | Nos | 240.00 | 4800.00 |
| 148 | 20mm | 20.00 | Nos | 140.00 | 2800.00 |
| 149 | P/F of G.I Tees 65mm x 50mm x 65mm | 2.00 | Nos | 700.00 | 1400.00 |
| 150 | 65mm x 40mm x 65mm | 3.00 | Nos | 700.00 | 2100.00 |
| 151 | 65mm x 25mm x 65mm | 3.00 | Nos | 690.00 | 2070.00 |
| 152 | 50mm x 50mm x 50mm | 1.00 | Nos | 650.00 | 650.00 |
| 153 | 50mm x 40mm x 50mm | 3.00 | Nos | 600.00 | 1800.00 |
| 154 | 50mm x 25mm x 50mm | 3.00 | Nos | 500.00 | 1500.00 |
| 155 | 50mm x 20mm x 50mm | 5.00 | Nos | 500.00 | 2500.00 |
| 156 | 40mm x 40mm x 40mm | 1.00 | Nos | 400.00 | 400.00 |
| 157 | 40mm x 25mm x 40mm | 5.00 | Nos | 380.00 | 1900.00 |
| 158 | 40mm x 20mm x 40mm | 10.00 | Nos | 380.00 | 3800.00 |
| 159 | 25mm x 25mm x 25mm | 2.00 | Nos | 250.00 | 500.00 |
| 160 | 25mm x 20mm x 25mm | 20.00 | Nos | 250.00 | 5000.00 |
| Total::: | | | | | 5462337.34 |
| Allotted amount after deduction of 0.4% to Advt cost | | | | | Rs5440487.00 |


[Handwritten signature]

[Handwritten signature]
Executive Engineer
Spl.PHE JSD Kulgam

Terms and conditions:::

| | |
|----|---|
| 1 | The allotted cost of the work is Rs5440487.00 Rupees Fifty Four lac Forty Thousand Four Hundred Eighty Seven only).However the allotted cost should in no case exceed beyond DAP/DPR. |
| 2 | The work shall have to be completed within a period of (70) days from the date of issuance of this allotment order, failing which penalty upto 10% of the total value shall be imposed upon you. |
| 3 | Earnest money deposited by you Vide CDR No 3560097 1Dated 12/06/203 For Rs164000.00 and shall be released only after the successful completion of work and after the expiry of defect clause. |
| 4 | The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment |
| 6 | After testing and commissioning of work the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department. the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to maximum ceiling of 06 months |
| 7 | The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP in case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time. The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions levels dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in as deemed for getting the defect rectified subject to a maximum ceiling of 6 Months |
| 8 | The rates are including the Charges for Submission of progress Geo-tagged photographs, vidiographic record through the professional person before during & after construction and progress reports in both hard and soft copies Taking Cross-Sections L Sections by Auto Level/ETS before and after execution Preparation of work abstract of executed work, preparation of bills besides the rates quoted/alloted are inclusive of taxes and the tees viz GST/income tax/Cess etc shall be deducted at source from running account bills. |
| 9 | All the Cement RCC Steel plumbing and other works shall be strictly as per relevant 15 Codes CPHEEO norms/requirements/specifications and normal PWD precautions |
| 10 | You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be done by the contractor and shall be deemed to have been included in the term rates for various items of work and percentage rate tendered Nothing extra shall be payable on this account |
| 11 | You have to furnish the confirmatory survey, structural & functional design including geo-technical analysis, soil investigation and quality control tests done at your level duly vetted by DIGC as per terms & conditions of the NIT The vetting charges for the design if any are to be done by you |
| 12 | The allotted works shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery nated in each scheme The TPIOM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period |

| | |
|----|--|
| 13 | Any item of work not included in the BOQ but required for the completion of the work, shall be executed by the contractor, as directed by the Department Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation /Depreciation of the contractor in case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority |
| 14 | No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever |
| 15 | No extra claim towards any type of tax, freight etc shall be entertained whatsoever. |
| 16 | No mobilisation advance shall be paid |
| 17 | Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 10% of bi amount from Running Account Bills and shall be released after completion of the defect liability period |
| 18 | In the event of allottee failing, declining, neglecting or delaying the supplies/works or in the event of any damage securing or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the timebeing enforce in the UT |
| 19 | All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder. |
| 20 | Any failure or commission to carry out the provision of the contract shall not give any claim by the department or bidder one against the other if such failure of commission occurs by the ACT OF GOD which shall include all natural calamities such as fires floods earthquake, hurricane, strikes, roits, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency |
| 21 | The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc |
| 22 | From the commencement of the work to the completion thereof the same shall be under the bidders charge The bidder shall be held responsible for and make good any loss or injuries by fire or other causes/theft and shall hold the Government harmless for any claims for injures to persons or damage a property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country |
| 23 | In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineerin charge be terminated by notice in writing posted at the site of the works |
| 24 | The damage caused to the work during execution or prior to actual completion of wondhanding over of the project before defect liability period due to any natural calamity human interference, the same shall be got restored and made good by you at your own cost |
| 25 | No damage is caused to existing structures like roads, bridges, buildings or other public utilites as a result of construction of this work .Where ever any damage occurs to any public/private infrastructure or public utility, the same shall be rectified/made good by you at your own cost |
| 26 | Adequate precautions be taken for environment and social protection besides, all safety practices in vogue be strictly adhered to during execution of work |
| 27 | No objection certificate from the concerned regulatory authority may also be sought whenever required |
| 28 | All other terms & conditions will remain same as laid down in the original NIT SBD GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM |


 Executive Engineer
 Spl.PHE JSD Kulgam

Copy to the
 Superintending Engineer Hydraulic Circle Aantnag for favour of Information
 Asstt.Ex.Engineer PHE Sub-Division Kulgam for information
 AAO Divisional office for information