

OFFICE OF THE EXECUTIVE ENGINEER SPL, PHE DIVISION KULGAM

M/S
G/O
B/O
Regd No
PAN No.

Ab Majeed Wagay JV Band & Co
Lead Partner Ab Majeed Wagay
Bijbehara

No. PHE/WSS 9581-80
Dated 04/03/2023

Abatement order No 42 of 2023
Dated 24.03.2023

Name of work Construction and successful testing and commissioning of 0.10 MGD RSEP at WSS Mohdpora Tasipora under JJM

Ref:- 1 Chief Engineer Kashmir PHE Jai Shakti Department Srinagars E Nil No 132 of 2021-22 dated 08/03/2022 issued under No CE.PHE.JJM-44105-So Dated 08/03/2022 tender ID 2022 PHE 1a.350a 1 to 127

2 Superintending Engineer Hyd Circle Anantnags I OI No SE/Hyd/Circ-4137-40 Dated 26/07/2022

3 Chief Engineer Kashmir Jai Shakti Department Srinagars Letter No CE.PHE.JJM 7499.7447 dated 09/06/2022

Record of Administrative No and date	C.E. PHE, IOR JJM No of 08/2022 dated: 25/08/2022
Technical sanction No and date:	C.E. PHE, IOR JJM No of 08/2022 dated: 25/08/2022
Advertised amount of work	Rs. 150.20 lacs
Allotted amount of work	Rs. 50.52 lacs

Rupees eighty nine lac fifty two thousand only

For and on behalf of UT Governor of UT of J&K, the contract for the above work is hereby fixed with you on the following rates quoted/accepted by you on the terms and conditions given as under


Sl.No	Bidder Name	Quoted Percentage	Quoted Amount in Figures and Words	
	Bhan Constructions		Rate	Amount
1	Bhan Constructions			Rupees eighty nine lac fifty two thousand only

DESCRIPTION OF ITEMS AS PER BOQ

S.No	Description of items	Quantity	Unit	Estimate rate	Amount
1	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	3000.00	sqm	11.36	34080
4	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. (All kinds of soil)	227.30	Cum	188.75	42903
5	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :All kinds of soil				0
5.1	All kinds of soil :	10.82	Cum	81.65	883.453
6	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				0
6.1	All kinds of soil :	97.42	Cum	539.35	52543.477
11	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	81.18	Cum	198.70	16130.466
11.1	Extra for levelling & neatly dressing of disposed soil completely as directed by Engineer-in-charge.	81.18	Cum	59.95	4866.741
12	Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5 km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.	40.00	Cum	272.45	10898
13	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	21.75	Cum	1320.00	28710
14	Supply and filling of filter media from approved source - Gravel (Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter beds, including all carriages, complete job	4.80	Cum	7000.00	33600
15	Supply and filling of filter media from approved source - Sand (Coarse filter sand - in filter beds, including all carriages, complete job	2.40	Cum	7100.00	17040
17	Supplying and filling in plinth with fine sand under floors including, watering, ramming, consolidating and dressing complete.	26.87	Cum	787.40	21157.438
18	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with.				0

[Handwritten signature and initials]

18.1	1:2:4 (1 cement 2 coarse sand 4 graded stone aggregate 40 mm nominal size)	19.82	Cum	6434.01	126235.2762
18.2	1:3:6 (1 cement 3 coarse sand 6 graded stone aggregate 40 mm nominal size)	0.00	Cum	5399.02	0
18.3	1:4:8 (1 cement 4 coarse sand 8 graded stone aggregate 40 mm nominal size)	14.50	Cum	4861.84	70696.68
19	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering shuttering finishing and reinforcement All works upto plinth level				0
19.1	1:1½:3 (1 cement 1½ coarse sand 3 graded stone aggregate 20 mm nominal size)	36.31	Cum	7800.76	283245.5956
20	Reinforced cement concrete work in walls (any thickness) including attached pilasters buttresses plinth and string courses fillets, columns pillars piers abutments posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				0
20.1	1:1½:3 (1 cement 1½ coarse sand 3 graded stone aggregate 20 mm nominal size)	22.39	Cum	9408.14	710648.2546
21	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centering, shuttering, finishing and reinforcement with.				0
21.1	1:1½:3 (1 cement 1½ coarse sand 3 graded stone aggregate 20 mm nominal size)	35.56	Cum	9849.35	350242.886
25	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/cum. Excess or less cement used as per design mix is content considered payable or recoverable separately.				0
25.1	All works upto plinth level	18.27	Cum	7911.26	144538.7202
25.2	All works above plinth level upto floor V level	54.57	Cum	9302.98	507663.6186
26	Extra for providing richer mixes at all floor levels. Note:- Excess/less cement over the specified cement content used is payable/recoverable separately. 5.35.1 Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340 kg/cum)	72.84	Cum	111.87	8148.6108
28	Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein.	100.00	Quintal	1074.37	78257.1108
29	Centering and shuttering including strutting, propping etc. and removal of form for:				0
29.01	Foundations, footings, bases of columns etc. for mass concrete.	159.28	sqm	262.30	41779.144
29.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	555.31	sqm	573.85	318664.6435
29.03	Suspended floors, roofs, landings, balconies and access platforms.	183.51	sqm	635.60	116638.956
29.04	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	171.31	sqm	502.85	86143.2335
29.05	Columns, pillars, piers, abutments, posts and struts.	170.74	sqm	680.15	116128.811
29.06	Stairs (excluding landings) except spiral staircases.	50.42	sqm	807.50	40714.15
29.11	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Foundation	9.95	sqm	52.46	521.977
	Walls	240.77	Sqm	114.77	27633.1729
	Beams	9.70	Sqm	100.57	975.529
					0
29.12	Edges of slabs and breaks in floors and walls	64.16	Sqm	242.30	15545.968
29.13	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m, for every additional height of 1 meter or part thereof (Plan area to be measured).				0
29.14	Suspended floors, roofs, landings, beams and balconies (plan area to be measured)	111.18	sqm	267.60	29751.768
30	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification (1 kg of water proofing material in 50 kg of cement)	583.00	kgs	57.90	33755.7
31	Steel reinforcement for R.C.C work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.				0



		16244.00	Kg	87.18	1416151.92
31.1	Thermo-Mechanically Treated bars of grade Fe-4000 or more				0
32	Brick work with common burnt clay (non modular) bricks of class designation 7.5 in foundation and plinth including curing in				284169.7774
32.1	Cement mortar 1:4:1 (cement : coarse sand)	38.01	Cum	7476.38	57858.872
33	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	38.01	Cum	1522.20	0
34	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be laid for a/cross/ply)				0
34.1	First class kail wood	1.44	Cum	106894.15	153927.576
36	Providing and fixing panelled or panelled and glazed shutters for				0
36.1	First class kail wood (30 mm thick shutter)	54.15	mm/sq m	2784.10	150759.015
37	Providing and fixing fly proof wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions all complete.				0
37.1	With Galvanized M.S. Wire gauge with wire of dia 0.63 mm	25.47	sqm	925.00	23559.75
37.3	4 mm thick glass pane (weighing not less than 10 kg/sqm) Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.	25.47	sqm	1768.05	45032.2335
38	Using M.S. angles 40x40x6mm for diagonal braces.				0
38.1	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required, chequered plate wherever required, all complete.	2.00	sqm	4352.95	8705.9
39	In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required.				0
39.1	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	905.00	Kg	114.68	103785.4
39.2	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.	570.00	Kg	146.63	83579.1
40	G.I. pipes				0
40.3	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	131.08	Kg	174.25	22840.69
42	Welded				0
42.2	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters	2539.00	Kg	102.14	259333.46
43.1	80x1.25 mm M.S. laths with 1.25 mm thick top cover	5.40	sqm	3238.20	17486.28
43.2	Providing and fixing ball bearing for rolling shutters.	4.00	each	483.10	1932.4
45	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS: 15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 (1 cement : 4 coarse sand) including skirting in vertical & pointing the joints with white cement and matching pigment etc., complete				0
45.1	In colour such as White, Ivory, Grey, Fume, Red Brown (as directed by the engineer in-charge)	91.20	sqm	1210.66	110412.192
46	Flooring with marble stone of specified thickness as per sample of marble approved by Engineer-in-charge, over 20 mm (average) thick base of cement mortar 1:4 (1 cement:4 coarse sand) laid and jointed with grey cement slurry including skirting in vertical, rubbing, polishing and curing complete with:				0
46.1	Makrana White Second quality (16mm)	78.22	sqm	6175.39	483039.0058
46.2	Extra for pre finished nosing to treads of steps of marble stone	5.90	sqm	579.31	3417.929
47	12mm Cement plaster finished with a floating coat of neat cement of mix.				0

Handwritten signature and initials.

Sl. No.	Description	Quantity	Unit	Rate	Amount	Rate	Amount
57.1	Applying priming coat	1004.29	sqm	343.76	345144.6875	0	0
57.2	Applying second coat	105.24	sqm	69.50	7316.28	0	0
58	Manufacturer of wood work (dual and soft wood) providing with synthetic enamel paint of approved brand and manufacturer to give 80 (EVEN) shade.	105.24	sqm	121.95	12834.018	0	0
59	Two or more coats on new work	488.54	sqm	149.05	72655.887	0	0
60	Chambering with oil bound washable distemper of approved brand and manufacturer to give an even shade on New work (two or more coats) over and including priming coat with water thinnable enamel primer.						
61	Providing and fixing aluminum handles ISI marked anodized (anodic coating not less than grade AC 10 as per IS 1868) transparent or dyed to required colour and shade with necessary lacquer etc. complete.	6.00	each	60.35	362.1	0	0
62	125 mm	24.00	each	52.30	1255.2	0	0
63	Providing and fixing aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS 1868) transparent or dyed to required colour or shade with necessary lacquer etc. complete.	20.00	each	80.35	1607	0	0
64	150x10 mm	35.00	each	57.35	2007.25	0	0
65	100x10 mm						
66	Providing corrugated G. S. sheet roofing including vertical curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with boltumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purline, rafters and trusses and including cutting to size and shape wherever required.	89.68	sqm	830.25	74456.82	0	0
67	0.50 mm thick with zinc coating not less than 275 gram/m ²						
68	Providing and fixing plain eaves boarding.						
69	2nd class kail wood						
70	300x40 mm (nominal size)	35.45	m	998.85	35409.2325	0	0
71	Providing and fixing of 0.5mm Color GS Sheet Soffit boarding including Backing, supports etc complete job	35.45	m	600.00	21270	0	0
72	Providing and applying white cement based putty of specified thickness, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	215.05	sqm	172.40	37074.62	0	0
73	2 mm thick						
74	Providing and fixing G.I. pipes (B medium) complete with G.I. fittings excluding trenching and refilling etc. (external work)	10.00	m	298.15	2981.5	0	0
75	25 mm dia nominal bore	10.00	m	559.35	5593.5	0	0
76	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the full pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.	0.00	Each	20243.00	0	0	0
77	150 mm dia, Class 1						
78	Providing and fixing of MS flanged joints (12mm thick) to double flanged GUDI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of charges. Complete Job.	18.00	Joint	2150.00	38700	0	0
79	150 mm dia pipe						
80	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	25.89	Sqm	800.00	20712	0	0
81	For shutters of doors, windows & ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately.)	30.00	Kg	552.64	16579.2	0	0
82	Anodized aluminum (Anodized transparent or dyed to required shade according to IS:1868, minimum anodic coating of grade AC 10)						
83	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminum snap beading shall be paid in Basic Item.)	1.35	sqm	1807.14	2439.639	0	0
84	With float glass panes of 8 mm thickness (weight not less than 20.0 kg / sqm)						


 1


75	Providing & fixing of PVC under drainage laterals with specifications conforming to IS 4885 & IS 15801. 8mm thick galvanized cut of approved make with nominal dia of 8mm. laterals as per design of bed provided at 60 degrees along with PVC Tee and end caps grouted in concrete. The pressure rating of laterals shall be 15 bar.					0	
75.3	1500mm dia	50.00	m	1420.00		71000	
76	Carriage of materials by mechanical transport including loading, unloading, stacking of material SAND.					0	
	150mm dia	86.74	mt	303.66		26319.4664	
	150mm dia	17.85	mt	303.66		5420.331	
	20mm dia	121.55	cum	601.08		72061.274	
	40mm dia	168.05	cum	601.08		101011.494	
	60mm dia	13.05	cum	601.08		7844.094	
	80mm dia	18054.00	no	1.6		28886.4	
	100mm dia	227.30	cum	257.84		58607.032	
						0	
89	Electrical Items: Supplying and fixing of 25mm dia. medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.	100.00	m	103.50		10350	
90	Providing and carrying out wiring for light point: fan point exhaust fan point call bell point with 1.5 sq mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq mm FRLS PVC insulated copper conductor single core cable etc. as required (excl. cost of conduit)	8.00	Point	824.55		6596.4	
92	Providing and carrying out wiring for heating points with 4.0 sq mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, modular combined S&S 16amp along with modular plate, suitable GI box and earthing the point with 2 sq mm FRLS PVC insulated copper conductor single core cable etc. as required (excl. cost of conduit)	10.00	Point	1300.00		13000	
93	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin SRA & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required	8.00	No.	569.25		4554	
94	Supply and fixing of two module stepped type Electronic Fan regulator on the existing modular plate switch box including connections but excl. cost of modular plate etc. as required	2.00	No.	393.30		786.6	
95	Supplying and fixing single pole 5 A to 32 A rating, 240V, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load in the MCB DB complete with connections, testing and commissioning etc. as required	1.00	No.	442.75		442.75	
96	Supplying and fixing double pole 63 Amp 240V, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load in MCB DB complete with connections, testing and commissioning etc. as required	4.00	No.	74.75		299	
97	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box wooden block including connections etc. as required	8.00	No.	600.00		4800	
98	Supply of 24-Watt LED slim aluminum panel surface type complete in all respects	2.00	No.	2125.00		4250	
100	Supply of 1200 mm sweep Ceiling Fans complete in all respects, confirming to relevant Indian Standards	2.00	No.	1550.00		3100	
101	Supply of 200 mm nominal sweep Exhaust Fans including shutter from outside complete. Confirming to relevant Indian Standards	2.00	No.	198.85		393.3	
103	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (up to 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required	2.00	No.	417.45		834.9	
104	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required	5.00	No.	1500.00		7500	
106	Providing, fitting and testing of LED flood light IP65 30W rating to pre-wired electric points on the outside of the Filter House building.	50.00	m	325.00		16250	
107	Providing and laying of armored cable 95mm, 3.5 core for main service line of reputed make in P.V.C pipes of required dia to accommodate the service line including bends etc., from main transformer to the main panel board including copper thimbles, earth work excavation and filling for laying of cable complete						


 K. S. Srinivasan
 1

Item No.	Description	Unit	Quantity	Rate	Amount	0
110	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	42000.00	42000.00	0
111	Providing and fitting of main board with single iron supports and	Job	1.00	4250.00	4250.00	0
112	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
113	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
114	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
115	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
116	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
117	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
118	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
119	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
120	Providing and fitting of 1000 Voltages stabilizer of following capacity of standard make and quality including accessories as required. The job includes making of connections with main power board and service line 10 to be fixed in place and	Job	1.00	4250.00	4250.00	0
120.01	Pumping unit with 5.0 HP Motor	Set	1.00	20268.00	20268.00	20268

Handwritten signature and initials.

121	PIF testing and commissioning of MS Rotating Desludging Bridge comprising of following items.					0
122	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete for the installation Testing and Commissioning of Half Bridge with Central Drive mechanism, scrapper and churners for required dia Clarifier.				0	
122.01	Riveted and bolted	1250.45	Kg	105.77		132760.0965
123	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc complete				0	
123.01	On steel work	18.15	sqm	188.80		3426.72
123.02	On concrete work	215.05	sqm	183.43		39446.6215
123.03	Central axle turn table with double bearing and guide for incoming cable.	1.00	Set	4800.00		4800
123.04	Peripheral drive assembly with following motors, gear box, rollers, drive trolley (60:1 reduction gear box).				0	
123.06	Pumping unit with 5.0 HP Motor.				24268	
123.08	Starter along with necessary wiring upto motor	1.00	Set	24268.00		
123.09	Flocculator drive assembly with crown wheel, pinion sets, reduction gear (40:1) with motors complete job.	1.00	No	1680.00		1680
123.11	0.75 HP				0	
123.13	Incoming cable, telescopic electric pole with rotary current collector	1.00	No	5900.00		5900
125	Providing and laying D.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 9523 (as per site requirement)	1.00	Set	6500.00		6500
125.2	Over 300 mm dia.				0	
126	Providing/ Fixing, installation, successful commissioning of double flanged MS pipes/specials to be fabricated from MS tube heavy quality nominal thickness 6mm, conforming to relevant Indian Standard IS-1239 and/or IS 1161 read with up to date amendments. The pipe material should be of standard quality and must withstand all the anticipated design pressure ratings. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job.	828.00	Kg	147.00		121716
Total in Figures						8289361.67
Add 8% on all items						8952510.61
Terms and conditions:-						
1	The allotted cost of the work is Rs89.52 (Rupees eighty nine lac fifty two thousand only) However the allotted cost should in no case exceed beyond DAP/DPFR.					
2	The date of start shall be reckoned from the date as mentioned in the LOM/allotment.					
3	The work shall have to be completed within a period of (90) days from the date of issuance of this allotment order, failing which penalty upto 10% of the total value shall be imposed upon you.					
4	The contractor is directed to deposit the earnest money @3% of allotted cost within 07 days from the issuance of allotment.					
5	The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment					
6	The work shall have to be completed within a period of ninety (90) days from the date of issuance of allotment as mentioned above					
7	After testing and commissioning of work the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department					
8	The DLP In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as decided for getting the defect rectified subject to maximum ceiling of 06 months					
9	The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP in case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions levels dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in as deemed for getting the defect rectified subject to a maximum ceiling of 6 Months					
10	The rates are including the Charges for Submission of progress Geo-tagged photographs, videographic record through the professional person before during & after construction and progress reports in both hard and soft copies Taking Cross-Sections I. Sections by Auto Level/EIS before and after execution Preparation of work abstract of executed work, preparation of bills besides the rates quoted/allotted are inclusive of taxes and the tees viz GST/income tax/Cess etc shall be deducted at source from running account bills					
11	All the Cement RCC Steel plumbing and other works shall be strictly as per relevant IS Codes CPHEEO norms/requirements/specifications and normal PWD practices					
12	You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be done by the contractor and shall be deemed to have been included in the term rates for various items of work and percentage rate tendered Nothing extra shall be payable on this account					



 K.L.
 S.P.

12	You have to furnish the confirmatory survey, structural & functional design including geotechnical analysis, soil investigation and quality control tests done at your level duly verified by DWA, as per terms & conditions of the B11. The vetting charges for the design if any are to be done by you.
13	The allotted works shall be subject to check by the third party monitoring agency (TPM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery notified in such scheme. The TPM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contractor during the Contract Period.
14	Any item of work not included in the B11 but required for the completion of the work, shall be executed by the contractor, as directed by the Department. Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation/depreciation of the contractor in case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority.
15	No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever.
16	No extra claim towards any type of tax, freight etc. shall be entertained whatsoever.
17	No mobilisation advance shall be paid.
18	Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 10% of the amount from Running Account Bills and shall be released after completion of the defect liability period.
19	In the event of allottee failing, declining, neglecting or delaying the supplies/works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT.
20	All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
21	Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure or commission arises from the ACT OF GOD which shall include all natural calamities such as fires, floods, earthquake, hurricane, strokes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.
22	The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
23	From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes/blast and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.
24	In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer in charge be terminated by notice in writing posted at the site of the works.
25	The damage caused to the work during execution or prior to actual completion of work/handover of the project before defect liability period due to any natural calamity human interference, the same shall be get restored/made good by you at your own cost.
26	No damage is caused to existing structures like roads, bridges, buildings or other public utilities as a result of construction of this work. Wherever any damage occurs to any public/private infrastructure or public utility, the same shall be rectified/made good by you at your own cost.
27	Adequate precautions be taken for environment and social protection besides, all safety practices in vogue be strictly adhered to during execution of work.
28	No objection certificate from the concerned regulatory authority may also be sought whenever required.
29	All other terms & conditions will remain same as laid down in the original NIT SBD GFR-2017/ Procurement Manual 2019/Operational guidelines for JIM.

M.D.

Cops to the

1. Superintending Engineer Hydraulic Circle Aamtrng for favour of information
2. Asstt. Engr. PHE Sub-Division Kulgam for information
3. AAO Divisional office for information
4. Divisional Drawing branch for information


Executive Engineer
Sd/- PHE, JSD Kulgam