14 / West 64 51 - 53 16 - 11 - 23 10 138 139 ACC 2748 226 110 110 110 110 110 110 110 110 110 11	Ny 6/1Cers/6737-38 dated 11-08. 15-05-2821 OB-2622 OB-	539,350 47338,750 436,000 986450,000	700 406522.317 600 19390.800 610 36545.177		135 160126.45m thisber of the tensor of	AZ IDAZIAZA 10. VORLAZA
120/ 16/15/ 16-11 105 los gallons mi's outhersome a	of 2021 Dated, Of 2022 Dated, 22 Sriby fixed with Oboted amount	Cum 539	Cum 198.700 Cum 1320.000 Cum 6434.010 Cum 4861.835	Cum 4861.835 Cum 7800.760	Cum 9408.135	Com 10404.52 rips 262.375
Hor PHE/Wes/ 64, Co. 2022.23 Tot. 2022.23 Tot. 2022.23 Tot. 2022.33	of date SE/Hyd/DE/D9 of 2021 Dated, 05-05-2021 d date: SE/Hyd/DE/D9 of 2021 Dated, 05-05-2021 f work Rs 41,06 lacs of work Rs 3511018.00 for the above work is hereby fixed with you on the Berseman. Course Personness 8,100 2511018 Discrete security is hereby fixed with you on the Berseman. Course Discrete Security fixed with you on the Berseman.	87.77 87.77 2262.5	14.69	19.44	20.71	129
Alt Aband day (Southing) (So		forceasting 30 cm in depth, 1.5 m in width as well as 10 eqm on plant inplied in depth, 1.5 m in width as well as 10 eqm on plant upto 1.5 m, as directed by Engineerin-Charge-all kinds of soill foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) m, including drassing of sides and the like not exceeding 10 eqm on plan, including drassing of sides andramming of bottoms lift upto 1.5 m in width) m, including getting out exceeding 10 eqm on exceeding getting out exceeding of sides andramming of bottoms lift upto 1.5 exceeding for sides andramming of bottoms lift upto 1.5 exceeding for exceeding 10 eqm on exceeding getting out exceeding of sides andramming of bottoms lift upto 1.5 exceeding for exceeding earth and disposal of surplus filling evallables exceeded earth (exclusions).	Consolidating each deposited layers not exceeding 20 cm in depth, upto 50 m and lift upto 1.5 m. Providing and laying hand pecked stone soling 50 nm nominal size earlingss complete. Providing filling, apreading, dressing, ramming, all leads lifts and all including curing that excluding the cost of centring and shuttering. All including curing that excluding the cost of centring and shuttering. All stone aggregate 40 mm nominal size forminal size of a central and shuttering. All stone is a coarse sand a graded from the forminal size of central atone aggregate 40 mm nominal size).	roviding and laying in position specified grade of reinforced cemens buttering, finishing and reinforcement. All works upto plinth level of cement: 1% coarse sand: 3 graded stone aggregate 20 mm sinforced cement concrete work in walls (any thickness) including standard pleasters, buttresses, plinth and string courses, standard pleasters, buttresses, plinth and string courses.	trickliding curing but excluding cost of centering shuttaing, the mishing and reinforcement 11½ 3 (t centering shuttaing, shuttaing, shuttaing, shuttaing, shuttaing, shuttaing, shuttaing, sainforced centering to morninal size, suspended floors, roofs sainforced centering to the landings, basconies, suspended floors, roofs sainfo, plain window sits, staintains and spiral stair cases upto five tribibiling and reinforcement with:	first hered terral including caring hat excluding the cost of certaining including the cost of certaining including the cost of certaining shading the cost of certaining stocking the cost of terral and costs of certaining stocking terral and certaining stocking struction of contents and means contents for Franchisting including structing propping sic and means contents.

7												-	_							
		4420,000	7636,089	18288.626	3004 304	1000000	7195,199	3627.549	8687.563	1232 373	1000 100	3403 404	5635.066	5428.090	8764.112	5836,000	9416,000	72000.000	150000.000	3820476.749
	-	4.420	209,898	502.711	226.918		543.444	246.940	591.393	261.096	421 400	121.567	196.207	153,249	247.434	5.836	9.416	480.000	1000.0001	-
	Min	mil	com	Cum	Cum		Cum	Cum	Cum	M.T	M.T	M/T	T.M.	M.T.	M.T.	Mtr	Mtr	Mtr	Mtr	the controls
	1000	36.36	10,000	36.38	13.24				14.69		4.72	1120-211	28.72		35.42		774		150	percentage of the con
Beyond 10 km upto 20 km per km	of materials to see	stacking of materials. (Sand) ist 50m	Int 50m 600Mtm	of materials by manual means inclusion to a	statisting of materials. Aggregate 40mm and Above ist 50m	of materials to	g of materials. Stone could be including loading, unloading.	Beyond Int 50m 600Mirs	ge of materials by manual means including loading contract	nd list 50m 600Mtrs.	ige of materials by manual means included.	ing of materials. Cement ist 50m and lat 50m 600Mtrs.	age of G.I.D.I pipes below 100mm dia from dumoing the	and 1st 50m 600Mtrs	riage of G.I./D.I pipes 150mm dia from dumping site to actual with	Beyond 1st 50m 800Mtrs	00 mts @ Rs 480/mt	Restoration of W.B.M road at spots 1000 mt @ Rs 100/mt	Total alleted cast attached	The alloted cost of the work is Re 3411018 and as