

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No: PHQ/CC/ 65 of 2022-23 dated 13/06/2022
 No: PHQ/ 3566-69. DATE: 01/09/2022 0.9.22
NAME : Imtiyaz Ahmad Mir S/O.Ab.Salam Mir R/O.Nadoora Kralmad Doru
 email: imtiyaz999@Yahoo.com Cell No.7006868854
 REGD. NO SE-R&D/SB-BEE-780 of 2017-18 ACCOUNT NO:0455010100000356
 GSTN: 01BRWPM7261F1Zk PAN: BRWPM7261F
 Name of Schemes:-Laying and fitting of pipes ,construction of chain link fencing, RCC jacketting to PST and filtration plant WSS Qammer Thamankote (UNDER JJM)
 Adminstrative Approval No. 59-DB of 2022 Dated 20-07-2022
 Technical Sanction NO. PHEQ/DB/ 34 of 2022 Dated 25-08-2022
 Alloted Cost: **Rs:- 2000028/=** Twenty Lacs and twenty eight Rupees
 Completion Time 90 Days

References:1. Your tender received in response to E-NIT No.13 of 2022-23 ISSUED UNDER NO:PHQ/1384-59 Dated 13/06/2022 (Tender ID: 2022_PHE_173949_36) 2. This office Corrigendum No. PHQ/CC/1620-28 dated:- 24-06-2022 and Corrigendum 2nd No: PHQ/CC/ 1680-88 Dated:- 27-06-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates; terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.01	All kinds of soil	200.250	Cum	436.000	87309.00
2	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe fittings, excluding cost of pipes, and Earth work				0.00
2.01	25 mm dia. nominal bore	450.000	Mtr	30.650	13792.50
2.02	20 mm dia. nominal bore	500.000	Mtr	20.250	10125.00
2.03	15mm dia. nominal bore	700.000	Mtr	20.250	14175.00
3	Providing and instalation of house hold connection tounconnected household including providing and fixing of necessary pipes specials, earthwork at connection and whatever necessary complete	11.000	No	1500.000	16500.00
5	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with.				0.00
5.01	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	24.550	Cum	7269.185	178458.49
6	Engagement of labour for taking out the filter media and washing the same and keeping in separate grades.	60.000	Lab	503.000	30180.00
7	Engagement of labour for disposing off the silt out side the premises of the intake chamber.	41.000	Lab	503.000	20623.00
8	Dismantling of old Plaster of intake chamber including disposing off unservice material and safe stacking of	775.000	sqm	35.350	27396.25
9	Providing and laying of dry stone soling tightly hand picked on horizontal levels	11.250	Cum	616.400	6934.50
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement)	11.250	Cum	4861.835	54695.64

11	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	8.180	Cum	8296.640	67866.57
12	Providing and laying in position specified grade of reinforced cement concrete including curing	3.600	Cum	7800.760	28082.74
13	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts	19.640	Cum	9408.135	184775.77
14	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in	1895.000	kg	91.138	172706.51
15	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of	166.000	kg	57.900	9511.40
16	Centering and shuttering including strutting, propping etc. and removal of form for:				0.00
16.01	Foundations, footings, bases of columns etc.	65.480	sqm	262.300	17175.40
16.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	224.900	sqm	573.850	129058.87
16.03	Columns, pillars, piers, abutments, posts and struts.	18.110	sqm	680.150	12317.52
17	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 (1 cement : 3 fine sand).	207.800	sqm	343.750	71431.25
18	12mm Cement plaster of mix 1 : 4 (1 cement : 4 fine sand)	69.000	sqm	260.050	17943.45
19	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm.	174.600	sqm	843.525	147279.47
20	Steel work welded in built up sections/framed	225.000	kg	153.295	34491.38
21	Structural steel work in single section fixed with or without connecting plate, including cutting, hoisting, fixing in position & applying a priming coat	2109.000	kg	95.163	200698.77
22	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	122.220	sqm	121.950	14904.73
23	providing and laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 and should be dust free from other organic impurities to be obtained from Ganderbal and the size of gravel should vary from 2mm to 40 mm including all cartages complete	45.000	Cum	9000.000	405000.00
24	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering. lead upto 50 m and lift upto 1.5	139.790	Cum	198.700	27776.27

67865

25	Carriage of material from source to dumping site at road by mechanical transport				5.00
25.01	Cement and steel for avg. lead of 16 Km	25,650	MT	303,846	7788.52
25.02	Sand for avg. lead of 35Km	33,800	Cum	551,333	18625.56
25.03	20mm Aggregate for avg. lead of 30 Km	50,370	Cum	501,653	25268.26
25.04	40mm Aggregate for avg. lead of 30 Km	10,130	Cum	545,284	5523.73
25.05	Stone soling For avg lead of 10 km	11,250	Cum	330,418	3717.20
26	Carriage of Pipes material From divisional store to dumping site of work by mechanical transport For anaverage lead of 35 Km				0.00
26.01	80/65/50/40/25/20 mm dia GI pipe	2,060	MT	445,945	918.55
G.TOTAL					2562160.83

Quoted Percentage rate 3.06% Below
 Alloted Cost 2500028.11

Rupees :- Twenty Lacs and twenty eight Rupees only

Head Draftsman
 Tech. Officer
 Ex. Engineer PHE Div. Jammu

Terms & Conditions

- Earnest money deposited by you vide CDR. No _____ is being retained as security deposit and shall be released after as per the general terms = in J&K Bank
- The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TPIQM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle.
- The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
- Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
- The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before, during and after construction and progress reports in both hard and soft copies.
- The date of start of work shall be reckoned within one week from the date of issue of LOR / Contract Allotment whichever is earlier.
- No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
- In case of quantity variation OR required as per the direction of the Engineer in charge, the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
- Retention many / Security deposit shall be 10% of the contract value. The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recommendation from the concerned Engineer in charge
- Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT
 - Terminate the contract after 15 days' notice and/or
 - Recover the amount of loss caused by damage, failure or default, as may be determined by the department.
 - Recover the extra cost, if any, involved in allotting contract to other party and/or
 - Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or
 - Forfeit the performance security and blacklist the firm.


11	Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
12	No mobilization advance shall be paid
13	The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
14	The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
15	The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required.
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award.
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.
20	Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.

Copy to the :-

1	Chairman District Jal Jevan Mission (DDC) Anantnag / Kulgam for information.
2	Superintending Engineer Hydraulic Circle Anantnag for information.
3	Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Dooru for information & necessary action. He will ensure the execution of works under stage contract after submission of damages reports duly recorded check certificate & proper geo tagged photographs before, during & after execution.
4	File concerned.


Head Draftsman


Tech. Officer


Ex. Engineer PHE Div. Qazigund