Pahlgm. Jym

cia c-	ICE OF THE EXECUTIVE ENGINE FAQ AHMAD RESHI	No/Du	m. 0/	11, 11				
5/U Gh Ahmad Reshi			No/PHB: 96/4-/6					
R/O Wagha	ma	GST. No: 0 THUMPE 1840 1175						
Rega No: S	E/Hyd/Sop/59/BEE/2006-07		0.711	BPR1840A1Z	<u> </u>			
Tender ID:	2022 PHE 168093 2	THE BE		Control of the second				
Adv. Cost	Rs: 28.15 Lacs	711	otod as	-4 5 05 -				
Subject:-	Laying /fitting of pipes, construction of	0.15 lac ga	llong DCC	st Rs: 27.59	Lacs			
	Laying /fitting of pipes, construction of 0.15 lac gallons RCC SR, Construction of sluice chamber, Imporvements to distrubution network WSS Khyar under JJM							
	1.Your tender received in response to this office to MEEN, 40 are seen and a fine of the office to MEEN.							
	1.Your tender received in response to this office: e-NIT No. 10 OF 2022-23 Dated: 28 -04-2022 No: PHB/No: PHB/1151-71 Dated: 28 -04-2022							
	02. Read with Corrigendum No: PHB/2080-2100 Dated: 23.05.2022							
Reference	03. DJJM /District Development Commissioner Anantnag's Authorization No:DDCA/JJM/2022-23/3558 60 Dated: 30.07.2022							
	04. Superintending Engineer Hyd.Circle Anantnag's Authrozation Letter No:SE/Hyd/4590 Dated: 03.08.2022							
	A CONTRACTOR OF THE CONTRACTOR							
	5.This office letter of intent No/PHB/6460-							
F	or & on behalf of Lt. Governor of J&K (UT),	contract fo	or above no	ted work is herel	ov fixed			
ith you on the	ronowing quoted rates :-				-/ TIACG			
SI.NO	Description of Work / Item(s)	Qty	Units	Estmated Rate	Amount			
1	Earth work in bulk excavation by manual means	-1-17-51	7 16 1-14.		D. AND.			
	over areas (exceeding 30 cm in depth 15 m in							
	width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto							
	1.5 m, as directed by Engineer-in-Charge.							
1.1	All kinds of soil	1799.35						
1.2	Ordinary Rock	280.23	Cum	539 35 855 65	970479			
_2	Earth work in excavation over areas exceeding	200,23	- Cum	055 65	239779			
	30 cm and upto 1.5 m in depth 1.5 m in width			- 0				
	as well as 10 sqm on plan inculding disposal of							
	excavated soil upto1mt from cutting edge.							
2.1	Extra for every additional lift of 1.5m or part							
	thereof.	63.82	Cum					
2.2	Providing and laying of dry stone soling tightly	03.02	Cura	81 65	5211			
	hand packed on horizontal levels incl all							
	Carriages.	7.17	Cum	1320.00	9464			
	Providing and laying in position specified grade of reinforced cement concrete including curing but							
	excluding the cost of centering, shuttering,							
[1	finishing and reinforcement. All works upto plinth							
	evel :1½:3 (1 cement : 1½ coarse sand : 3 graded stone							
a	iggregate 20 mm nominal size)	12.76	Cum	7800.76	99538			
3.2	:4:8 (1 cement 4 coarse sand 8 graded stone				99338			
4 6	ggregate 40 mm nominal size) Reinforced cement concrete work in arches ribs	7.17	Cum	4861 00	34853			
1.	lomes vaults shells folded plate and roofs							
h	naving slope more than 15° up to floor five							
16	evel excluding cost of centring, shuttering,							
fi	inishing and reinforcement with 1:1.5:3 mix				•			
	01 cement, 1.5 course sand, 03 stone							
	ggregate of 20mm nominal size).	2.89	Cum	10404.52	30069			
5 R	einforced cement concrete work in walls (any				30009			
tl	nickness) including attached pilasters,			, ,				
b	uttresses, plinth & string courses, fillets,			1	. 3			
sti co re	olumns, pillars, piers, abutments, posts &				- 19			
	ruts etc. up to floor five level excluding the ost of centring, shuttering, finishing &							
	einforcement 1:1:2 (1cement, 1 course sand,		•					
	graded crushed stone) aggregate 20mm			- 1	1			
	ominal size.	17.87	Cum	9408 00	169131			
6 Ce	entring and shuttering including strutting	11.01	- Cum	3400 00	168121			
	opping and removal of form work.				10)			

6.1	a) Foundations	8.32	Sqm	262.30	2182
6.2	b) Walls	156.15	Sqm	573.85	89607
6.3	g) Arches, Domes etc upto span 6mtr	28.29		2086 80	59036
6.4	12mm Cement plaster finished with a floating coat	20.23	Sgm	2000 00	3,000
	of neat cement of mix:			011.75	4101
6.5	1:6 (1 cement : 6 fine sand)	38.85	Sqm	241.75	9392
7	Providing Reinforcement to RCC works				
	including bending, binding, cutting, straitening				
	and placing in position complete.TMT		ا ا		
		3017	Kg	87.00	262479
8	P/F of M.S lid / Angle Iron Ladder complete job	11	job	20000 00	20000
9	Extra for providing and mixing water proofing				
	material in cement conc work in doses by				
	weight of cement as per manufacturing				
	specifications	222.90	Kg	57,90	12906
10	P/F MS flanges including cost of nunts bolts				
	complete job				
10.1	a) 100 mm M.S Flanges	33.00	Pair	1520.00	50160
10.2	a) 80 mm M.S Flanges	33.00	Pair	1120.00	36960
11	Laying and fitting of GI pipes all classes				
	complete excluding cost of pipes and earthwork				
11.1	b) 50 mm G.I Pipe	700.00	Mtr	40 80	28560
11.2	c) 40 mm G.I Pipe	1000.00	Mtr	40.80	40800
11.3	d) 25 mm G.I Pipe	1000.00	Mtr	30.65	30650
11.4	e) 20 mm G.I Pipe	1000.00	Mtr	20.25	20250
11.5	f) 15 mm G.I Pipe	700.00	Mtr	20.25	14175
12	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge				
12.1	15 mm to 40 mm nominal bore.	1200	RM	99 75	119700
12.2	Above 40 mm nominal bore	550	RM	110 65	60858
13	Back-filling of available excavated rock in trench				1
	plinth sides of foundation etc in lears not exceeding 20 cm in depth into consolidatinf each deposited layer by ramming and watering lead upto 50 and lift 1.5 m	1664.19	Cum	198.70	330675
14	Carraige of materials my mechanical transport				
14.1	Cement and Steel (30 Kms)	18.11	MT	445.00	8059
14.2	Sand, stone aggregate 20 mm nominal size 30 Kms)	50.17	Cum	501.00	25135
14.3	Stone aggregate 40 mm nominal size 30 Kms)	6.45	Cum	545.00	3515
15	By Manual Labour including loading, unloading and				3313
	stacking				
15.1	Below 100 mm G.I Pipes (1000 m)	24.23	MT	535 00	12963
15.2	Cement & Steel (100m)	22.11	ΜŢ	139 00	3073
15.3	Stone Soiling(100 m)	7.17	Cum	300.00	2151
15.4	Sand, stone aggregate below 40 mm nominal size(50.17			
15.5	Stone aggregate 40 mm nominal size and above (100	50.17	Cum	255 00	12793
10.0	m)	6.45	Cum	276.00	1780
			Total		281500
		Deduct @ 2.00% for all items rates			
		quoted by th			56000
		All-t-d			

Rates & Qty Checked

Head Draftsman Technite Officer

Alloted cost after the deduction

Executive Engineer Nakti PHE Division Bijbehara

Terms & Conditions

The cost of work should in no case exceed beyond Rs. 27.59 Lacs (Rupees Twenty seven Lac fifty nine thousand) only

2759000

Say Rs: 27.59 Lacs

	The work shall have to be completed within a period of 60 working days from the date of issuance of this allotment order failing which penalty upto 10% of the total value of contract shall be imposed upon you.				
	Earnest money deposited by you vide C DR NO:311049DT: 18-5-2022 RS&6955 and No: 3116 Dated 9-92022 RS:17500- successful completion of the work and expiry of defect clause.				
4	Client/Paying Authority: The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TPIQM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle/Executive Engineer/Assitant Executive Engineer				
5	Terms of Payment: Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion period within a variation of -5%.				
6	Warranty: The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting.				
7	Trial Run: After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department.				
8	Defects Liability Period (DLP): The defects Liability Period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The budder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months.				
9	Liquidated damages (LD) In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a)Terminate the contract after 15 days notice and/or				
	b)Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c)Recover the extra cost, if any, involved in allotting contract to other party. and/or				
	d)Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or				
10	Force Majeure: Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.				
11	Specifications of job: Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s.				
12	Bidder Dying, Becoming Insolvent Or Imprisoned: in the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the				
3	works. communications/ instructions. Safety of Govt. Infrastructures: The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder Failing to attend immediately the same will be got done by the Department at the risk and cost of the allotee.				
4	Allottee's risk and insurance: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.				

1	Work under Diddore Charge			
	Work under Bidders Charge: From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.			
16	Setting Out of Works: The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.			
17	Labour: The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under,			
8	Storage at Site: The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation fequipment/ material at site for which land shall be provided by the department near the site of work			
9	Watch & Ward of Works: The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.			
:0	Final Acceptance: The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in all respects, at site, in accordance with the provisions of the contract.			
1	Cleaning Up: On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.			
22	Power and Water Supply: The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to th machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division. The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own			
	arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colon Site Office etc.			
23	Agreement: As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prever this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.			
24	Tender quantities: The advertised quantities in the tender documents are tentative and subject to increase or decrease, depending upon actual requirement at site as per the design and other considerations. The successful bidder shall have no claim/reservation on this account and the decision of the department shall be final and binding.			
25	Third Party Monitoring: The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in eac scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for to purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.			
26	All other terms and conditions as laid down in form No.25 of P.W.D. shall remain			

1

Chief Engineer Kmr PHE Department Srinager for favour of information please.

District Dev.Commissioner Anantnag for Javour of Information please Superintending Engineer Hyd. Circle Bijbehara for favour of information

Assistant Executive Engineer PHE Sub - Division Bijbehara for information & necessary action. He will ensure the completion of work within the stipulated time-period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.

Technical Officer Divisional Office for Information

File Concerned