	OFFICE OF THE EXECUTIVE ENGINEER	R PHE, DI\	/ISION	BIJBEHAR	A	
Mushtaq		No/PHB:		56-61		
S/o Ghula	Dated:	<u> </u>	30-67 0-07-			
R/o New	Colony Bijbehara	GST. No:		SIPN6247J12		
Regd. No	o:- Ce/i&FC/SGR/01/AYY/Civil & Sanita	RY/2020-2	21			
Tender ID:	2022_PHE_168093_22					
Adv. Cos	st Rs: 61.17 Lacs	1		Cost :-59.42 :-Rs 63.61 la		
Subject:-	Retrofitting of WSS Manigam by way Laying / fitting of pines construction of 0.20 lag gallons					
	1.Your tender received in response to this office: e-NIT No. 10 OF 2022-23 issued under NO/PHE/ 1151-71 Dated: 28.04-2023					
Reference	02-4DJJM /District Development Commissioner Anantnag's Authorization No:DDCA/JJM/2022-23/3858-60 Dated: 30.07.2022, No/DDCA/DJJM/9413 Dt: 04.11.22 and No/DDCA/JJM/12613 Dated:03.02.2023					
	05. Superintending Engineer Hyd.Circle Anantnag's Authrozation Letter No:SE/Hyd/4590 Dated: 03.08.2022					
	06. Superintending Engineer Hyd.Circle Anantnag's Authrozati 07.Executive Enginer Jal Shakti PHE Division Bijbehara's letter	I N OD /				
SI.No	Description of Work / Item(s)	Qty	Units	Estmated Rate	Amount	
1	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.					
2	All kinds of soil	355.45	Cum	539.35	191712	
3	Ordinary Rock	237.29	Cum	855.65	203037	
4	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material:					
5	All kinds of soil	47.00	Cum	81.65	3838	
6	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed (1 meter from cutting edge)					
7	All kinds of soil	1002.00	Cum	420	400070	
1.0	•	1002.00	Cum	436	436872	





ubject:-	Retrofitting of WSS Manigam by way Laying /fittl SSFP,construction of 0.10 lac capacity SR,constru existing pipe network under JJM	ing of pipes iction of slu	construction (construction)	tion of 0.30 la bers,Improve	gallor ments to
8	Ordinary Rock	429.00	Cum	841.6	
3	Providing and laying of dry stone solling	127.00	Cum	841.6	361046
9	tightly hand packed on horizontal levels.incl all carriages	24.37	Cum	1320	32168
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				9.
11	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	24.37	Cum	4861	118463
12	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	17.77	Cum	6465	114883
13	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
14	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	46.38	Cum	7800	361764
15	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
16	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	62.56	Cum	9408	588564
17	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with				
18	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	4.30	Cum	9849	42351



Subject:-	Retrofitting of WSS Manigam by way Laying /fitti SSFP,construction of 0.10 lac capacity SR,constru existing pipe network under JJM	ng of pipes, ction of slui	construc ce cham	bers,Improve	ments to
19	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with:  1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	2.39	Cum	10404	24866
20	Centering and shuttering including strutting, propping etc. and removal of form for:				
21	Foundations, footings, bases of columns etc. for mass concrete.	24.14	Sqm	262.3	6332
22	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	589.76	Sqm	573.85	338434
23	Arches, domes, vaults upto 6 m span	26.24	Sqm	2086.8	54758
24	12mm Cement plaster finished with a floating coat of neat cement of mix:	504.04	Sam	343.75	203479
25	1:3 (1 cement: 3 fine sand)	591.94	Sqm	241.75	28176
26 27	1:6 (1 cement: 6 fine sand)  Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete	116.55	Sqm		
- 00	above plinth level TMT deformed bars	10194.00	kg	87	886878
28	P/ F of M.S lid / ventilator incld connecting of S.R with supply system complete job	1.00	ЈОВ	50000	50000
30	P/ M of water proofing compound to cement concrete @ 1kg/50 kg 0f cement.	820.33	kg	57.9	47497
31	Providing laying of Baramullah Slabs	439.00	Sft	200	87800
32	Providing & laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 & should be dust free & free from other organic impurities to be obtained from Ganderbal Nallah & the size of gravel should varry from 2mm to 40mm incld all carriages complete.	2471.14	cft	250	617785

S	е	S	n
Subject:-		17	10

ubject:-	Retrofitting of WSS Manigam by way Laying /fitting SSFP,construction of 0.10 lac capacity SR,construction of the construction	ng of pipes,c ction of slui	construc ce cham	ction of 0.30 lac bers,Improver	gallons nents to
33	Filling available excavted earth (excld. rock) in trenches plinth sides of foundation etc. in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming & watering lead upto 50 m, & lift upto 1.5 m.	1289.86	Cum	198.7	256295
34	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.		137,		
35	50 mm dia. G.I. pipes	1290.00	Man	10.0	
36	40 mm dia. G.I. pipes	1200.00	Mtr.	40.8	52632
37	25 mm dia. G.I. pipes		Mtr.	40.8	48960
38	20 mm dia. G.I. pipes	1100.00	Mtr.	30.65	33715
39	P/f of 12mm thick MS flanges to the G I pipe, including cost of flanges, welding charges and L/F charges complete.	1200.00	Mtr.	20.25	24300
40	80 mm dia G.I pipe	131.00	Pairs		
41	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge:			170	
42	15 mm to 40 mm nominal bore.	1350.00	Rmt	20.75	-1
43	Above 40 mm nominal bore	1000		99.75	134663
44	CARRIAGE OF MATERIALS By Mechanical Transport including	1090.00	Rmt	110.65	120609
45	Below 100 mm G.I Pipes (40 kms)	17.89	MT	533	
46	Cement and Steel 45 Kms)			+	9535
47	Sand, stone aggregate below 40 mm nominal size 45 Kms)	71.09	Cum	577	41019
48	Stone aggregate 40 mm pamin 1	200.10	Cum	650	130065
49	above (45 Kms)  By Manual Labour including loading, unloading and stacking	21.93	Cum	707	15505
50	Cement and Steel (1000 m)	71.09	MT	460	



Subject:-	Retrofitting of WSS Manigam by way Laying /fi SSFP,construction of 0.10 lac capacity SR,const existing pipe network under JJM	tting of pipes ruction of slu	s,constru iice cham	ction of 0.30 l bers,Improv	lac gallons ements to
51	Sand, stone aggregate below 40 mm nominal size (1000 m)	200.10	Cum	1077	215508
52	Stone aggregate 40 mm nominal size and above ( 1000 m )	21.93	Cum	1165	25548
53	Stone Soling (1000 m )	24.44	Cum	1270	31039
		(A)	Total Am	ount	6116895.97
		(B) Add @ 4		items rates	244675.80
			ted cost	(A+B)	6361571.77
Rates & Qty	Checked		to Alloted PR Provis	l cost as per ion	59.42 lacs

Rates & Qty Checked

Head Draftsman

_	The cost of work should in no case exceed beyond Rs. 59.42 Lacs Rupees Fifty Nine luc and forty wo thousand only
1	
2	The work shall have to be completed within a period of 60 days. from the date of issuance of this allotment order failing which penalty upto 10% of the total value of contract shall be imposed upon you.
3	Earnest money deposited by you vide FDR NO:605222 Dt:23.05.2022 Rs:1,22350/- successful completion of the work and expiry of defect clause.  2 Add PM. Sec. 1/ Yiele FDR:- 552/67 DC:- 27.7.23 Rs 61,500/5
4	Client/Paying Authority: The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TPIQM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle/Executive Engineer/Assitant Executive Engineer
5	Terms of Payment: Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion period within a variation of -5%.
6	Warranty:  The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty perio any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/repaired by any other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting.
7	Trial Run:  After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department.
8	Defects Liability Period (DLP): The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months.
9	Liquidated damages (LD) In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of allottee for in the event of allottee for in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall without prejudice to any other remedies available to it under any law for the time being enforce in the UT:  a) Terminate the contract after 15 days notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party. and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every wee but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm.

ubject:-	Retrofitting of WSS Manigam by way Laying /fitting of pipes, construction of 0.30 lac gallons SSFP, construction of 0.10 lac capacity SR, construction of sluice chambers, Improvements to existing pipe network under JJM
10	Force Majeure:  Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.
11	Specifications of job: Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s.
12	Bidder Dying, Becoming Insolvent Or Imprisoned: in the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works. communications/ instructions.
13	Safety of Govt. Infrastructures:  The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee.
14	Allottee's risk and insurance: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
15	Work under Bidders Charge: From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.
16	Setting Out of Works:  The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in
17	Labour: The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
18	Storage at Site: The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/material at site for which land shall be provided by the department near the site of
19	Watch & Ward of Works:  The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
20	Final Acceptance:  The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in all respects, at site, in accordance with the provisions of the contract.
21	Cleaning Up:  On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.
22	Power and Water Supply:  The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall. The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc.
23	Agreement:  As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.



3		
A. T.	Subject:-	Retrofitting of WSS Manigam by way Laying /fitting of pipes,construction of 0.30 lac gallons SSFP,construction of 0.10 lac capacity SR,construction of sluice chambers,Improvements to Tender quantities: The advertised
	24	Tender quantities: The advertised quantities in the depending transfer of the dependent transfer of the dependent transfer of the dependent transfer
	25	depending upon actual requirement at site as per the design and other considerations. The successful bidder shall have no claim/ reservation on this account and the decision of the department shall be final and binding.  Third Party Monitoring:  The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and All other terms and conditions as laid down in form No. 25.
	26	All other terms and conditions as laid down in form No.25 of P.W.D. shall remain
	Copy to the :-	ondin
	1	Chiefe
	2	Chief Engineer Kmr PHE Department Srinager for favour of information please.  District Dev.Commissioner Anantage for favour of information please.

- epartment Srinager for favour of information please.
- District Dev.Commissioner Anantnag for favour of information please 3
- Superintending Engineer Hyd. Circle Anantang for favour of information
- Assistant Executive Engineer PHE Sub Division Phalgam for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does work within the supulated time-period and strictly in accordance with approved proposals, besides to not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- Technical Officer Divisional Office for information
- File Concerned

