

OFFICE OF THE EXECUTIVE ENGINEER PHE, DIVISION BIJBEHARA					
Ashiq Hussain Bhat			No/PHB: 42-07-92		
S/o Ghulam Nabi Bhat			Dated: 24-06-2023		
R/o Barthana PC Dept Srinagar			GST. No:- 01ALOPB8730F1ZG		
Regd. No:- 129/A/CE/KCC/PDC/1995-96					
Tender ID: 2023_PHE_205909_2					
Adv. Cost Rs:124.30 Lacs			Alloted Cost Rs: 125.97 Lacs		
Subject:- Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM					
Reference					
1.Your tender received in response to this office : e-NIT No. 86 OF 2022-23 Issued under NO/PHE/ 17235-55 Dated: 22.02-2023					
02-4..DJJM /District Development Commissioner Anantnag's Authorization No:DDCA/JJM/2022-23/3858-60 Dated: 30.07.2022 , No/DDCA/DJMM/9413 Dt: 04.11.22 and No/DDCA/JJM/12613 Dated:03.02.2023					
05. Superintending Engineer Hyd.Circle Anantnag's Authrozation Letter No:SE/Hyd/4590 Dated: 03.08.2022					
06. Superintending Engineer Hyd.Circle Anantnag's Authrozation Letter No:SE/Hyd/8445 Dt: 10.11.2022					
Sl.No	Description of Work / Item(s)	Qty	Units	Estimated Rate	Amount
1	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge.				
2	All kinds of soil	365.00	Cum	539.35	196863
3	Ordinary Rock	350.14	Cum	855.65	299597
4	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :				
5	All kinds of soil	8.00	Cum	81.65	653
6	Ordinary Rock	2.00	Cum	146.45	293
7	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed ( 1 meter from cutting edge )				
8	All kinds of soil	3500.17	Cum	436	1526074
9	Providing and laying of dry stone solling tightly hand packed on horizontal levels.	70.24	Cum	616.4	43296

Handwritten signature and initials in green ink.

Subject:-	Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM				
10	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:				
11	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	46.16	Cum	4861.62	224412
12	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	273.40	Cum	5437.74	1485678
13	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level				
14	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	68.12	Cum	7800.76	531388
15	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	10.01	Cum	6978	69850
16	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.				
17	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	82.89	Cum	9408.14	779841
18	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with				
19	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	6.24	Cum	9849.35	61460

  
 2/2

Subject:- Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM					
20	Reinforced cement concrete work in arches, archribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.64	Cum	10404.46	37872
21	Centering and shuttering including strutting, propping etc. and removal of form for:				
22	Foundations, footings, bases of columns etc. for mass concrete.	476.58	Sqm	262.3	125007
23	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	823.85	Sqm	573.85	472766
24	Lintel, beams, plinth beams, girders, bressumers and cantilevers	15.06	Sqm	502.85	7573
25	Columns, pillars, piers, abutments, posts and struts.	10.80	Sqm	680.15	7346
26	Suspended floors, roofs, landings, balconies and access platforms.	32.57	Sqm	731.75	23833
27	Edges of slab	55.80	Rm	242.3	13520
28	Arches, domes, vaults upto 6 m span	39.82	Sqm	2086.8	83096
29	Extra for arches, domes, vaults exceeding 6 m span	39.82	Sqm	1008.45	40156
30	Extra for shuttering in circular work (20% of respective centering and Shuttering items)				
31	Foundation	1.94	Sqm	52.46	102
32	Walls	28.72	Sqm	114.77	3296
33	Beams	3.01	Sqm	100.57	303
34	12mm Cement plaster finished with a floating coat of neat cement of mix:				
35	1 : 3 ( 1 cement : 3 fine sand)	534.10	Sqm	343.75	183597
36	1 : 4 ( 1 cement : 4 fine sand)	287.70	Sqm	325.45	93632
37	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level				
38	Hot rolled deformed bars	14912.25	kg	87.18	1300050
39	P/ F of M.S lid / ventilator incld connecting of S.R with supply system complete job including p/Fixing of sluice valves	1.00	JOB	50000	50000



Subject:-	Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM				
40	P/ M of water proofing compound to cement concrete @ 1kg/50 kg Of cement.	1630.00	kg	57.9	94377
41	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. ( Welded)	750.00	kg	102	76500
42	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2858.29	kg	91.03	250190
43	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. Made of G.I. wire of dia 4 mm	360.00	Sqm	733.05	263898
44	Providing/ laying of Baramullah slab	73.96	Sqm	2000	147920
45	Providing & laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 & should be dust free & free from other organic impurities to be obtained from Ganderbal Nallah & the size of gravel should vary from 2mm to 40mm incld all carriages complete.	88.75	cum	10600	940750
46	Filling available excavated earth (excl. rock) in trenches plinth sides of foundation etc. in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming & watering lead upto 50 m, & lift upto 1.5 m.	3200.09	Cum	198.7	635858
47	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	1488.00	Qtls	245.55	365378
48	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.				
49	100 mm dia	1000.00	Joints	89.7	89700

Handwritten signature and initials in green and blue ink.

<b>Subject:-</b>		<b>Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM</b>			
50	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.				
51	15 mm dia. G.I. pipes	2000.00	Mtr.	20.25	40500
52	20 mm dia. G.I. pipes	4000.00	Mtr.	20.25	81000
53	25 mm dia. G.I. pipes	1500.00	Mtr.	30.65	45975
54	40 mm dia. G.I. pipes	3500.00	Mtr.	40.8	142800
55	50 mm dia. G.I. pipes	1500.00	Mtr.	40.8	61200
56	65 mm dia GI pipe	1500.00	Mtr.	73.05	109575
57	80 mm dia GI pipe	1500.00	Mtr.	73.05	109575
58	P/f of MS flanges to the G I pipe , including cost of flanges, welding charges and L/F charges complete.				
59	100 mm dia G.I pipe	20.00	Pairs	1500	30000
60	CARRIAGE OF MATERIALS				
61	By Mechanical Transport including loading, unloading and stacking				
62	100 mm dia D.I / G.I Pipes ( 45 kms)	6000.00	Mtr.	14.2	85200
63	Below 100 mm G.I Pipes ( 45 kms)	42.60	MT	578.44	24642
64	Cement and Steel (35 Kms)	152.61	MT	490.12	74797
65	Sand, stone aggregate below 40 mm nominal size (50 Kms)	339.16	Cum	693.96	235363
66	Stone aggregate 40 mm nominal size and above ( 50 Kms)	332.69	Cum	703.75	234131
67	Stone Soling (50 Kms)	56.04	Cum	824.11	46183
68	By Manual Labour including loading, unloading and stacking				
69	100 mm dia D.I / G.I Pipes ( 1000 m )	6000.00	Mtr.	15.68	94080
70	Below 100 mm G.I Pipes ( 1000 m )	42.60	MT	580.64	24735
71	Cement (400 m )	114.97	MT	246.42	28331
72	Steel (400 m )	37.65	MT	529.32	19929
73	Sand, stone aggregate below 40 mm nominal size (400 m )	339.16	Cum	529.81	179690
74	Stone aggregate 40 mm nominal size and above ( 400 m )	332.69	Cum	572.75	190548
75	Stone Soling (400 m )	56.04	Cum	623.28	34929
<b>(A) Total Amount</b>					12430309.32
<b>(B) Add @ 2.85 % for all items rates quoted by the bidder</b>					354263.81
<b>Alloted cost (A+B)</b>					12784573.13
<b>Restricted Alloted cost as per DPR Provision</b>					125.97 lacs

Rates &amp; Qty Checked

Head  
Draftsman

Technical Officer

Executive Engineer

Shakti PHE Division Bijbehara

**Terms & Conditions**

1	The cost of work should in no case exceed beyond Rs. 125.97 Lacs Rupees One Crore Twenty Five lac and ninety seven thousand only
---	--

<b>Subject:-</b>	<b>Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around various structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM</b>
2	The work shall have to be completed within a period of <u>150 days</u> from the date of issuance of this allotment order failing which penalty upto 10% of the total value of contract shall be imposed upon you.
3	Earnest money deposited by you vide FDR NO: <u>353647</u> Dt <u>21.06.2023</u> Rs <u>3,75,000/-</u> successful completion of the work and expiry of defect clause. <u>JK Bawak LeL Ded.</u>
4	<b>Client/Paying Authority:</b> The client/paying authority shall be the concerned Executive Engineer. Besides, the supervision of the various components of the work shall be carried out by the concerned Engineers of the Division/TPIQM consultants under the overall coordination of the concerned Superintending Engineer Hydraulic Circle/Executive Engineer/Assitant Executive Engineer
5	<b>Terms of Payment:</b> Payment can be claimed on a monthly basis subject to the amount of bill being proportionate to the value of work viz a viz completion period within a variation of -5%.
6	<b>Warranty:</b> The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm /joint venture shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm/joint venture to remove the defect, the Department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm / joint venture and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting.
7	<b>Trial Run:</b> After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department.
8	<b>Defects Liability Period (DLP):</b> The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months.
9	<b>Liquidated damages (LD)</b> In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party. and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm.
10	<b>Force Majeure:</b> Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency.
11	<b>Specifications of job:</b> Tenderer/s must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s.
12	<b>Bidder Dying, Becoming Insolvent Or Imprisoned:</b> In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being posted at the site of the works. communications/ instructions.
13	<b>Safety of Govt. Infrastructures:</b> The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allottee.
14	<b>Allottee's risk and insurance:</b> All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
15	<b>Work under Bidders Charge:</b> From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country.

Subject

<b>Subject:-</b>	<b>Construction of 0.44 lac Gallons SSFP, 0.22 lac Gallons SR, Intake works, 02 NO Sluice valve chambers, Chain link fencing R WALL around varlous structures and Laying Fitting of RWM, Supply main, Sub main and Distribution system for WSS KHRITEE under JJM</b>
16	<b>Setting Out of Works:</b> The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
17	<b>Labour:</b> The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
18	<b>Storage at Site:</b> The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
19	<b>Watch &amp; Ward of Works:</b> The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
20	<b>Final Acceptance:</b> The equipment/work shall be accepted by the Department only after the system has been tested and has performed satisfactorily in all respects, at site, in accordance with the provisions of the contract.
21	<b>Cleaning Up:</b> On completion of the works the bidder shall clear away, load into trucks or any other transport and remove from the site all constructional plant, surplus materials, dismantled or otherwise, earth and rubbish and temporary works of every kind and leave the whole of the site and works clean and in a workmanship condition, to the satisfaction of the Department.
22	<b>Power and Water Supply:</b> The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division. The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc.
23	<b>Agreement:</b> As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
24	<b>Tender quantities: <u>The advertised quantities in the tender documents are tentative and subject to increase or decrease, depending upon actual requirement at site as per the design and other considerations. The successful bidder shall have no claim/ reservation on this account and the decision of the department shall be final and binding.</u></b>
25	<b>Third Party Monitoring:</b> The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.
26	All other terms and conditions as laid down in form No.25 of P.W.D. shall remain in force and binding on successful tenderer.

Copy to the :-

- 1 Chief Engineer Kmr PHE Department Srinager for favour of information please.
- 2 District Dev. Commissioner Anantnag for favour of information please
- 3 Superintending Engineer Hyd. Circle Anantnag for favour of information
- 4 Assistant Executive Engineer PHE Sub -Division Kokernag or information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- 6 Technical Officer Divisional Office for information
- 7 File Concerned

