

**OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION GAZIGUND**

Allotment Order No PHQ/CC/ 62 of 2022-23 dated 17/06/2022  
 No PHQ \_\_\_\_\_ DATE: 10/7/2022  
 NAME: Mohd. Lateef Channa S/O. Ali Mohammad R/O. Habakadal Srinagar  
 email: \_\_\_\_\_ Cell No: 766 60 87 917  
 REGD. SECYD/BEE/CIVL/379 OF 2021-22 ACCOUNT NO: 0105010001256  
 GSTN: 01BDJPC09950121 PAN: BDJPC09950  
 Administrative Approval No. \_\_\_\_\_  
 Technical Sanction No. \_\_\_\_\_  
 59-08 of 2022 Dated: 22-07-2022  
 Rs [Ru / 100 / 1000 / 10000] \_\_\_\_\_ Dated: 08-07-22  
 Rupees:- Thirty two Lacs one thousands nine Hundred thirty Five only  
**Alloted Cost; Rs:- 3201935/=**  
 Completion Time: 90 Days

Name of Schemes: Laying and fitting of pipes, Construction of 2 No Sluice chamber, construction of chain link fencing, construction of D.G.Shed WSS Hiller Shahbad ( UNDER JJM)

References: 1. Your tender received in response to E-NIT No.13 of 2022-23 ISSUED UNDER NO:PHQ/1384-99 Dated 13/06/2022 (Tender ID: 2022\_PHE\_173949\_36) 2. This office Corrigendum No. PHQ/CC/1620-28 dated:- 24-06-2022 and Corrigendum 2nd No: PHQ/CC/ 1680-88 Dated:- 27-06-2022

For & on behalf of Lt. Governor of J&K, contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No	Description of Work / Item(s)	Qty	Unit	Estd. Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed.				
1.01	All kinds of soil	1336.820	Cum	436.000	582853.52
1.02	Ordinary rock	317.400	Cum	967.850	307195.59
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 50 mtr and lift upto 1.50 mtr, as directed by Engineer-in- Charge.				0.00
2.01	All kinds of soil	45.000	Cum	539.350	24270.75
3	Extra for every additional lift of 1.5 m or part there of in excavation/banking excavated or stacked material. All kinds of soil.	18.000	Cum	81.650	1469.70
4	Laying and fitting of G.I. pipes (all classes) including cost of pipes specials complete excluding cost of pipes and Earth work.				0.00
4.01	100 mm dia G I pipes	700.000	Mtr	107.700	75390.00
4.02	80 mm dia G I pipes	300.000	Mtr	73.050	21915.00
4.03	65 mm dia G I pipes	200.000	Mtr	73.050	14610.00
4.04	50 mm dia G I pipes	1400.000	Mtr	40.800	57120.00
4.05	40 mm dia G I pipes	900.000	Mtr	40.800	36720.00
4.06	25 mm dia G I pipes	1500.000	Mtr	30.650	45975.00
4.07	20 mm dia G I pipes	500.000	Mtr	20.250	10125.00
4.08	15 mm dia G I pipes	1000.000	Mtr	20.250	20250.00
5	Provision for installation of house hold connection to unconnected households including providing and fixing complete of necessary pipes specials earthwork at connection to and whatever necessary complete	89.000	No	1500.000	133500.00

6	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	158.100	Qt	245.590	
7	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket.				
7.01	100mm dia DI pipe	182.000	Joint	89.700	16325.40
8	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.00
8.01	25 to 40 mm nominal bore	12.000	Each	666.250	7995.00
8.02	50 to 80 mm nominal bore	3.000	Each	1268.750	3806.25
9	Providing and fixing of C.I double acting air valves of approved quality with bolts, nuts, rubber insertion etc complete (the tail pieces, taper etc if required will be paid separately)				0.00
9.01	50mm dia	5.000	Each	5147.150	25735.75
10	Providing and laying of dry stone soiling tightly	11.380	Cum	616.400	7014.63
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	10.820	Cum	4861.835	52605.05
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement :	48.280	Cum	6465.195	312139.61
13	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	1.940	Cum	6978.675	13538.63
14	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.300	Cum	7800.760	17941.75
15	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	6.280	Cum	9408.135	59083.09

Re:  
sus:  
15-  
linter:  
and sp:  
curing:  
shutter:

*[Handwritten signature]*

*[Handwritten signature]*

	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	0.540	Cum	9849.345	5318.65
17	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/up to plinth level Thermo-Mechanically Treated bars	945.000	kg	91.138	88125.41
18	Structural steel work in built up sections,	1555.000	kg	106.778	168039.79
19	Steel work welded in built up sections/framed	510.000	kg	153.295	78180.45
20	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2278.000	kg	95.163	216781.31
21	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	174.600	Sqm	843.525	147279.47
22	<b>Centring and shuttering including strutting, propping etc. and removal of form for:</b>				0.00
22.01	Foundations, footings, bases of columns etc. for mass concrete	94.070	Sm	262.300	24674.58
22.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	242.990	Sqm	573.850	139439.81
22.03	Suspended floors, roofs, landings, balconies and access platforms	4.500	Sqm	635.600	2860.20
22.04	Edges of slabs and breaks in floors and walls Under 20 cm wide	14.400	Mtr	242.300	3489.12
23	12mm Cement plaster of mix 1 : 4 ( 1 cement : 4 coarse sand)	30.450	Sqm	260.050	7918.52
24	12mm Cement plaster of mix 1 : 6 ( 1 cement : 6 coarse sand)	225.900	Sqm	241.750	54611.33
25	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. te. 50 mm thick with 12.5 mm nominal size stone aggregate.	18.750	Sqm	505.000	9468.75

1632540  
000

*[Handwritten signature]*

*[Handwritten signature]*  
TO

*[Handwritten signature]*  
Ex Engineer

26	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters 80x0.90 mm M.S. laths with 0.90 mm thick top cover	9.000	Sqm	3031.573		
27	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel	29.100	Sqm	1785.038	51944.61	
28	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.50 mm thick with zinc coating not less than 275 gram/m <sup>2</sup> .	4.450	Rm	720.705	3207.14	
29	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work	197.690	Sqm	181.450	35870.85	
30	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m	1428.300	Cum	198.700	283803.21	
31	Providing and filling sand around PCC block incl. all carriages complete job	1.970	Cum	3000.000	5910.00	
32	Providing & fixing of welded wire mesh on sides of DG shed complete job	47.100	sqm	200.000	9420.00	
33	<b>Carriage of material from source to dumping site at road by mechanical transport including loading, unloading and stacking complete..</b>				0.00	
33.01	Cement & steel for avg. lead of Km	5	37.999	MT	183.356	6967.34
33.02	Sand for avg. lead of Km	35	35.290	Cum	551.333	19456.54
33.03	20mm Aggregate for avg. lead of Km	20	54.160	Cum	402.293	21788.19
33.04	40mm Aggregate for avg. lead of Km	20	9.730	Cum	437.299	4254.92
33.05	Soling stone/ quarry for avg. lead of 10Km		11.380	Cum	330.418	3760.16
33.06	100 mm dia DI/ G.I Pipes for an avg. lead of 10 Km		1700.000	Mtr	6.130	10421.00
33.07	80/65/50/40/25/20/15 mm dia Gi pipe		16.254	MT	249.654	4057.88
34	<b>Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 100 mtrs.</b>					0.00
34.01	Cement		32.365	MT	139.403	4511.78


32	Steel
34.04	Soling / 20
34.05	40mm Aggre
35	Stone Soling
	Carriage upr



15	The Agency shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required.
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award.
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No 25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.
20	Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.

- Copy to the :-**
- 1 Chairman District Jal Jevan Mission ( DDC) Anantnag for information.
  - 2 Superintending Engineer Hydraulic Circle Anantnag for information.
  - 3 Assistant Executive Engineer Jal Shakti (PHE) Sub-Division **Dooru** for information & necessary action. He will ensure the execution of work strictly in accordance with approved proposal/guidelines under JJM. The cost of work should not exceed beyond allotted cost for
  - 4 File concerned.

  
 Head Draftsman

  
 Tech. Officer

Ex. Engineer PHE Div. Qazigund  
