

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No:PHQ/CCI 128 of 2022-23 dated

15/12/2022

No:PHQ/SSC-3-65

DATE:

15/12/2022

NAME : Farooq Ahmad Wani S/O Ab. Samad Wani R/O.Sransoo Qazigund

email: farooqwani@@gmail.com

Cell No.9596296977

REGD. NO: CE/PHE-J&FC/2020-21/A-80

ACCOUNT NO: 0017030100000214

GSTN: 01ABAPW8951B1ZV

PAN: ABAPW8951B

Administrative Approval No.

207-DB of 2022

Dated

27/08/2022

Technical Sanction No.

Alloted Cost; Rs:- 4174337/=

Rupees :- Forty one Lacs Seventy four thousands three Hundred and thirty Seven Only

Completion Time

60 Days

Name of Schemes:- Laying and fitting of pipes , Const. of sluice chamber , construction of approach path for WS Scheme Ganoor under JJM

References:

1. Your tender received in response to E-NIT No.25 of 2022-23 ISSUED UNDER NO:PHQ/CC/4105-20 Dated:- 06-10-2022 (Tender ID: 2022_PHE_191181_1)

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

| Sl. No. | Description of Work / Item(s) | Qty | Unit | Estd. Rate | Amount |
|---------|---|--------|-------|------------|-----------|
| 1 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed. | | | | 0.00 |
| 1.01 | All kinds of soils | 1799.4 | Cum | 436 | 784538.40 |
| 1.02 | Ordinary rock | 429.6 | Cum | 841.6 | 361551.36 |
| 2 | Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. | | | | 0.00 |
| 2.01 | All kinds of soil | 48 | Cum | 539.35 | 25888.80 |
| 3 | Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material : All kinds of soil : | 24 | Cum | 81.65 | 1959.60 |
| 4 | Laying in position centrifugally cast (spun) iron S&S or flanged pipes including cost of pipe specials excluding cost of pipes and earth work | | | | 0.00 |
| 4.01 | 100 mm dia DI Pipe | 218.95 | Qtl | 245.55 | 53763.17 |
| 5 | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket | | | | 0.00 |
| 5.01 | 100 mm dia Di pipe | 300 | Joint | 89.7 | 26910.00 |

HDX

T. O

X-c

| | | | | | |
|------|---|----------|---------|-----------|-----------|
| 6 | Laying and fitting of G I pipes (all classes) including cost of pipe specials complete excluding cost of pipes and Earth work | | | | 0.00 |
| 6.01 | 65 mm dia GI pipe ✓ | 200 ✓ | Mtr ✓ | 73.05 ✓ | 14610.00 |
| 6.02 | 50 mm dia GI pipe ✓ | 600 ✓ | Mtr ✓ | 40.8 ✓ | 24480.00 |
| 6.03 | 40 mm dia GI pipe ✓ | 550 ✓ | Mtr ✓ | 40.8 ✓ | 22440.00 |
| 6.04 | 25 mm dia GI pipe ✓ | 950 ✓ | Mtr ✓ | 30.65 ✓ | 29117.50 |
| 6.05 | 20 mm dia GI pipe ✓ | 1000 ✓ | Mtr ✓ | 20.25 ✓ | 20250.00 |
| 6.06 | 15 mm dia GI pipe ✓ | 1200 ✓ | Mtr ✓ | 20.25 ✓ | 24300.00 |
| 7 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete | | | | 0.00 |
| 7.01 | 25 to 40 mm nominal bore ✓ | 80 ✓ | No ✓ | 666.25 ✓ | 53300.00 |
| 7.02 | 50 to 80 mm nominal bore ✓ | 20 ✓ | No ✓ | 1268.75 ✓ | 25375.00 |
| 8 | Providing and fixing of sluice valves (with cap) complete with bolts, nuts, rubbers insertions including the cost of tail piece conforming to IS 14846 read with latest amendments. | | | | 0.00 |
| 8.01 | 100 mm dia Sluice valves ✓ | 3 ✓ | No ✓ | 15000 ✓ | 45000.00 |
| 9 | Providing and fixing of MS flange to the salvaged pipes including cost of flanges, welding of flanges of flanges, nuts, bolts, rubber insertion and cutting of threaded portion of the pipes etc complete. | | | | 0.00 |
| 9.01 | 100 mm dia GI Pipe ✓ | 41 ✓ | Pairs ✓ | 1500 ✓ | 61500.00 |
| 9.02 | 80 mm dia GI Pipe ✓ | 167 ✓ | Pairs ✓ | 1300 ✓ | 217100.00 |
| 9.03 | 65 mm dia GI pipe ✓ | 150 ✓ | Pairs ✓ | 1100 ✓ | 165000.00 |
| 10 | Providing and laying of stone boulders tightly hand picked on horizontal levels ✓ | 22.75 ✓ | Cum ✓ | 616.4 ✓ | 14023.10 |
| 11 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) ✓ | 45.732 ✓ | Cum ✓ | 6759.07 ✓ | 309105.67 |
| 12 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level :- 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) ✓ | 2.05 ✓ | Cum ✓ | 7800.76 ✓ | 15991.56 |

1.0 n h f

See

21.1.0

| | | | | | |
|-------|---|---------|-----|---------|-----------|
| 13 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor level including curing but excluding cost of centering, shuttering, finishing and reinforcement. 1:1½:3 (1 cement, 1½ coarse sand, 3 graded stone aggregate 20 mm nominal size) | 8.24 | Cum | 9408.14 | 77523.03 |
| 14 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centering and shuttering. All work upto plinth level with 1:4:8 (1 cement, 4 coarse sand, 8 graded stone aggregate 40 mm nominal size) | 17.74 | Cum | 4861.84 | 86248.95 |
| 15 | Preparation of subgrade by excavating earth to an average of 22.5 cm depth, dressing to camber and consolidation with road roller of 8-12 tonne capacity including making good the undulation etc. and disposal of surplus earth upto 50 meters | 765 | Sqm | 139.4 | 106641.00 |
| 16 | Supplying and stacking at site Graded crushed stone aggregate of size | | | | 0.00 |
| 16.01 | 90 mm to 45 mm | 64.37 | Cum | 542.025 | 34890.15 |
| 16.02 | 63 mm to 45 mm | 49.7 | Cum | 621.06 | 30866.68 |
| 16.03 | 53 mm to 22.4 mm | 49.7 | Cum | 632.83 | 31451.65 |
| 17 | Supplying and stacking at site Stone screening of size | | | | 0.00 |
| 17.01 | Grade 1st | 7.36 | Cum | 554.84 | 4083.62 |
| 17.02 | Grade 2nd | 7.36 | Cum | 554.84 | 4083.62 |
| 17.03 | Grade 3rd | 10.63 | Cum | 554.84 | 5897.95 |
| 18 | Supplying and stacking at site Moorum | | | | 0.00 |
| 18.01 | Grade 1st | 4.59 | Cum | 581.35 | 2668.40 |
| 18.02 | Grade 2nd | 3.44 | Cum | 581.35 | 1999.84 |
| 18.03 | Grade 3rd | 3.44 | Cum | 581.35 | 1999.84 |
| 19 | Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road / vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening/binding material to fill up interstices of coarse aggregate, watering and compacting to the required density | | | | 0.00 |
| 19.01 | Grade 1st | 57.375 | Cum | 781.935 | 44863.52 |
| 19.02 | Grade 2nd | 43.0313 | Cum | 781.935 | 33647.68 |
| 19.03 | Grade 3rd | 43.0313 | Cum | 781.935 | 33647.68 |
| 20 | Surface dressing of ground including removal of vegetation etc. complete | 120 | Sqm | 21.93 | 2631.60 |

[Handwritten signature]
T. J. J.

[Handwritten signature]

| | | | | | |
|-------|---|--------|-----|---------|-----------|
| 21 | Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, filets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with (1:2:4 (1 cement, 2 coarse sand, 4 graded stone aggregate 20 mm nominal size) | 6 | Cum | 8296.64 | 40770.84 |
| 22 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement, 1½ coarse sand, 3 graded stone aggregate 20 mm nominal size) | 0.47 | Cum | 9849.35 | 4629.19 |
| 23 | Centering and shuttering including strutting, propping etc. and removal of form for | | | | 0.00 |
| 23.01 | Foundations, footings, bases of columns etc. for mass concrete | 79.68 | Sqm | 262.3 | 20900.06 |
| 23.02 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 226.28 | Sqm | 573.85 | 129850.78 |
| 23.03 | Suspended floors, roofs, landings, balconies and access platforms | 4 | Sqm | 635.6 | 2542.40 |
| 23.04 | Edges of slabs and breaks in floors and walls | 9.2 | Sqm | 242.3 | 2229.16 |
| 24 | 12mm thick Cement plaster of mix: 1:6 (1 cement, 6 fine sand) | 273.8 | Sqm | 265.925 | 72810.27 |
| 25 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc as required in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works | 475 | Kg | 146.63 | 69649.25 |
| 26 | Providing /fabricating MS Bends, Tees as per site requirement to be fabricated at site including higher charges of D G set, welding machine etc all complete | 800 | Kg | 170 | 136000.00 |
| 27 | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete | 2924 | Kg | 91.025 | 266157.10 |
| 28 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level | 992 | Kg | 87.175 | 86477.60 |

S.S. 1/10

[Handwritten signature]
T.O

[Handwritten signature]

| | | | | | |
|-------|---|--------|-----|---------|-----------|
| 29 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work | 151.2 | Sqm | 181.45 | 2435.24 |
| 30 | Filling available excavated earth (excluding rock) in trenches, plinth sides of foundations etc in layers not exceeding 20 cm in depth consolidating each deposited layer by ramming and watering. lead upto 50 m and lift upto 1.5 m | 1933.2 | Cum | 198.7 | 3811.684 |
| 31 | Providing and fixing GI chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts bolts and washers as required complete as per the direction of Engineer-in-charge | 216 | Sqm | 806.85 | 174279.60 |
| 32 | Carriage of material from source to actual work of site by mechanical transport | | | | 0.00 |
| 32.01 | upto 40 mm Agg. for avg lead of 35KM | 36.82 | Cum | 551.333 | 2110.08 |
| 32.02 | Above 40mm Agg. for avg lead of 20KM | 163.78 | Cum | 437.299 | 7110.83 |
| 33 | Carriage of materials from different sources up to site of work by Mechanical Transport | | | | 0.00 |
| 33.01 | Cement for average lead of 08 Km | 3.93 | MT | 223.135 | 876.92 |
| 33.02 | Stone Soiling for avg lead of 5 Km | 7.2 | Cum | 242.673 | 117.25 |
| 34 | Carriage of material from source to dumping site at road site by mechanical transport. | | | | 0.00 |
| 34.01 | Cement & steel for avg lead of 10 Km | 26.087 | MT | 249.654 | 6312.71 |
| 34.02 | Sand for avg lead of 20Km | 55.74 | Cum | 402.293 | 2113.81 |
| 34.03 | 20mm Aggregate for avg lead of 5Km | 50.46 | Cum | 206.276 | 113.66 |
| 34.04 | 40mm Aggregate for avg lead of 5 Km | 9.48 | Cum | 224.204 | 113.45 |
| 34.05 | Stone soiling for avg lead of 10 Km | 15.55 | Cum | 330.418 | 113.00 |
| 35 | Carriage of pipe material from divisional store up to dumping site for an Avg. lead of 15 Km including loading, unloading and stacking complete | | | | 0.00 |
| 35.01 | 100 mm dia GI/DI Pipe | 1900 | Mtr | 7.4635 | 11.65 |
| 35.02 | 80/65/50/40/25/20/15 mm dia GI pipe | 21.99 | MT | 303.646 | 117.18 |
| 36 | Carriage of material by manual labour from road site upto actual site of work for avg lead of 100 mtrs | | | | 0.00 |
| 36.01 | Cement | 21.214 | MT | 139.403 | 117.30 |
| 36.02 | Steel | 5.362 | MT | 299.414 | 113.46 |
| 36.03 | Sand & 20 mm Aggregate | 83.93 | Cum | 255.599 | 211.42 |
| 36.04 | 40 mm Aggregate | 9.48 | Cum | 276.322 | 113.53 |
| 36.05 | Stone soiling | 15.55 | Cum | 300.702 | 113.92 |
| 37 | Carriage of pipes material from dumping site upto actual site of work by manual labour for avg lead of 500mtrs | | | | 0.00 |

SHD 4

of 22/2/20
T.O

Handwritten signature

| | | | | | |
|------------------------|---------------------------------|-------|-----|---------|------------|
| 37.01 | 150 mm dia GI Pipe | 1900 | Mtr | 9.6025 | 18244.75 |
| 37.02 | 150/40/250/20/15 mm dia GI pipe | 21.99 | Mt | 282.095 | 6203.27 |
| Total | | | | 6.11% | Below |
| Quoted Percentage rate | | | | | 4445986.90 |
| Alloted Cost | | | | | 4174337.10 |

Amount:- Forty one Lacs Seventy four thousands three Hundred and thirty seven Only

Head Draftsman

Tech. Officer

Ex. Engineer P.H. Dept. Qazigund

Terms & Conditions

- 1 The cost of work is restricted to Rs 4174337/= (Rupees : Forty one Lacs Seventy four thousand three hundred and thirty seven Only)
- 2 Earnest money deposited by you vide TDR No.662605 of 12-10-2022 of Rs. 89000/= (@ 2%)JK Bank Qazigund is being retained as security deposit and shall be released after as per the general terms and condition of the Contract
- 3 The allotted works shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIOM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period.
- 4 Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s
- 5 The rates are including the charges for submission of progress, Geo tagged photographs through the professional person before, during and after construction and progress reports in both hard and soft copies.
- 6 The date of start of work shall be reckoned within one week from the date of issue of LOI / Contract Allotment whichever is earlier.
- 7 No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
- 8 In case of quantity variation OR required as per the direction of the Engineer in charge, the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
- 9 Retention many / Security deposit shall be 10% of the contract value. The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of
- 10 Liquidated damages (LD). In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT:
 - a) Terminate the contract after 15 days' notice and/or
 - b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department.
 - and/or
 - c) Recover the extra cost, if any, involved in allotting contract to other party and/or
 - d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or
 - e) Forfeit the performance security and blacklist the firm.
- 11 Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work
- 12 No mobilization advance shall be paid.

| | | |
|----|---|-----|
| 13 | The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith. | f |
| 14 | The Agency shall make his own arrangements for the engagement of all types of the labour, for the execution of the job. No workman below the age of 18 years shall be employed on the work. Also the bidder shall comply with the provisions of all labour laws and the rules framed there un- | f |
| 15 | The Agency shall at his own cost make arrangements for proper storage, especially towards Rain/Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work. | id |
| 16 | The Agency shall in connection with the work provide and maintain at his own cost all lights, gate fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc. | f |
| 17 | The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lift pipe material etc and shall make adequate measures like availability of transport and labour for transportation from store to site against proper receipt / Challan, if required. | f |
| 18 | As soon as letter of award is communicated to the firm, the contract shall be complete and binding on them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter award. | non |
| 19 | All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double / 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency. | |
| 20 | Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2019 Manual for procurement of Works 2019 Government of India. | id |

Copy to the :-

- 1 Chairman District Jal Jeevan Mission (DDC) Anantnag for information
- 2 Superintending Engineer Hydraulic Circle Anantnag for information
- 3 Assistant Executive Engineer Jal Shakti (PHE) Sub-Division ^{M. D. D. D.} Qazigund for information necessary action. He will ensure the execution of work strictly in accordance with approved proposal/guidelines under JJM. The cost of work should not exceed beyond allotted cost which he shall be personally responsible.
- 4 File concerned

Head Draftsman

Tech. Officer

Ex. Engineer PHE Div.

nd