

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

| | |
|--|--|
| Allotment Order No:PHQ/CC/ <u>123</u> of 2022-23 ,dated <u>28/11/2022</u> | |
| No:PHQ/ <u>5223-24</u> | DATE: <u>28/11/2022</u> |
| NAME : Ashiq Hussain Lone S/o Manzoor Ahmad Lone R/O.Lelipora Malpora | |
| email: ashaklone21@gmail.com | Cell No.9596180244 |
| REGD. NO:30/BEE/SE/R&B/Ang-PUL/2007-08 | ACCOUNT NO.0014040100097530 JK Bank |
| GSTN: 01AGNPL8294N1ZD | PAN: AGNPL8294N |
| Adminstrative Approval No. | 60-DB of 2022 Dated 20-07-2022 |
| Technical Sanction No. | Dated |
| Alloted Cost; Rs:- 3977425/= | Thrity Nine Lacs Seventy Seven thousands four Hundred twenty Five only |
| Completion Time | 90 Days |

Name of Schemes:-Laying and fitting of pipes, Construction of Sluice chamber,construction of chain link fencing ,construction of approach path and stabilization of existing pipe net work system WSS Malpora Lelipora (UNDER JJM)

References:1. Your tender received in response to e- NIT.No.05 of 4/2022 uploaded on tender portal vide No.PHQ/360-75 dated 22-04-2022.(Tender ID: 2022_PHE_167465_18) read with CORRIGENDUM-I vide No. PHQ/CC/619-27 Date:- 10-05-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

| Sl. No. | Description of Work / Item(s) | Qty | Unit | Estd. Rate | Amount |
|---------|---|----------|------|------------|-----------|
| 1 | Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: | | | | |
| 1.01 | All kinds of soil | 1153.029 | Cum | 436.000 | 502720.64 |
| 1.02 | Ordinary rock | 221.880 | Cum | 967.850 | 214746.56 |
| 2 | Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres: | | | | 0.00 |
| 2.01 | All kinds of soil | 1077.690 | Cum | 252.050 | 271631.76 |
| 2.02 | Ordinary Rock | 95.090 | Cum | 470.000 | 44692.30 |
| 3 | Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. | | | | 0.00 |
| 3.01 | All kinds of scil | 37.800 | Cum | 188.750 | 7134.75 |
| 4 | Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared. | 365.000 | Sqm | 11.360 | 4146.40 |

JH

T.O

Exn

| | | | | | |
|-------|---|----------|------|----------|-----------|
| 5 | Consolidation of subgrade with power road roller of 8 to 12 tonne capacity including making good the undulations etc. with earth or quarry spoils etc. and rerolling the subgrade. | 365.000 | Sqm | 2.750 | 0.00 |
| 6 | Supplying & stacking of graded stone aggregate at site excluding carriage. | | | | 26973.14 |
| 6.01 | 90 mm to 45 mm (nallah stone) | 54.740 | Cum | 492.750 | 15453.10 |
| 6.02 | 63 mm to 45 mm quarry stone | 27.370 | Cum | 564.600 | 15745.93 |
| 6.03 | 53 mm to 22.4 mm quarry stone | 27.370 | Cum | 575.300 | 0.00 |
| 7 | Laying water bound macadam with stone aggregate aggregate and binding material, earth etc. including screening, sorting, spreading to template and consolidation with light power road roller etc. complete. | | | | 38911.93 |
| 7.01 | Sub base with stone aggregate 90 mm to 45 mm incl. screening of 13.2 mm size | 54.740 | cum | 710.850 | 19455.96 |
| 7.02 | Sub base with stone aggregate 63 mm to 45 mm quarry stone incl. screening of 13.2 mm size | 27.370 | cum | 710.850 | 19455.96 |
| 7.03 | Sub base with stone aggregate 53 mm to 22.4 mm quarry stone incl. screening of 13.2 mm size | 27.370 | cum | 710.850 | 0.00 |
| 8 | Laying and fitting of G.I. pipes (all classes) including cost of pipes specials complete excluding cost of pipes and Earth work. | | | | 10811.40 |
| 8.01 | 65 mm dia. G.I. pipes | 148.000 | Mtr | 73.050 | 42717.60 |
| 8.02 | 50 mm dia. G.I. pipes | 1047.000 | Mtr | 40.800 | 48552.00 |
| 8.03 | 40 mm dia. G.I. pipes | 1190.000 | Mtr | 30.650 | 35235.00 |
| 8.04 | 25 mm dia. G.I. pipes | 1430.000 | Mtr | 20.250 | 17718.75 |
| 8.05 | 20 mm dia. G.I. pipes | 1740.000 | Mtr | 20.250 | 61500.00 |
| 8.06 | 15 mm dia. G.I. pipes | 875.000 | Mtr | 20.250 | 0.00 |
| 9 | Provision for installation of house hold connection to unconnected household including providing and fixing complete of necessary pipes specials, earthwork at connection to and whatever necessary complete. | 41.000 | No | 1500.000 | 0.00 |
| 10 | Providing and fixing MS Flanges to GI pipes including cost of cutting of threaded portion, flanges, welding, nuts, bolts, Rubber Washer and carriage etc complete job. | | | | 39600.00 |
| 10.01 | 150mm dia. G.I Pipes | 22.000 | Pair | 1800.000 | 173260.08 |
| 11 | Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe) | 705.600 | Qtl | 245.550 | |

Handwritten signature and initials in the bottom left corner.

T.O

Handwritten signature and initials in the bottom right corner.

| | | | | | |
|-------|--|----------|-------|-----------|-----------|
| 12 | Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket. | | | | 0.00 |
| 12.01 | 150 mm dia DI pipe | 535.000 | Joint | 144.700 | 77414.50 |
| 13 | Making connection of G.I. distribution branch with G.I. main offollowing sizes by providing and fixing Tee, including cutting andthreading the pipe etc. complete | | | | 0.00 |
| 13.01 | 25 to 40 mm nominal bore | 10.000 | Each | 666.250 | 6662.50 |
| 13.02 | 50 to 80 mm nominal bore | 4.000 | Each | 1268.750 | 5075.00 |
| 14 | Providing/fixing D.I. sluice valves (with cap) complete with bolts,nuts, rubber, insertions,etc. (the tails piece if required will be paid separately) confirming To IS 14846 read with latest amendments. | | | | 0.00 |
| 14.01 | 150mm dia Sluice Value | 4.000 | Each | 20243.000 | 80972.00 |
| 15 | Supply of labours for demolition & reconstruction of compound walls coming across pipe alignment. | 16.000 | No | 503.000 | 8048.00 |
| 16 | Providing and fixing of MS fitting viz Bends of suitable degree , tees, collars etc to be fabricated from 6mm nominal size MS plate as per the requirement of site including cost of welding . The work should be leak proof and should be painted with anti Corrosive red oxide primer. complete Job. | 200.000 | Kg | 147.820 | 29564.00 |
| 17 | Dismantling / dismembering of GI pipes including earthwork / refilling and stacking of pipes. | | | | 0.00 |
| 17.01 | Upto 40 mm bore | 1950.000 | Mtr. | 99.750 | 194512.50 |
| 17.02 | Above 40 mm bore | 2040.000 | Mtr. | 110.650 | 225726.00 |
| 18 | Rethreading of damaged ends of pipes | | | | 0.00 |
| 18.01 | Upto 40 mm bore | 225.000 | No. | 75.000 | 16875.00 |
| 18.02 | Above 40 mm bore | 75.000 | No. | 150.000 | 11250.00 |
| 19 | Providing and laying of dry stone solling tightly hand packed on horizontal levels | 17.873 | Cum | 616.400 | 11016.92 |
| 20 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) | 17.873 | Cum | 4861.835 | 86895.58 |
| 21 | Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | 55.552 | Cum | 6465.195 | 359154.51 |

H.D.
S/f

T.O

Exp
B3

| | | | | | |
|-------|--|----------|-----|----------|-----------|
| 22 | Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) | 4 210 | Cum | 6978 675 | 29380 2. |
| 23 | Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) | 6 591 | Cum | 9408 135 | 62009 02 |
| 24 | Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, | 1.180 | Cum | 9849.345 | 11622 23 |
| 25 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more. | 857.813 | kg | 91.138 | 78179.36 |
| 26 | Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works | 336.000 | kg | 153.295 | 51507.12 |
| 27 | Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | 2088.757 | kg | 95.163 | 198772.38 |
| 28 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in charge. Made of G.I. wire of dia 4 mm | 292.800 | Sqm | 843 525 | 246984.12 |
| 29 | Centring and shuttering including strutting, propping etc. and removal of form for: | | | | 0 00 |
| 29 01 | Foundations, footings, bases of columns etc. for mass concrete. | 24.000 | Sm | 262.300 | 6295 20 |

H.D.A.

T.O

EXM

| | | | | | |
|-------|---|----------|-----|---------|-----------|
| 29.02 | Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. | 291.600 | Sqm | 573.850 | 167334.66 |
| 29.03 | Suspended floors, roofs, landings, balconies and access platforms | 6.920 | Sqm | 635.600 | 4398.35 |
| 29.04 | Edges of slabs and breaks in floors and walls Under 20 cm wide. | 18.400 | Mtr | 242.300 | 4458.32 |
| 29.05 | Columns, pillars, piers, abutments, posts and struts. | 14.400 | Sqm | 680.150 | 9794.16 |
| 30 | 12mm Cement plaster of mix 1 : 4 (1 cement : 4 coarse sand) | 195.280 | Sqm | 260.050 | 50782.56 |
| 31 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work | 449.984 | Sqm | 181.450 | 81649.60 |
| 32 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. | 2075.620 | Cum | 198.700 | 412425.69 |
| 33 | Carriage of material from source to dumping site at road by mechanical transport including loading ,unloading and stacking complete.. | | | | 0.00 |
| 33.01 | 90mm - 45 mm aggregate 20 km | 54.740 | Cum | 398.682 | 21823.85 |
| 33.02 | 63mm - 45 mm aggregate 20 km | 27.370 | Cum | 398.682 | 10911.93 |
| 33.03 | 53mm - 22.4 mm aggregate 20 km | 27.370 | Cum | 398.682 | 10911.93 |
| 33.04 | Cement & steel for avg. lead of 15 Km | 30.873 | MT | 303.646 | 9374.46 |
| 33.05 | Sand for avg. lead of 20 Km | 41.271 | Cum | 402.293 | 16603.03 |
| 33.06 | 20mm Aggregate for avg. lead of 5 Km | 77.777 | Cum | 206.276 | 16043.53 |
| 33.07 | Stone solling For avg lead of 10 km | 17.873 | Cum | 330.418 | 5905.56 |
| 33.08 | 150mm dia. DI/ G.I Pipes for an avg. lead of 16 Km | 3040.000 | Mtr | 12.880 | 39155.20 |
| 33.09 | 100mm dia G.I Pipes for an avg. lead of 16 Km | 1440.000 | Mtr | 7.728 | 11128.32 |
| 33.10 | 80/65/50/40/25/20 mm dia GI pipe 16 km | 8.548 | MT | 314.445 | 2687.88 |
| 34 | Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 500 mtrs. | | | | 0.00 |
| 34.01 | 80 - 15 mm dia GI pipe | 8.540 | MT | 605.958 | 5174.88 |
| 34.02 | Cement & steel | 5.220 | MT | 282.095 | 1472.54 |
| 34.03 | Sand | 6.380 | Cum | 621.207 | 3963.30 |
| 34.04 | 20mm Aggregate | 11.900 | Cum | 621.207 | 7392.36 |
| 34.05 | Stone solling | 3.260 | Cum | 730.802 | 2382.41 |
| 35 | Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 300 mtrs. | | | | 0.00 |
| 35.01 | Cement & steel | 25.653 | MT | 452.686 | 11612.75 |
| 35.02 | Sand | 34.891 | Cum | 438.403 | 15296.32 |
| 35.03 | 20mm Aggregate | 65.877 | Cum | 438.403 | 28880.67 |

T.O

[Handwritten signature]
Exm.

| | | | | | |
|--|---|----------------------|---------------|---------------------------------------|-------------------|
| 35.04 | Stone solling | 14.613 | Cum | 462.001 | 6751.22 |
| 35.05 | Disposal of excavated earth upto 100 m lead by MT | 50.101 | Cum | 255.599 | 12805.77 |
| 36 | Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 1200 mtrs. | | | | 0.00 |
| 36.01 | 150 mm dia DI/GI pipe | 2940.000 | Mtr | 22.061 | 64859.34 |
| Grand Total | | | | | 4489193.31 |
| Quoted Percentage rate | | | 11.40% | Below | 3977425.23 |
| Alloted Cost | | | | | |
| Rupees:- Thirty Nine Lacs Seventy Seven thousands four Hundred twenty Five only | | | | | |
| Head Draftsman | | Tech. Officer | | Ex. Engineer PHE Div. Qazigund | |
| Terms & Conditions | | | | | |
| 1 | The cost of work is restricted to Rs.3977425 (Rupees thirty Nine Lakhs Seventy seven thousand four Hundred and twenty five only) | | | | |
| 2 | Earnest money deposited by you vide CDR. No.3009780 dated 13/05/2022 Rs.90000/= in J&K Bank Mir-Bazar is being retained as security deposit and shall be released after as per the general terms and condition of the Contract | | | | |
| 3 | The alloted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period | | | | |
| 4 | Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s | | | | |
| 5 | The rates are including the charges for submission of progress. Geo tagged photographs through the professional person before , during and after construction and progress reports in both hard and soft copies . | | | | |
| 6 | The date of start of work shall be reckoned within one week form the date of issue of LOI / Contract Allotment whichever is earlier. | | | | |
| 7 | No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever. | | | | |
| 8 | In case of quantity variation OR required as per the direction of the Engineer in charge , the same has to be executed at site and nothing extra will be paid beyond the overall alloted cost. | | | | |
| 9 | Retention money / Security deposit shall be 10% of the contract value . The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of | | | | |
| 10 | Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department. and/or c) Recover the extra cost, if any, involved in allotting contract to other party and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract. and/or e) Forfeit the performance security and blacklist the firm. | | | | |

| | |
|----|--|
| 11 | Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work. |
| 12 | No mobilization advance shall be paid. |
| 13 | The Agency shall be responsible for the time and proper setting out of all the works and for the |
| 14 | The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under. |
| 15 | The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work. |
| 16 | The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc |
| 17 | The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adquate measures like avaiability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required . |
| 18 | As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award . |
| 19 | All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency. |
| 20 | Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India. |

Copy to the :-

| | |
|---|--|
| 1 | Chairman District Jal Jevan Mission (DDC) Anantnag for information. |
| 2 | Superintending Engineer Hydraulic Circle Anantnag for information. |
| 3 | Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Mir-Bazar for information & necessary action. He will ensure the execution of work strictly in accordance with approved proposal/guidelines under JJM. The cost of work should not exceed beyond allotted cost for which he shall be personally responsible. |
| 4 | File concerned. |

Head Draftsman

Tech. Officer

Ex. Engineer PHE Div. Qazigund