

OFFICE OF THE EXECUTIVE ENGINEER JAL SHAKTI (PHE) DIVISION QAZIGUND

Allotment Order No:PHQ/CC/ 130 of 2022-23 dated 15/11/2022

No:PHQ/ 5575-79 5575-77 DATE: 15/11/2022

NAME : Mohd.Hussain Rather S/o Gh. Mohd R/o Hiller Arhama

email:hajimohammadhussainrather1961@gmail.com

Cell No.6005341552

REGD. NO: 01-AAY/SE/Hyd/2001-02

ACCOUNT NO: 0947010100000004 Jk Bank

GSTN: 01AHSR7030G1ZC

PAN: AHSR7030G

Name of Schemes:-Laying and fitting of pipes, construction of chain link fencing, 03 No. sluice chamber, D.G.Shed, Catch water drain, crate work WSS Manzgam Sheikhpura (Under JJM).

Administrative Approval No. 59-DB of 2022 Dated 20-07-2022

Technical Sanction NO. CE/PHE/DB/455 of 09-2022 Dated 8/9/2022

Alloted Cost; Rs:-4712799/= Rupees :- Forty Seven Lacs twelve thousands Seven Hundred and Ninety Nine only

Completion Time 90 Days

References:1. Your tender received in response to e-NIT.No.05 of 4/2022 uploaded on tender portal vide No.PHQ/360-75 dated 22-04-2022.(Tender ID: 2022_PHE_167465_6) read with CORRIGENDUM-I vide No. PHQ/CC/619-27 , Date:- 10-05-2022

For & on behalf of Lt. Governor of J&K , contract for above noted work is here by fixed with you on your quoted percentage rates, terms & conditions and are reproduced hereunder:-

Sl. No.	Description of Work / Item(s)	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed:				
1.01	All kinds of soil	1713.770	Cum	436.000	747203.72
1.02	Ordinary Rock	272.850	Cum	967.850	264077.87
2	Earth work in excavtion by manual means in trenches for foudationd, drains, pipes , cables etc.(not exceeding 1.5m in width) and for shafts, wells, cess pits and the like not exceeding 10 sqm on plain, including drassing of sides and ramming of bottoms lift upto 1.5m, including getting out excavated earth and disposal of surplus excavated earth as direted 50m beyond 1m from cutting edge. All kind of soil	110.500	Cum	612.750	67708.88
3	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1 5 m in width as well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge				0.00
3.01	All kinds of soil :	67.500	Cum	539.350	36406.13
4	Extra for every additional lift of 1.5 m or part	27.000	Cum	81.650	2204.55
5	Laying and fitting of G.I. pipes (all classes) complete including cost of pipes specials but excluding cost of pipes and Earth work.				0.00
5.01	100 mm dia. G.I. pipes	1000.000	Mtr	107.700	107700.00
5.02	80 mm dia. G.I. pipes	1000.000	Mtr	73.050	73050.00
5.03	65 mm dia. G.I. pipes	600.000	Mtr	73.050	43830.00
5.04	50 mm dia. G.I. pipes	2500.000	Mtr	40.800	102000.00
5.05	40 mm dia. G.I. pipes	1100.000	Mtr	40.800	44880.00
5.08	15 mm dia. G.I. pipes	3000.000	Mtr	20.250	60750.00
6	Provision for installation of House hold	104.000	No.	1500.000	156000.00

[Handwritten signature]
To

[Handwritten signature]

7	Making connection of G I distribution branch with G I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.00
7.01	25 to 40 mm nominal bore	12 000	Each	666.250	7995.00
7.02	50 to 80 mm nominal bore	3 000	Each	1268.750	3806.25
8	Providing and fixing CI double acting air valve of approved quality with bolts, nuts, rubber insertions etc complete (The tail pieces, tapers etc, if required will be separately) 50mm dia.	10 000	No.	5147.150	51471.50
9	Providing and laying of dry stone soling tightly hand packed on horizontal levels	60 040	Cum	616.400	37008.66
10	Providing and hand packing of Quarry stone of required size into the wire crates excluding cost of wire crates	148.840	Cum	837.450	124646.06
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	26.800	Cum	4861.835	130297.18
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	60.360	Cum	6465.195	390239.17
13	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	24.440	Cum	6978.675	170558.82
14	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.450	Cum	7800.760	26912.62
15	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement of mix 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	9.150	Cum	9408.135	86084.44

[Handwritten signature]
10/2/20

[Handwritten signature]
Ker...

[Handwritten initials]
HD
15/2/20

16	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including	0.810	Cum	9849.345	7977.97
17	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above/up to plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	2349.000	kg	91.138	214083.16
18	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	1555.000	kg	106.778	166039.79
19	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	510.000	kg	153.295	78180.45
20	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2970.000	kg	95.163	282634.11
21	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in charge. Made of G.I. wire of dia 4 mm	228.600	Sqm	843.525	192829.82
22	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS-4454 part-1 and M.S. top cover of required thickness for rolling shutters. 80x0.90 mm M.S. laths with 0.90 mm thick top cover	9.000	Sqm	3031.573	27284.16
23	Centering and shuttering including strutting, propping etc. and removal of form for.				0.00
23.01	Foundations, footings, bases of columns etc. for mass concrete.	114.950	Sqm	262.300	30151.39
23.02	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	547.270	Sqm	573.850	314050.89

[Handwritten signature]
To

[Handwritten signature]

[Handwritten signature]

36
36.01
36.02

23.03	Suspended floors, roofs, landings, balconies and access platforms	6.750	Sqm	635.600	4290
23.04	Edges of slabs and breaks in floors and walls Under 20 cm wide.	21.600	Mtr	242.300	5233.68
24	12mm Cement plaster of mix 1 : 4 (1 cement : 4 coarse sand)	30.450	Sqm	260.050	7918.52
25	12 mm Cement plaster in 1:6 nominal mix (1 cement 6 fine sand)	440.250	Sqm	241.750	106430.44
26	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete.te. 50mm thick with 20 mm nominal size stone aggregate.	18.750	Sqm	505.000	9468.75
27	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m2	29.100	Sqm	954.788	27784.33
28	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.50 mm thick with zinc coating not less than 275 gram/m2.	4.450	Sqm	720.705	3207.14
29	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.Two or more coats on new work including primary coat	235.490	Sqm	121.950	28718.01
30	Providing and filling of sand PCC block including all carriages complete upto site	1.970	Cum	3000.000	5910.00
31	P/F of weilded wire mesh on sides of DG set including all carriage complete upto site of	47.100	Sqm	65.500	3085.05
32	Providing of wire crates	15.710	Qil	6325.000	99365.75
33	Filling available excavated earth (excluding	1467.450	Cum	198.700	291582.32
34	Carriage of material from source to dumping site at road by mechanical transport. Including loading, unloading and stacking complete.				0.00
35.01	Cement & steel for avg. lead of 15	57.941	MT	303.646	17593.55
35.02	Sand for avg. lead of 30	63.340	Cum	501.653	31774.70
35.03	20mm Aggregate for avg. lead of 20 Km	89.140	Cum	402.293	35860.40
35.04	40mm Aggregate for avg. lead of 20	24.110	Cum	437.299	10543.28
35.05	Stone solling For avg lead of 10	27.640	Cum	330.418	9132.75

Handwritten signature

Handwritten signature

Handwritten initials

36	Carriage of material from source to dumping site at road by mechanical transport. Including loading, unloading and stacking complete. (avg. lead 25km)				0.00
36.01	100 mm dia GI	1000.000	M	9.879	9879.00
36.02	80/65/50/40/15 mm dia GI	26.096	MT	401.799	10485.35
37	Extra carriage of pipes from nearest dumping site to actual site of work by manual labour for average lead of 500 mtrs				0.00
37.01	100 mm dia GI	1000.000	M	9.603	9603.00
37.02	80/65/50/40/15 mm dia GI	26.096	MT	355.695	9282.22
38	Carriage of pipes material from road site upto actual site of work by manual labour for avg. lead of 100 mtrs.				0.00
38.01	Cement	11.127	MT	139.403	1551.14
38.02	Steel	1.123	MT	299.414	336.24
38.03	Sand and 20mm aggregate	38.650	Cum	255.599	9878.90
38.04	40mm Aggregate	11.700	Cum	276.322	3232.97
38.05	Stone solling	13.000	Cum	300.702	3909.13
39	Carriage of material from source to dumping site at road by mechanical transport. Including loading, unloading and stacking complete.				0.00
39.01	Steel/wire crates for avg. lead of 15 Km	4.710	MT	910.869	4290.19
39.02	Quarry stone for avg. lead of 20 km	148.840	Cum	473.248	70438.23
39.03	Boulder for avg. lead of 10 Km	32.400	Cum	330.418	10705.54
40	Extra carriage of pipes from nearest dumping site to actual site of work by manual labour for average lead of 200 mtrs				0.00
40.01	steel/wire crates.	4.711	MT	647.738	3051.49
40.02	Quarry stone	148.840	Cum	408.227	60760.51
40.03	Boulder	32.400	Cum	408.227	13226.55
G.TOTAL					4966591.98

Quoted Percentage rate

5.11% Below

Alloted Cost

4712799.13

Rupees :-Forty Seven Lacs twelve thousands Seven Hundred and Ninety Nine only

Head, Draftsman

Tech. Officer

Ex. Engineer PHE Div.
Qaziand

Terms & Conditions

- The cost of work is restricted to Rs.4712799/= (Forty Seven Lacs twelve thousands Seven Hundred and Ninety Nine only)
- Earnest money deposited by you vide FDR No.607634 dtd. 27-05-2022 In JK Bank Dooru RS. 100000/= JK Bank Hiller & FDR No. 709927 Dated:- 03-12-2022 of RS. 50000/= Jk Bank Akingam is being retained as security deposit and shall be released after as per the general terms and condition of the Contract
- The allotted works shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department. The agency shall check the quality of works executed by the agencies, the quality of materials used for construction and the quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluating of the performance of the Contract during the Contract Period
- Agency must execute the works as per the requirements/specifications detailed in the relevant/applicable IS code/s

20 Any rules/term
accordance
Manual
Copy to th


5	The rates are including the charges for submission of progress, Geo tagged photographs through a professional person before, during and after construction and progress reports in both hard and soft copies.
6	The date of start of work shall be reckoned within one week from the date of issue of LOI / Contract Allotment whichever is earlier.
7	No price escalation will be paid for completion of the work within the stipulated time or extended date of completion due to any reasons whatsoever.
8	In case of quantity variation OR required as per the direction of the Engineer in charge, the same has to be executed at site and nothing extra will be paid beyond the overall allotted cost.
9	Retention money / Security deposit shall be 10% of the contract value. The security deposit is to be recovered @ of 10% of bill amount from running account bills and shall be released after completion of the work and recommendation from the concerned Engineer in charge.
10	Liquidated damages (LD): In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT: a) Terminate the contract after 15 days' notice and/or b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department and/or c) Recover the extra cost, if any, involved in allotting contract to other party and/or d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract and/or e) Forfeit the performance security and blacklist the firm.
11	Adequate precautions be taken for the environment and social protection and all safety practices in vogue be strictly adhered to during the execution of work.
12	No mobilization advance shall be paid.
13	The Agency shall be responsible for the time and proper setting out of all the works and for the correctness of the positions, levels, dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in connection therewith.
14	The Agency shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under.
15	The Agency shall at his own cost make arrangements for proper storage, especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose, the bidder shall, with the approval of the Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
16	The Agency shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
17	The Agency shall in advance communicate with incharge store keeper, of Divisional Store for lifting of pipe material etc and shall make adequate measures like availability of transport and labour for easy transportation from store to site against proper receipt / Challan, if required.
18	As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the Agency/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award.
19	All other terms and conditions as laid down in the detailed NIT/SBD/ PWD Form No.25 double /GFR 2017/Manual for procurement of Works 2019 shall remain in force and binding upon the Agency.

ugh the
and soft

20 Any rules/terms and conditions, if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/guidelines stipulated in the General Finance Rules (GFR 2017) and Manual for procurement of Works 2019 Government of India.

Copy to the :-

1	Chairman District Jal Jevan Mission (DDC) Anantnag / Kulgam for information.
2	Superintending Engineer Hydraulic Circle Anantnag for information.
3	Assistant Executive Engineer Jal Shakti (PHE) Sub-Division Dooru for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work does not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
4	File concerned.

Head Draftsman


Tech. Officer

Ex. Engineer PHE Div.
