

Office of the Executive Engineer (R&B) Spl. Sub Division Gurez

/EE/SSDG/2023-24 Allotment Order No. Dt:-_03

The Assistant Executive Engineer (PHE) Sub Division Gurez

Head of Account:-JJM

Subject: Laying and fitting of GI pipes including replacement /improvements of damaged / wornout pipes and Construction of Intake Chamber near head site, 0.10 lac gallon SR, Protection work at head site, Sluice Chamber, Cattle Trough, Anchor/Saddle block, Chain Link fencing around structures for Retrofitting of WSS Agnikoot Baduab for 100% coverage of FHTCs "Under JJM)

Reference:- This office e-NIT No:- 02/EE/SSDG of 2023-24 S.No.(06) issued under No. EE/SSDG/13-22 dated:- 03/ 04/2023. & L.O.I No.EE/SSDG/712-714 Dt.12-05-2023 & Superintending Engineer Hyd. Circle Bla/Bpr H.Q Sopore's No.SE/Hyd/DB/1177-91 Dt.06-05-2023.

For and on behalf of the LI Governor of UT Jammu & Kashmir, the Executive Engineer Spl. Sub Division Gurez hereby fixes the contract for above named work in favour M/S Showkat Ahmad Malik S/o:-Mohammad Shafi Malik R/O Nusco Bandipora Regd. No:-SB-123-SE(R&B)/A/Class/1998-99 GSTIN No:01GMBPM9821C1ZE on the rates as per Annexure (A) forming part of this allotment letter.

The contract shall be Governed by the terms and conditions of the tender notice referred to above and also by the terms and condition of the detailed tender notice which is in vogue in this Division

The contractor should be directed to attend the Divisional office along with his valid registration card duly renewed for making necessary entry therein within a week's time & drawl of necessary agreement with the Department. The tender submitted by the contractor, floated tender notice and this allotment order shall constitute a legal contract document even before drawl of formal agreement deed & in the event of contractor's failure to do so he shall be responsible for the resultant consequences.

The performance security deposited by the contractor in shape of the CDR bearing No. 232062 dated 10-05-2023 worth Rs. 107100/ Issued by the Bla. Central Co-operative Bank Ltd. is retained in this office till successful completion of work for defect liability period.

The date of start of work shall be reckoned after 3 days from the date of issue of letter of intent! allotment order

The time of completion of work shall be (60)days.

The cost on allotted rates works out of Rs.3565000 / (Rs. Thirty Five Lakh Sixty Five Thousand only)(Excld. Cost of pipes) against the advertised cost of Rs.35.66 Lacs. Note:-)

I)The work shall have to be executed strictly as per the items advertised and proposals, in no case should thereby deviation In any Item/ Items of work or to execute any Item beyond the rate list or exceed the quantities.

II)In case the contractor falls to execute the work the CDR/earnest money deposited by the contractor will be forfeited in first instance, besides the contractor will be recommended for black listing or debarred from contracts in P.W.D especially in this division for at least one year

III) In case of any delay caused in execution of works penalty upto 10% shall be imposed upon the contractor or the Department shall be at the liberty to terminate the contract in or full(as the case may be) and the contract shall be completed through some other available sources at the risk and cost of the defaulting agency after serving not more than two notices which should be strictly noted.

IV) The control of the budget allocation which include the cost of key construction material shall be sole responsibility of the concerned Assistant Executive Engineer and shall not exceed under any circumstances except from the proper approvals from the competent authority and the AEE concerned will make it sure that no liability is created on this account is ensured V) The AEE concerned will make it sure that Geo-tagged photographs showing before execution, during execut ion and after execution of work is enclosed with every claim

VI). The rates shall include the charges on account of Geo-tagged Photographs etc.

VII) Service tax plus surcharges as required under rules framed by Govt. should be deducted from the bills of the contractor. In case Govl. increases the rates of service tax, the contractor has to pay the same at his own nost. No claim whatsoever will be entertained on this account.

VIII) The defect liability will be (18) months from the date of actual completion of the contract.

IX) The Department shall not be responsible for any site dispute which may occur during the execution of work

Special Sub Division Gurez

Copy to the:

1. Superintending Engineer (Hyd) Circle Baramulla H.Q Sopore for favour of information

2 M/S Showkat Ahmad Malik S/o:-Mohammad Shafi Malik R/O Nusoo Bandipora for information & n/a

Head Draftsman Drawing Branch Divisional Office for information.

4). Head Assistant Divisional Office for Information.

(Contd..on..page..2nd)

(Page...2nd) Name of the Work: for Laying and fitting of GI pipes including replacement /improvements of damaged / wornout pipes and Construction of Intake Chamber near head site, 0.10 lac gallon SR, Protection work at head site, Sluice Chamber, Cattle Trough, Anchor/Saddle block, Chain Link fencing around structures for Retrofitting of WSS Agnikoot Baduab for 100% coverage of FHTCs "Under JJM)

SI. No.	Ictures for Retrofitting of WSS Agnikoot Baduab for 100	Qty	Unit	Rate Quoted By The Bidder (L1) Rate in Rs. P	Pecentar a Quoted by Tenderi ng
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10sqm on plan, depth upto 1.5mtr. including disposal of excavated earth upto 1 mtr from cutting edge, disposed earth is to be levelled and neatly dressed in: All kinds of soil	1165.12	Cum	436.00 (Four Hundred Thirty Six Rupees)	
1.01	Ordinary rock	505.95	Cum	967.00 (Nine Hundred Sixty Seven Rupees)	1
2	laying and fitting of GI pipes in tenches as per IS: 1239 of 2004 and ammendments pipe (Light grade) 65mm dia pipe (Light grade)	2500.00	RM	73.05 (Seventy Three Rupees and Five Paise)	work)
2.01	50mm dia pipe (Light grade)	1200.00	RM	40.80 (Forty Rupees and Eighty Paise)	all (tems of work)
2.02	40mm dia pipe (Light grade)	800.00	RM	40.80 (Forty Rupees and Eighty Paise)	
2.03	25mm dia pipe (Light grade)	700.00	RM	30.65 (Thirty Rupees and Sixty Five Paise)	rates
2.04	20mm dia pipe (Light grade)	830.00	RM	20.25 (Twenty Rupees and Twenty Five Paise)	tised
2.05	15mm dia pipe (Light grade)	440.00	RM	20.25 (Twenty Rupees and Twenty Five Paise)	adve
3	Making connection of G.I distribution branch with G.I main of following sizes by providing & fixing of Tee including cutting & threading the pipe etc. Complete: 15mm dia nominal bore FHTC,s to household including cost of water meter and bibcocks.	45.00	No	1500.00 (One Thousand Five Hundred Rupees)	below on the
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. Layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	1336.03	Cum	198.70 (One Hundred Ninety Eight Rupees and Seventy Paise)	Zero One percent below on the advertised rates for
5	Providing/fixing of regulating devices including all carriages complete: 65mm dia Sluice valve	3.00	No	8000.00 (Eight Thousand Rupees)	Point
5.01	50mm dia Sluice valve	3.00	No	5000.00 (Five Thousand Rupees)	0.01% (Zero
6	P/fixing of MS control valve chamber size 0.60x0.60x0.60 fabricated out of5mm thick MSplate including hire charges of DG set, generator, welder and all carriages complete job. (2No)	2.00	No	10000.00 (Ten Thousand Rupees)	1 80 0.0
7	Providing and laying of stone soling (hand packed).	14.47	Cum	816.40 (Eight Hundred Sixteen Rupees and Forty Paise)	¥1
8	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40 mm nominal size)	11.52	Cum	4910.94 (Four Thousand Nine Hundred Ten upees and Ninety Four Paise)	
Conto	onpage3 rd)	• .		1 1 0	

Executive Engineer Special Sub Division Gurez

(Page..3rd) Name of the Work: Laying and fitting of GI pipes including replacement /improvements of damaged / wornout pipes and Construction of Intake Chamber near head site, 0.10 lac gallon SR, Protection work at head site, Sluice Chamber, Cattle Trough, Anchor/Saddle block, Chain Link fencing around structures for Retrofitting of WSS Agalkoot Baduah for 100% coverage of FHTCs "Under IIM)

struc	ctures for Retrofitting of WSS Agnikoot Baduab for 1009	% coverage	e of FHTC	s "Under JJM)	
9	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding cost of centering, shuttering, finishing & reinforcement. All works upto plinth level 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size): Base/Raft	14.20	Cum	7979.55 (Seven Thousand Nine Hundred Seventy Nine Rupees and Fifty Five Paise)	25
9.01	Walls	28.43	Cum	9503.16 (Nine Thousand Five Hundred Three Rupees and Sixteen Paise)	
9.02	Slab/Ring beam	2.97	Cum	9948.83 (Nine Thousand Nine Hundred Forty Eight Rupees and Eighty Three Paise)	work)
9.03	Dome	3.03	Cum	10509.61 (Ten Thousand Five Hundred Nine Rupees and Sixty One Paise)	for all items of
10	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing & reinforcement. All works upto plinth level 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)	20.66	Cum	7049.16 (Seven Thousand Forty Nine Rupees and Sixteen Paise)	on the advertised rates for
11	Mild Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding wire.	4886.24	Kgs	93.23 (Ninety Three Rupees and Twenty Three Paise)	the adve
12	Providing and fixing of MS main hole cover of 0.75 x 0.75 size fixed with 50x60 MM ISA	5.00	No	3000.00 (Three Thousand Rupees)	ow on
13	Centering and shuttering including strutting, propping etc. and removal of form work in: Bases/Raft	108.16	Sqm	262.30 (Two Hundred Sixty Two Rupees and Thirty Paise)	One percent below
13.01	Walls	218.81	Sqm	573.85 (Five Hundred Seventy Three Rupees and Eighty Five Paise)	One per
13.02	Slab	6.29	Sqm	635.60 (Six Hundred Thirty Five Rupees and Sixty Paise)	nt Zero
13.03	Ring beam	8.16	Sqm	Two Rupees and Eighty Five Paise)	(Zero Point
13.04	Domes	19.93	Sqm	2086.80 (Two Thousand Eighty Six Rupees and Eighty Paise)	0.01%
14	Providing and mixing of water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specifications.	89.91	Kgs	66.58 (Sixty Six Rupees and Fifty Eight Paise)	<i>J</i> 6
15	12 mm thick cement plaster in 1:4 mix (1 cement :4 coarse sand)	42.69	Sqm	260.00 (Two Hundred Sixty Rupees)	
. 16	Structural steel work welded in built up sections framed work including cutting hoisting fixing in position and applying a priming cost of steel primer	502.94	kgs	104.11 (One Hundred Four Rupees and Eleven Paise)	
17	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete (G.I. wire of dia 4 mm) complete job	32.00	Sqm	806.00 (Eight Hundred Six Rupees)	
	ard)				

(Contd..on..page..3rd)

Head Braftsman

Executive Engineer
Special Sub Division Gurez

(Page..3rd)Name of the Work: Laying and fitting of GI pipes including replacement /improvements of damaged / wornout pipes and Construction of Intake Chamber near head site, 0.10 lac gallon SR, Protection work at head site, Sluice Chamber, Cattle Trough, Anchor/Saddle block, Chain Link fencing around structures for Retrofitting of WSS Agnikoot Baduab for 100% coverage of FHTCs "Under JJM)

19	Providing and fixing of mild steel round holding down bolts with nuts and washers and plates complete.	32.00	Kgs	93.23 (Ninety Three Rupees and Twenty Three Paise)	
20	Carriage of different materials from source to Road site of by MT. Incl. loading and unloading & stacking. Steel/Cement 28 Km	28.62	M.T	372.43 (Three Hundred Seventy Two Rupees and Forty Three Paise)	work)
20.01	Sand 28 Km	32.47	M.T	418.94 (Four Hundred Eighteen Rupees and Ninety Four Paise)	items of
20.02	Aggregate 28 Km	59.78	Cum	455.38 (Four Hundred Fifty Five Rupees and Thirty Eight Paise)	s for all
20.03	Stone/Soling 28 Km	14.56	Cum	492.88 (Four Hundred Ninety Two Rupees and Eighty Eight Paise)	Ised rate
20.04	Pipes 28 Km	25.00	Cum	372.43 (Three Hundred Seventy Two Rupees and Forty Three Paise)	e advert
21	Carriages of materials by H/L from road site upto actual site of work.Cement 3000 Mtr	14.31	M.T	1020.80 (One Thousand Twenty Rupees and Eighty Paise)	ow on th
21.01	Steel 3000 Mtr	14.31	M.T	2192.92 (Two Thousand One Hundred Ninety Two Rupees and Ninety Two Paise)	Zero One percent below on the advertised rates for all items of work)
21.02	Sand 3000 Mtr	32.47	Cum	2527.18 (Two Thousand Five Hundred Twenty Seven Rupees and Eighteen Paise)	Zero One p
21.03	Aggregate 3000 Mtr	59.78	Cum	2730.19 (Two Thousand Seven Hundred Thirty Rupees and Nineteen Paise)	Zero Point
21.04	Stone soling 3000 Mtr	14.56	Cum	2972.98 (Two Thousand Nine Hundred Seventy Two Rupees and Ninety Eight Paise)	© 0.01% (Zero Point
21.05	Pipes 3000 Mtr	25.00	M.T	1287.30 (One Thousand Two Hundred Eighty Seven Rupees and Thirty Paise)	

(Rates &Quantities checked)

Haar Bratisman

Special Sub Division Gurez