

**OFFICE OF THE
EXECUTIVE ENGINEER SPECIAL SUB DIVISION GUREZ**

Allotment Order No. 06 EE/SSDG/2021-22

Dated 12/08/2021

M/S.AVENUE ENTERPRISE
Prop: QAISER AMIN MUKHDOOMI
R/o:-ROSELANE BUCHPORA SRINAGAR
Regd. No:-664/AAY/CE/KCC/PDC/2007-08
GSTIN No:01AIVPM5636PIZK

Adv Cost of Work: -Rs. 115.84 Lacs
Allotted Cost:- Rs. 1,14,74,063
(Incl. Cost of Pipes)
Time of Completion: (12 Months)
Major Head: - JJM

SUBJECT:- Providing/laying and fitting of GI pipes including Construction of protection works/ head works at head site, crate protection work at sports, Intake Chamber near head site, Construction of 0.03 MGD slow sand filtration plant, 0.15 lac gallon SR, Sluice Chamber, supporting pillars for RWM at sports, Chain Link fencing around structures, cattle trough for Retrofitting of WSS Achoora 1st for 100% coverage of FHTCs

Reference:- Your tender in response to e-NIT No:- 17-EE/SSDG of 2021-22 issued under No. EE/SSDG/464-71 dated:- 13/05/2021.

For and on behalf of Lt. Governor Union Territory of Jammu and Kashmir contract for the above mentioned work is fixed with you at an allotted cost of Rs. 1,14,74,063 (Rupees One Crore Fourteen Lacs Seventy Four Thousand & Sixty Three only)(Incl. Cost of pipes) as worked out at the rates quoted/ offered/ negotiated and accepted by you against the items of the advertised rate list/ quantity schedule subject to fulfillment of the terms and condition stipulated hereunder:-

S. No	Particulars	Quantity	Unit	Alloted Rate	Amount (In Rupees)
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (Not exceeding 1.5 mtr in width) and for shafts, wells, cesspits and the like not exceeding 10sqm on plan, depth upto 1.5mtr. including disposal of excavated earth upto 1 mtr from cutting edge, disposed earth is to be levelled and neatly dressed in: All kinds of soil	1766.72	Cum	350	618352.00
1.1	Ordinary rock	752.11	Cum	800	601688.00
2	Providing/laying and fitting of GI pipes in tenches as per IS: 1239 of 2004 and ammendments thereof inclding P/fixing of pipe fittings Including all carriages Mechanical transport and Head lode 100mm dia pipe (Light grade)	326.00	RM	1305	425430.00
2.1	80mm dia pipe (Light grade)	3991.00	RM	895	3571945.00
2.2	65mm dia pipe (Light grade)	50.00	RM	820	41000.00
2.3	50mm dia pipe (Light grade)	750.00	RM	548	411000.00
2.4	40mm dia pipe (Light grade)	1000.00	RM	444	444000.00
2.5	25mm dia pipe (Light grade)	800.00	RM	286	228800.00
2.6	20mm dia pipe (Light grade)	850.00	RM	209	177650.00
2.7	15mm dia pipe (Light grade)	600.00	RM	165	99000.00
3	Making connection of G.I distribution branch with G.I main of following sizes by providing & fixing of Tee including cutting & threading the pipe etc. Complete: 15mm dia nominal bore FHTC,s to household including cost of water meter and bibcocks. Including all carriages Mechanical transport and Head lode	181.00	No	2000	362000.00

Head Draftsman

contd. On 2nd

Executive Engineer

SSDG

SUBJECT:-

p-2nd

Providing/laying and fitting of GI pipes including Construction of protection works/ head works at head site, crate protection work at sports, Intake Chamber near head site, Construction of 0.03 MGD slow sand filtration plant, 0.15 lac gallon SR, Sluice Chamber, supporting pillars for RWM at sports, Chain Link fencing around structures, cattle trough for Retrofitting of WSS Achoorz 1st for 100% coverage of FHTCs

4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. Layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	2071.92	Cum	130	269349.50
5	Providing/fixing of regulating devices including all carriages complete: 65mm dia Sluice valve Including all carriages Mechanical transport and Head lode	2.00	No	10000	20000.00
5.1	50mm dia Sluice valve	2.00	No	8000	16000.00
6	Providing and laying of stone soling (hand packed) in excavated trenches including carriage by mechanical transport at site of work Including all carriages Mechanical transport and Head lode	25.33	Cum	900	22797.00
7	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) Including all carriages Mechanical transport and Head lode	19.78	Cum	6000	118680.00
8	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding cost of centering, shuttering, finishing & reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size): Including all carriages Mechanical transport and Head lode Base /Raft	30.86	Cum	8000	246880.00
8.1	Walls	77.02	Cum	9300	716286.00
8.2	Ring beam	1.72	Cum	9500	16340.00
8.3	Dome	4.30	Cum	10000	43000.00
8.4	Slab	16.00	Cum	9500	152000.00
9	Providing/laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing & reinforcement. All works upto plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) Including all carriages Mechanical transport and Head lode	10.28	Cum	7500	77100.00
10	Mild Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding wire. Including all carriages Mechanical transport and Head lode	5637.92	Kgs	90	507412.80
11	Providing and fixing of MS main hole cover of 0.75 x 0.75 size fixed with 50x60 MM ISA Including all carriages Mechanical transport and Head lode	5.00	No	4000	20000.00

Head Draftsman

contd. On 3rd

Executive Engineer

SUBJECT:-

p-3rd

Providing/laying and fitting of GI pipes including Construction of protection works/ head works at head site, crate protection work at sports, Intake Chamber near head site, Construction of 0.03 MGD slow sand filtration plant, 0.15 lac gallon SR, Sluice Chamber, supporting pillars for RWM at sports, Chain Link fencing around structures, cattle trough for Retrofitting of WSS Achoora 1st for 100% coverage of FHTCs

12	Centering and shuttering including strutting, propping etc. and removal of form work in: Including all carriages Mechanical transport and Head lode Raft/Bases	57.57	Sqm	300'	17271.00
12.1	Walls	431.34	Sqm	500	215670.00
12.2	Slab	3.89	Sqm	630	2450.70
12.3	Ring beam	9.84	Sqm	520	5116.80
12.4	Domes	28.28	Sqm	2080	58822.40
13	Providing and mixing of water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specifications. Including all carriages Mechanical transport and Head lode	752.48	Kgs	80	60198.40
14	12 mm thick cement plaster in 1:4 mix (1 cement :4 coarse sand) . Including all carriages Mechanical transport and Head lode	255.22	Sqm	320	81670.00
15	Structural steel work welded in built up sections framed work including cutting hoisting fixing in position and applying a priming cost of steel primer Including all carriages Mechanical transport and Head lode	508.88	kgs	135	68698.00
15.1	With locking arrangement Including all carriages Mechanical transport and Head lode	1.00	No	6000	6000.00
16	Reinforcement foe RCC work including straightening, cutting, bending, placing in position including cost of binding wire Including all carriages Mechanical transport and Head lode	7635.11	Kgs	90	687159.90
17	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete (G.I. wire of dia 4 mm) Including all carriages Mechanical transport and Head lode	26.22	Sqm	900	23598.00
18	Dumping stone exluding cost of stone in horizontal on level complete. Including all carriages Mechanical transport and Head lode	33.67	Cum	300	10101.00
19	Hand packing stone in wire crates excluding cost of wire and stone complete. Including all carriages Mechanical transport and Head lode	12.54	Cum	500	6270.00
20	Suppy of stones complete. Including all carriages Mechanical transport and Head lode	61.54	Cum	1500	92310.00
21	Supply of crate mesh complete. Including all carriages Mechanical transport and Head lode	1437.10	Sft	50	71855.00
22	Providing/laying of stone soling (GSB) for road restoration complete job. Including all carriages Mechanical transport and Head lode	20.00	Cum	1100	22000.00
23	Providing and laying of filter media of approved quality from approved source to be laid properly in filter bed as per defined grade including all sorts of carriages Mechanical transport and head loads and lifts as per the direction of engineer incharge.	48.56	Cum	13500	655560.00
24	Providing and laying of Baramulla stones of approved quality from approved stone to be lead properly in filter bed including all sorts of carriages Mechanical transport and head loads and lifts as per the direction of engineer incharge.	33.20	Sqm	5000	166000.00

Head Draftsman

contd. On 4th

Executive Engineer

SSDG

SUBJECT:-

P-4th

Providing/laying and fitting of GI pipes including Construction of protection works/ head works at head site, crate protection work at sports, Intake Chamber near head site, Construction of 0.0: MGD slow sand filtration plant, 0.15 lac gallon SR, Sluice Chamber, supporting pillars for RWM at sports, Chain Link fencing around structures, cattle trough for Retrofitting of WSS Achoora 1st for 100% coverage of FHTCs

TERMS AND CONDITIONS:-

01. This letter of allotment will constitute a legal contract between the government and the contractor and the conditions as laid down in the master e-NIT for 2021-22 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
02. That the date of start of the work shall be reckoned within Two days from the date of issue of allotment and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.
03. The contractor has deposited an amount of Rs.3,45000.00 bearing No.115296 dated 09/08/2021 in shape of earnest money (CDR)/TDR through J&K Bank Branch Dawar Gurez . which has been retained in the divisional office and shall only be released after the successful completion / commissioning of work and after observing the DLP period is over.
- 4.1 The contractor has to strictly follow the quality Control measures as per relevant IS code. The sampling of concrete has to be done by the contractor in presence of JE/Engineer Incharge and has to get tested the sample from reputed laboratory approved by the Govt. of J&K.
- 4.2 The department shall not be responsible for any site/ land dispute arising if any unforeseen circumstances.
- 4.3 The contractor has to get Hydraulic Structural design of various structures from the reputed consultants and have to get it verified from design Directorate Srinagar.
05. The GI Pipe class LA as per IS 1239 part 1st is to be checked / tested by CEIL/RIET and subsequently by third party fixed by the Chief Engineer.
06. The allotment order No. and name of the executing agency must be mentioned on the pipe bill/inspection note and original copies must be submitted to this Office.
07. The Socket drift certificate must be inspected by CEIL / RIET .
08. The pipe must be dumped and properly stacked dia wise at a proper site as per the consent of Engineer incharge.
09. The payment of the work shall be made as and when the funds are made available by the competent authority under the proper scheme / account head.
10. The Contractor shall attend the divisional office within 03 days after the issue of this allotment order for drawl of the agreement with the department.
11. Nothing shall be paid to the contractor on account of dewatering/ diversion even if involved at site of work.
12. The mileage for carriage of materials by mechanical transport / by manual labour as advertised/ allotted shall be final and nothing shall be allowed beyond allotted.
13. If the Contractor does not start the work within 15 days of issue this allotment order, the allotment shall be cancelled at the risk & cost of contractor without serving any notice. The Astd. Executive Engineer concerned shall intimate this office regarding the same.

Head Draftsman

Executive Engineer
Special Sub Division
Gurez

No: -EE/SSDGI 2003 - 88

Dated: -12/08/2021

Copy to the: -

01. Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information
02. District Development commissioner(chairman JJM Bandipora) for favour of information
03. Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore for favour of information.
04. Technical Officer to Mission Director JJM for favour of information
05. Assistant Executive Engineer (JSD) PHE Sub-Division Gurez for information & necessary action.
- 06-08. AAO/Head Assistant/ Head Draftsman Divisional Office for information.
09. Concerned File