## UNION TERRITORY OF JAMMU & KASHMIR



## OFFICE OF THE EXECUTIVE ENGINEER PHE (JAL SHAKTI) GROUND WATER DIVISION BAGHI-ALI-MARDAN, NOWSHARA SRINAGAR.



M/S Shri Ganesh Constructions, Piprali road, Sikar Rajasthan. e-mail ID: shriganeshconcom@gmail.com No:PHE/GWD/ 129-38
Dated: 05-4-223

## ALLOTMENT ORDER NO: PHE/GWD/JJM/ 03 OF 4/2013 DATED: 65-4-1013

Sub: Formal allotment for Construction of Production tube well for W.S. Scheme Darpora Kupwara under Jal Jeevan Mission (JJM)

Ref: i) Chief Engineer, Kashmir Jal Shakti (PHE) Department Srinagar's e-NIT No: 131 of 2021-22 Dated: 28-02-2022 issued under endorsement No: CE/PHE/DB/43421-72 Dtd: 28-02-2022 read with allied corrigenda,I,II,III,IV & V

ii) Chief Engineer, Kashmir Jal Shakti (PHE) Department Srinagar's No: PHE/E&T/JJM/2022-23/12 Date:10-5-2022 issued under No: CE/PHE/DB/3140-83 Dated: 10-5-2022 for fixation of rate contract for Construction of Production wells in different Divisions/Districts of Kashmir Province under Jal Jeevan Mission (JJM).

iii) Chief Engineer, Kashmir Jal Shakti (PHE) Department Srinagar's No: CE/PHE/JJM/41262-75 Dtd.06-02-2023

- iv) UT Level committee meeting held on 28-04-2022 and 09-05-2022 under the Chairmanship of Development Commissioner Works PW (R&B).
- v) District Dev. Commissioner Kupwara's authorization No: DDCK/Plg/JJM/MoM/14584-99 Dated. 27-3-2023, and endorsement No: DDCK/Plg/JJM/14600-21 Dated. 27-3-2023
- vi) Superintending Engineer, PHE Mech. Circle (North) Srinagar's letter No:PHE/MCN/S.G/26-27 Date.04-4-2023


Dear Sir,

For and on behalf of Lieutenant Governor of Jammu and Kashmir, the contract for Construction of Production tube well for W.S. Scheme Darpora Kupwara under Jal Jeevan Mission (JJM) is allotted to you with contract value of **Rs. 33,95,970.00** (Rupees: Thirty-three lacs Ninety-five thousand nine hundred & seventy only) on the following rates, terms & conditions as per Annexure "A" & "B".

S.No	Teens of NI	Unit	Qty.	Rate	Amount
1.	Boring /Drilling bore well of required dia for casing /strainer pipe, by suitable method prescribed in IS 2800 (Part 1), including collecting samples from different strata preparing and submitting strata chart/bore log, including hire and running charges of all equipment tools plants and machineries required for the job, all complete as per direction of Engineer-in-Charge upto 90 m depth below ground level		24.	Nate	Aulount
1.1.	All Kinds of soil (Diameter of casing/Strainer pipe of 250 mm.	Mtr	90	Rs.11300/ -	10,17,000.00
2.	Boring/drilling bore well of required dia for casing /strainer pipe, by suitable method prescribed in IS 2800 (Part 1), including collecting samples from different strata preparing and submitting strata chart/bore log, including hire and running charges of all equipment tools plants and machineries required for the job, all complete as per direction of Engineer-in-Charge upto 90 m & upto 150m depth below ground level			Mtr	
2.1	All Kinds of soil (Diameter of casing/Strainer pipe of 250 mm.	Mtr	60	Rs.12100/-	7,26,000.00



Scanned with OKEN Scanner



Supplying, assembling, lowering and fixing in vertical position in bore well, ERW (Electric Resistance Welded)FE 410 plain slotted (having lot of size 1.6/3.2 mm)mild steel threaded and specketed (plain boyel ended pipes (type-A) of required dia				
in bore well, ERW (Electric Resistance Welded)FE 410 plain slotted (having lot of size 1.6/3.2 mm)mild steel threaded and socketed /plain bevel ended pipes (type-A) of required dia, conforming to 1S:8110, of reputed & approved make having	Mtr	40	B= 0200/	3.68.000.00
of approved brand and manufacture including required hire and labour charges fitting ad accessories all complete for all depths as per direction of Engineer in-charge.  250 nominal size dia.	,		Mtr	
and IS:11189 to establish maximum rate of usable water yield without sand content (beyond permissible limit) with required capacity air compressor ruing the compressor for required time till well is fully developed measuring yield of well by "V"				
notch method or any other approved method measuring static level and draw down etc. by step draw down method collecting water sample & getting tested in approved laboratory I/c disinfection of tube well all complete including required hire and labour charges of air compressor tools and accessories etc.	Job ,	01	Rs.270000/-	2,70.000.00
all as per direction of Engineer In-charge.	TOTAL			35,01,000.00
S S C V C C I I I V C S S C V C C I I I V C S S C V C C I I I V C S C V C V C V C V C V C V C V C V C	lotted (having lot of size 1.6/3.2 mm)mild steel threaded and ocketed /plain bevel ended pipes (type-A) of required dia, conforming to IS:8110, of reputed & approved make having wall thickness not less than 5.40mm including painted with butside surface with two coats of anticorrosive bitumestic paint of approved brand and manufacture including required hire and abour charges fitting ad accessories all complete for all depths as per direction of Engineer in-charge.  250 nominal size dia.  Development to tube well in accordance with IS: 2800 (Part-1) and IS:11189 to establish maximum rate of usable water yield without sand content (beyond permissible limit) with required capacity air compressor ruing the compressor for required time ill well is fully developed measuring yield of well by "V" notch method or any other approved method measuring static evel and draw down etc. by step draw down method collecting water sample & getting tested in approved laboratory I/c disinfection of tube well all complete including required hire	lotted (having lot of size 1.6/3.2 mm)mild steel threaded and ocketed /plain bevel ended pipes (type-A) of required dia, conforming to IS:8110, of reputed & approved make having wall thickness not less than 5.40mm including painted with outside surface with two coats of anticorrosive bitumestic paint of approved brand and manufacture including required hire and abour charges fitting ad accessories all complete for all depths as per direction of Engineer in-charge.  250 nominal size dia.  Development to tube well in accordance with IS: 2800 (Part-1) and IS:11189 to establish maximum rate of usable water yield without sand content (beyond permissible limit) with required capacity air compressor ruing the compressor for required time ill well is fully developed measuring yield of well by "V" notch method or any other approved method measuring static evel and draw down etc. by step draw down method collecting water sample & getting tested in approved laboratory I/c disinfection of tube well all complete including required hire and labour charges of air compressor tools and accessories etc. all as per direction of Engineer In-charge.	lotted (having lot of size 1.6/3.2 mm)mild steel threaded and ocketed /plain bevel ended pipes (type-A) of required dia, conforming to 1S:8110, of reputed & approved make having wall thickness not less than 5.40mm including painted with outside surface with two coats of anticorrosive bitumestic paint of approved brand and manufacture including required hire and abour charges fitting ad accessories all complete for all depths as per direction of Engineer in-charge.  250 nominal size dia.  Development to tube well in accordance with IS: 2800 (Part-1) and IS:11189 to establish maximum rate of usable water yield without sand content (beyond permissible limit) with required capacity air compressor ruing the compressor for required time ill well is fully developed measuring yield of well by "V" notch method or any other approved method measuring static evel and draw down etc. by step draw down method collecting water sample & getting tested in approved laboratory I/c disinfection of tube well all complete including required hire and labour charges of air compressor tools and accessories etc. all as per direction of Engineer In-charge.  TOO	Note The above rates are subject to an overall 03% reduction as

Technical Officer

Executive Engineer Jal Shakti PHE Ground Water Div. Srinagar

Contd....3rd. page.

