OFFICE OF THE

TIVE ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE

Laying/Fitting of pipe network, construction of protection wall, anchor/ saddle blocks for WSS Paswalpati Sirrender.

This office E-NIT No 04-PHE/Hyd/Bpr of 2022-23 issued under endorsement 1. No PHE/Hyd/Bpr/397-407 dated 18/04/2022.

Revised District Action Plan of District Bandipore approved by DJJM vide No 2. DDCB/BPR/2022/2056 dated 16/07/2022.

Minutes of Meeting held with District Development Commissioner Bandipore (Chairman 3. DDJM) on 04/07/2022 minutes issued vide order No 154-DDCB of 2022 dated 28/07/2022 issued under endorsement No DDCB/JJM/2022-23/2279-82 dated 28/07/2022

Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued 4. by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated 21/06/2022

Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No 5. CE/PHE/MC/DB/13745-83 Dated 26/07/2022

Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No 6. SE/Hyd/DB/4901-14 dated 29/07/2022.

7. Letter of Indent issued vide this office No PHE/Hyd/Bpr/3660-73 dated 30/07/2022.

Administrative Approval Accorded by Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q 8. Sopore vide order No 68/SE/Hyd/DB/JJM of 2022-2023 dated 24/09/2022 issued under endorsement No SE/Hyd/DB/8213-18 dated 24/09/2022.

Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order 9. No CE/PHE/DB/744 of 11/2022 Dated 16/11/2022 issued under endorsement No CE/PHE/DB/30167-73 dated 16/11/2022.

> ORDER NO. PHE/HYD/BPR/ 77 OF 2022-2023 DATED: 03 1 01 12023

> > Major Head of Account: JAL JEEVAN MISSION

Advertised Cost: Rs.72.18 Lacs Allotted Cost: Rs.72,90,180.00 Time of Completion: 90 Days (GST No: -01AKEPD5449E3ZO)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Laying/Fitting of pipe network, construction of protection wall, anchor/ saddle blocks for WSS Paswalpati Sirrender" is hereby fixed with M/S Tariq Ahmad Dar & Brothers Prop. Tariq Ahmad Dar S/o Mohmad Subhan Dar R/o Saderkote Payeen Bandipore bearing Regd No 221/A/CE/KCC/PDC of 1996-97, on the allotted cost of Rs.72,90,180.00 (Rupees Seventy Two Lac Ninety Thousand One Hundred Eighty only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as laid down in Annexure "B" of this allotment and Detailed E-NIT and SBD.

Executive Engineer

PHE (Hyd) Division

Bandipore

Technical Officer

No: - PHE/Hyd/Bpr/CC/ 94 26 -39 Dt: -03/01/2023

Copy to the: -

Chief Engineer Jal Shakti PHE Department Srinagar for favour of information. 01. 02.

District Development Commissioner Bandipore (Chairman DJJM) for favour of information.

Additional District Development Commissioner Bandipore (Member DJJM) for favour of information. 03. 04.

Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of information. 05.

Assistant Commissioner Development Bandipore (Member DJJM) for favour of information. Divisional Forest Officer Bandipore (Member DJJM) for favour of information. 06.

- Chief Planning Officer Bandipore (Member DJJM) for favour of information. 07.
- Chief Medical Officer Bandipore (Member DJJM) for favour of information. 08.
- 09.
- Chief Education Officer Bandipore (Member DJJM) for favour of information. 10.
- District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DJJM) for favour of
- 11. District Information Officer Bandipore (Member DJJM) for favour of information. 12.
- Assistant Executive Engineer PHE Sub-Division Bandipore for information. 13.
- WAPCOS Bandipore for information.
- 14. M/S Tariq Ahmad Dar & Brothers Prop. Tariq Ahmad Dar S/o Mohmad Subhan Dar R/o Saderkote Payeen Bandipore for

OFFICE OF THE

LITIVE ENGINEER PHE (HYD) DIVISION BANDIPORE

PHE/HYD/BPR/2022-23 Dated 03 / 01 /2023

Ork:- "Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks, for WSS Paswalpati surrinder"

Adv. Cost :- 72.18 lacs Allotted Cost :- 7290180.00

					Allotte	d Cos	90180.00	_ 11		
1	Particulars	Qty.		Unit	Ro	ite		Amount		
No	Earth work in excavation by manual means in trenches for foundations,		-		—				7 1	
	drains, pipes, cables etc. (not exceeding 1.5 m in width) and for		1		1		1		1 13	
	shafts, wells, cesspits and the like not exceeding 10 sqm on plan,		1		1		1		1 1	
	including dressing of sides and ramming of bottoms lift upto 1.5 m,		1		1		1			
	including getting out excavated earth and disposal of surplus				1		1		1 1	
	excavated earth as directed: All kinds of soil	3395.		Cum		36.00		1480359.		
1	Ordinary Rock	1452.	.60	Cum	. 9	67.85		1405898.	91	
2	Earth work in excavation by mechanical means (hydraulic excavator)									
	in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not			1	1		1			
	exceeding 10 sqm on plan, including dressing of sides and ramming			1	1		1		1	
	of bottoms lift upto 1.5 m, including getting out excavated earth and			1	1		1		1	
	disposal of surplus excavated earth as directed, within a lead of 50			1	- 1		- 1		1	
	metres:	94.	E E	Cur	_	252.0	-		\	
3	Dismantling G.I. pipes (external work) including excavation and	74.	.55	Cur	n	252.0	-	2383	1.33	
	refilling trenches after taking out the pipes, manually/by mechanical	1	,	*	- 1		1			
	means including stacking of pipes within 50 meters lead as per	1		1	1		- 1		1	
	direction of Engineer-in-charge: 15 mm to 40 mm nominal bore		0.00	-	\	00.7	_ \			
1	Above 40 mm nominal bore	50	0.00	m		99.75		9975.00		
1	Laying and fitting of G.l. pipes (all classes) complete excluding cost of	: 30	0.00	m	tr	110.6	55	553	25.00	
,	1 1 mm dia C 1 mine		0.00	1	. 1	107	\			
1	80 mm dia GI Pioe	100		_	ntr	107.			70.00	
2	65 mm dia Gl Pioe		0.00		ntr	73.3	30	109	10995.00	
3	50 mm dia GI Pioe	35	0.00	Г	ntr	73.30		256	25655.00	
4	40mm dia G.I pipe	60	00.00) r	ntr	40.	80		480.00	
5	25mm dia G.I pipe	20	0.00	0	mtr	40.				
5	20mm dia G.I pipe	35	0.00	2	mtr				00.00	
7	15mm dia G.I pipe		500.0		mtr	30.65		107275.00		
	Providing wal (* :		0.000	_			20.25		0625.00	
- 1	Providing and fixing of 12mm thick M.S flanges G.I pipe incld. Co	ost J	000.0	1	mtr	20).25	60	0750.00	
	throads gaskers, hors boirs, welding charges cutting	of		1		1				
	800mm dia Earth work and refillir	or		1		ľ		1		
+	Soonini did		083.	00	· .					
	Providing and fixing C.I. double acting air valve of approved qua with bolts, nuts, rubber insertions includ. Tall	lity	003.	.00	joints	11	00.00	110	00.00819	
		oto		1			-			
-	complete 50mm dia	C1C.	0.5	. \						
	Providing and fixing of CI sluice valve with cap including accessories like nuts, bolts rubbor incomi		0.8	U	No	10	0.000	0	0.00008	
	accessories like nuts, bolts rubber insertion etc and tail pieces Kirloskar make including successful testion	all			ŕ					
	Kirloskar make including successful testing and commissioning. 80	10		11	1	1		1		
\dashv	dia commissioning. 80	Jmm			1					
	Making connection of G.I. distribution branch with G.I. main following sizes by providing and fixing T.		4.0	00	No	3	0.0000	00	120000	
	following sizes by providing and fixing Tee, including cutting threading the pipe etc. complete 25 to 40 minutes.	n of				+	3000.0	-	120000.0	
	threading the pipe etc. complete 25 including cutting	and			1			1		
	threading the pipe etc. complete 25 to 40 mm nominal bore 50 to 80 mm nominal bore	1	62.00		NI-			\		
_	The state of the s	-			1,03		666.2	25	5 41307.	
	Providing and fixing gun metal gate valve with C.I. when approved quality (screwed end) 50 mm nominal least	, ,	10.00		No	20	1268.75		12687.	
-+	approved quality (screwed end) 50 mm nominal bore	el of						1208/		
	65 mm nominal bore		8.00			No 2000.0		00	14000	
a	A		-						16000	
1	os mm nominal bore		-	9.00		lo lo	2000 2500		21	

Head Draftsman

contd. On 2nd

Executive Engineer

p-2nd

"Laying / Fitting of pipe network, construction of protection wall , Anchor/ saddle blocks , for WSS Paswalpati surrinder"

	WSS Paswalpati surrinder"				
	Constructing masonry Chamber of specified size, in brick work with				
	onstructing masonry Chamber of specified step in State of Chamber of S	1	1		
	common burni city (top stab) and R.C.C. top stab				
	incement mortal 1:4 (Technical Incement in 1:4 (Technical Incement in 1:5:3mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate			1	
	1:1.5:3mix (1 center): 113 20 mmnominal size) including necessary xcavation, foundation	į.			
	20 mmnominal size / including increases / including increases / including increases / incr	1			
	40 mmnominal size) and inside plastering with cement mortar 1:3 (1		1		
	cement: 3 coarse sand) 12 mm thick finished with a floating coat of	1	4		
	neat cement complete as per standard design. For sluice valve, with			1	
	C.I. surface box 100 mm top diameter, 160 mm bottom diameter and		1	1	
	C.I. surface box 100 mill top didmeter, 100 mill some	1	1		
	180 mm deep (inside) with chained lid.	2.00	No	21462.85	42925.70
100	Chamber 120x120x100 cm	59.85	Cum	616.40	36891.54
11	Dumping stone including cost of stones. in Horizontal on level Filling available excavated earth (excluding rock) in				
12	Eiling available excavated earth (excluding			1	
1	trenches, plinth, sides of foundations etc. in layers not exceeding				
	20 cm in depth, consolidating each deposited layer by ramming and	4405.08	Cum	198.70	875289.40
	watering, lead upto 50 m and lift upto 1.5 m	4.82	Cum	816.40	3935.05
13	Providing & laying stone soling in horizontal on level.				
14	Providing and laying in position cement concrete of specified grade				
	including curing but excluding the cost of centring and shuttering. All		1		
	work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8	4.82	Cum	4861.84	23434.07
	graded stone aggregate 40 mm nominal size)	* .			
15	Steel reinforcement for R.C.C. work including straightening, cutting,	741		1	
-	bending, placing in position and binding all complete upto plinth level:	509.60	kg	87.18	44426.93
	Thermo-Mechanically Treated bars of grade Fe-500D or more		1		
16	Centering and shuttering including strutting, propping etc. and removal		~		
	of form for: Foundations, footings, bases of columns etc. for mass	131.60	sqm	262.30	34518.68
	concrete.		-		
16.1	Walls (any thickness) including attached pilasters, buttresses, plinth	348.00	sqm	573.85	199699.80
	and string courses etc.	279.30	sqm	260.05	72631.97
17	12mm Cement plaster of mix: 1 : 4 (1 cement : 4 fine sand)		34	255.55	
18	Providing and laying in position specified grade of reinforced cement			A	
	concrete including curing but excluding the cost of centering,			1	
	shuttering, finishing and reinforcement. All works upto plinth level:		1		
	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm	1075		4070 40	88978.17
	nominal size)	12.75	Cum	6978.68	0077 0:17
19	Providing and laying cement concrete in retaining walls, return walls,		1		1
	walls (any thickness)including attached pilasters, columns, piers	r [
	abutments, pillars, posts, struts, buttresses, string or lacing courses	ı	1		
	parapets, coping, bed blocks, anchors blocks, plain window sills	,	1	51	1
	fillets etc upto floor V level, including curing but excluding the cost o	f	1		
	centring, shuttering and finishing with 1:3:6 (1 cement : 3 coarse sand	:	1		
	6 graded stone aggregate 20 mm nominal size)	80.75	Cui	m 7269.19	586987.09
20	Providing and fixing of nuts ,bolts and chips incld one end fix to				
20		110.00) kg	79.25	8717.5
	anchor block	_		100.00	1500.00
21	Providing and fixing of PVC pipes for aeration purposes	15.00) m	tr 100.00	13000
22	Provision for Providing and fixing of pipe specials of standard qualit	У			0 40000.00
al con-	incld. testing complete	1.00	jo	ь 40000.0	40000.0
	1				NaV

Head Draftsman

contd. On 3rd

Executive Engineer

"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks, for

	WSS Paswalpati surrinder"				
	to work including			1	1
	raige of materials from source to road site of work including and stacking: Stone / stone soling for an av	64.67	Cum	444.68	28757.46
		4.33	Cum	761.25	3296.21
4.0	- arounde for an avieda of 50 km	84.14	Cum	700.37	58929.13
1	20mm gagregate for an av lead of 30 km	52.61	Cum	700.37	36846.47
12	leand for an av lead of 50 km	63.18	MT	271.25	17137.58
23.3	Pipes for an av lead of 12 km	37.93	MT	271.25	10288.51
23.4	cement for an av lead of 12 km	0.62	MT	271.25	168.18
23.6	steel for an av lead of 12 km Carraige of materials from road site to site of work by manual				
1.5	labour including loading , unloading and stacking for an av lead of 500 Mtrs. Stone / stone soling	64.67	Cum	730.80	47260.84
	40mm aggregate	4.33	Cum	671.55	2907.81
24.1	20mm aggregate	84.14	Cum	621.21	52268.61
24.2		52.61	Cum	621.21	32681.86
24.3	sand	63.18	MT	355.70	22473.13
24.4	pipes	37.93	MT	355.70	13491.70
24.5	Cement	0.62	MT	605.96	375.70
24.6	Steel			TOTAL	7218000.00
	(Allotted rate @ 1% above on all items of work)				

Rs.72,90,180.00

(Rupees Seventy Two Lac Ninety Thousand One Hundred Eighty only)

2 Km

Head Draftsman

Executive Engineer
PHE (Hyd) Division
Bandipora

ANNEXURE "B"

fing of pipe network, construction of protection wall, anchor/ saddle blocks for walpati Sirrender

MS AND CONDITIONS

The work shall be executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.

72. The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.

03. The execution of work shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department

04. No liability should be created on this account.

- 05. This letter of allotment will constitute a legal contract between the government and the contractor and the conditions as laid down in the master NIT for 2022-2023 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
- 06. That the date of start of the work shall be reckoned within two days from the date of issue of Letter of Intent issued vide this office No PHE/Hyd/Bpr/JJM/3660-73 dated 30/07/2022 and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.

07. The total amount of work should not exceed Rs.72,90,180.00 in any case.

- 08. The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, valid for a period of 24 Months, which shall be released after successful fulfilment of the laid down conditions in SDB/E-NIT.
- 09. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter

10. The time of completion of the work is reckoned **90 Days** (Ninety Days) as per the condition laid down in the e-NIT.

11. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the fim and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting

12. After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department

13. The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months

14. In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time

W Por T

nforce in the UT: minate the contract after 15 days' notice

Recover the amount of loss caused by damage, failure or default, as bedetermined by the department.

and/or

c). Recover the extra cost, if any, involved in allotting contract to other party. and/or

d). Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract.

and/or

- Any failure or commission to carry out the provision of the contract shall not 15. give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency 16.
- In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the 17.
- The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee 18.
- All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder 19.
- The bidder shall not sublet the whole or part of the work. The bidder shall not assign the work or any part thereof or any benefit or any interest thereon or any claim arising of the contract, without prior written consent of the allotting authority 20.
- From the commencement of the work to the completion thereof the same shall be under the bidder's charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country 21.
- The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under 22.
- The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of
- The bidder shall in connection with the work provide and maintain at his own cost all 23. lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc



der/firm shall make his own arrangement, at his own cost, for all lines, fual power points, etc. to the machinery and plant required by him for the flon, testing and commissioning of the equipment ordered on him. The bidder pay for all electrical energy consumed by him for this purpose at the evalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water

tightness Test/ Curing, labour colony, Site Office etc Forfeit the performance security and blacklist the firm

25. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post execution should be maintained by the agency on his own expenses

27. The executing agency/contractor must execute the work as per the requirements/specifications detailed in the relevant/applicable IS codes

28. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor

29. All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit

30. The payment of work shall be made as and when the funds are available to the tune within available provision of DPR by the competent authority under the proper scheme/ account head.

31. As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.

32. Nothing shall be paid to the contractor on account of dewatering/diversion even if involved at site of work.

33. If the Contractor have not start the work within 15 days of issuance of this letter of intent, the contract shall be cancelled at the risk and cost of contactor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office regarding the same.

34. All other terms and conditions as laid down in Master E-NIT, Tender documents and PWD/form 25 shall remain in force.

Technical Officer

Executive Engineer()
PHE (Hyd) Division

Bandipore