OFFICE OF THE

ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE Length including successful testing and commissioning of 0.02 MGD Slow Sand Filtration Plant construction of protection wall, chain link fencing, anchor blocks and interest of pipe network, Vicensi, 10 Lac 9 one of protection wall, chain link fencing, anchor blocks and intake/spring chamber WSS conspectarpati. Numberdarpati.

This office E-NIT No 22-PHE/Hyd/Bpr of 2022-23 Issued under endorsement No PHE/Hyd/Bpr/2469-79 dated 24/06/2022.

Revised District Action Plan of District Bandipore approved by DJJM vide No DDCB/BPR/2022/2056 dated 16/07/2022.

2

Minutes of Meeting held with District Development Commissioner Bandipore (Chairman 3. DDJM) on 24/11/2022 minutes issued vide order No 353-DDCB of 2022 dated 20/12/2022 issued under endorsement No DDCB/JJM/2022-23/5221-24 dated 20/12/2022

Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS

Dated 21/06/2022

Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No 5. CE/PHE/MC/DB/13745-83 Dated 26/07/2022

Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No 6.

SE/Hyd/DB/12088-12100 dated 22/12/2022.

Administrative Approval Accorded by Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q 7. Sopore vide order No 61/SE/Hyd/DB/JJM of 2022-2023 dated 24/09/2022 issued under endorsement No SE/Hyd/DB/8171-76 dated 24/09/2022.

Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order 8. No CE/PHE/DB/740 of 11/2022 Dated 16/11/2022 issued under endorsement No CE/PHE/DB/30139-45 dated 16/11/2022.

> ORDER NO. PHE/HYD/BPR/ 73 OF 2022-2023 DATED: 03 1 0 12022

> > Major Head of Account: JAL JEEVAN MISSION

Advertised Cost: Rs.76.39 Lacs Allotted Cost: Rs.71,80,407.00 Time of Completion: 90 Days (GST No: -01AARPW3728J1ZA)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Construction including successful testing and commissioning of 0.02 MGD Slow Sand Filtration Plant and 0.10 Lac gallon RCC Service Reservoir with sluice chamber, Laying/ Fitting of pipe network, construction of protection wall, chain link fencing, anchor blocks and intake/ spring chamber WSS Numberdarpati" is hereby fixed with Mr. Mohd Maqbool Wagay S/o Kh. Gh. Mohammad Wagay R/o Hakbara Sonawari bearing Regd No 492/AYY/CE/KCC/PDC/2006-2007, on the allotted cost of Rs.71,80,407.00 (Rupees Seventy One Lac Eighty Thousand Four Hundred Seven only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as laid down in Annexure "B" of this allotment and Detailed E-NIT and SBD.

Technical Officer

No: - PHE/Hyd/Bpr/CC/ 9370-83 Dt: - 63/01 /2023

Copy to the: -

01. Chief Engineer Jal Shakti PHE Department Srinagar for favour of information.

District Development Commissioner Bandipore (Chairman DJJM) for favour of information. 02.

Additional District Development Commissioner Bandipore (Member DJJM) for favour of information. 03. 04.

Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of information. 05.

Assistant Commissioner Development Bandipore (Member DJJM) for favour of information. 06.

- Divisional Forest Officer Bandipore (Member DJJM) for favour of information. 07.
- Chief Planning Officer Bandipore (Member DJJM) fcr favour of Information.
- 08. Chief Medical Officer Bandipore (Member DJJM) for favour of information.
- Chief Education Officer Bandipore (Member DJJM) for favour of Information. 09.
- District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DJJM) for favour of 10.
- District Information Officer Bandipore (Member DJJM) for favour of Information. 11.
- Assistant Executive Engineer PHE Sub-Division Bandipore for information. 12.
- WAPCOS Bandipore for information. 13. 14.
- Mr. Mohd Maqbool Wagay S/o Kh. Gh. Mohammad Wagay R/o Hakbara Sonawari for information.

Executive Engineek PHE (Hyd) Division Bandipore

THE

PHE/HVD/PDD 12-1 AND TO ALLOTMENT Order No.

_PHE/HYD/BPR/2022-23 Dated 03 101 12022

"Construction incloding of Capacity RCC service reservoir with sluice chamber, Laying/Fitting of pipe and 0.10 lac Gallon department of protection wall, chain link fencing Anchor blocks and intake/spring chamber was Numberdarpatti

Adv. Cost :- 76.39 lacs

/				4	· cost :- 76.	39 lacs				
1/	Parliculars					Allotted Cost :- 7180407.00				
S. No	L. La consequently of L.	Qty.	Unit		ate					
<i></i>	Earth work in excavation by manual means in trenches for foundations,		-		are	Amount				
1	drains, pipes, cables etc. (not exceeding 1.5 m in width) and for									
	shafts, wells, cesspits and the like not exceeding 1.5 m in width) and for including dressing of sides and remains of the like not exceeding 10 sqm on plan,				1					
	including dressing of sides and ramming of bottoms lift upto 1.5 m,									
7	including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil			1	l.	Į.				
1.1	Ordinary Rock	1115.87	C-	1		1				
h. I	Farth work in bulk avacuation	475.88	Cum	_	436.00	486519.32				
	Earth work in bulk excavation by mechanical means (hydraulic	47 3.88	Cum		967.85	460580.458				
				1						
	well as 10 m2 on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-			1	1	1				
3	Charge. All kinds of soil			1	1					
3.1	Ordinary Rock	308.87	Cum		188.75	50000				
	Earth work in excavation have	132.24	Cum	_	378.35	58299.2125				
	Earth work in excavation by mechanical means (hydraulic excavator)		Com	-	3/6.35	50033.004				
				- 1		1				
				1	1					
	exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated and			· ·	1					
	disposal of surplus excavated earth and				1					
4	disposal of surplus excavated earth as directed, within a lead of 50 metres::All kinds of soil:				1					
4.01	Ordinary rock	118.73	Cun	n	252.05	29925.8965				
1	Extra for every additional life of 1.5	2.81	cum	1	470	1320.7				
	Extra for every additional lift of 1.5 m or part thereof in excavation/banking					70200				
5	excavated or stacked material: All kinds of soil:	•								
5.01	Ordinary or hard rock	4.72		m	81.65	385.388				
0.01	Dismontling G.L. nines (automate 1)	42.46	S Cu	m	146.45	6218.267				
	Dismantling G.I. pipes (external work) including excavation and refilling	Sec.								
	trendes after taking out the pipes, manually/by mechanical means	e "		1		1				
	including stacking of pipes within 50 meters lead as per direction of		1	1						
6	Engineer-in-charge: Above 40 mm nominal bore			1						
	Laying and fitting of G.I. pipes (all classes) complete excluding cost of	35	0 m1	r	110.65	38727.5				
7	pipes, fittings and Earth work:- 65 mm dia G.I pipe	١ ,,		. 1	72.05					
7.01	50mm dia G.I pipe	15	_		73.05	10957.5				
7.02		70		tr	40.8	20000				
	40mm dia G.I pipe	150	00 m	tr	40.8	61200				
7.03	25mm dia G.I pipe	100	00 m	itr	30.65	30650				
7.04	20mm dia G.I pipe	123	50 m	ıtr	20.25	25312.5				
7.05	15mm dia G.I pipe	150	00 m	ntr	20.25					
	Providing and fixing of 12mm thick M.S flanges G.I pipe incld. Cost			21.7						
	of flanges, rubber gaskets, nuts bolts, welding charges cutting of		1	,						
	threads excld. Earth work and refilling:					-				
8	65mm dia	5	00 i	oints	85	0 42500				
	Providing and fixing C.I. double acting air valve of approved quality									
	with bolts, nuts, rubber insertions incld. Tailpeices ,tapers, Gi pipe etc.									
9.01	complete 50mm dia		4	No	1000	0 4000				
9.02	25mm dia G.I		8	No	700	5600				
	Providing and fixing of CI sluice valve with cap including all									
	accessories like nuts, bolts rubber insertion etc and tail pieces of		1							
	Kirloskar make including successful testing and commissioning, 100mm		1		1 .					
10	dia		2	No	450	00 7// 9000				
						160				

Head Draftsman

contd. On 2nd

Executive Engineer

μ-2

"construction including successful testing and commissioning of 0.02MGD Slow Sand Filtration Plant construction including successful testing and commissioning of 0.02MGD Slow Sand Filtration Plant construction Gallon Capacity RCC service resorvoir with sluice chamber, Laying/Fitting of pipe and 0.10 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying/Fitting of pipe and one of protection wall, chain link fencing Anchor blocks and intake/spring chamber for WSS Numberdarpatti"

	for WSS Numberdurpann	2			20000		
1.0	No.	3	No		30000		90000
1	80mm dia 65mm dia	3	No		25000		75000
10.01	Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of Making connection of G.I. distribution branch with G.I. main of G.I. distribution branch with G.I.		1	- 1			
10.00	following sizes by providing the taxing fee, including curing and following the pipe etc. complete 25 to 40 mm nominal bore threading the pipe etc.	50	١				
1.		50	No		666.25		33312.5
11.01	50 to 80 mm nominal bore Providing and fixing gun metal gate valve with C.I. wheel of	10	N	05	1268.75		12687.5
11.0	providing and tixing got metal gate valve with C.t. wheel of approved quality (screwed end) 50 mm nominal bore	10	1	1			
12		10	-		2000		20000
12.01	65mm dia	5	N	0	2500		12500
	Constructing masonry Chamber of specified size, in brick work with		1				
	common burnt clay (non modular) bricks of class designation 7.5			1	,	1	1
	incement mortar 1:4 (1cement :4 coarse sand) and R.C.C. top slab		1	1		ì	
	1:1.5:3mix (1 cement: 1.5 cocrse sand: 3 graded stone aggregate			1			V
	20 mmnominal size) including necessary xcavation, foundation	16	1	1			1
	concrete 1:5:10 (1 cement :5 line sand : 10 graded stone aggregate		1			l .	
	40 mmnominal size) and inside plastering with cement mortar 1:3 (1 cement: 3 coarse sand) 12 mm thick finished with a floating coat of		- }	1		1	
	neat cement complete as per standard design. For sluice valve, with		-	1		1	
	C.I. surface box 100 mm top diameter, 160 mm bottom diameter and	_		1			
	180 mm deep (inside) with chained lid.			1		1	
13	Chamber 120x120x100 cm	1	- 1			1	
14	Dumping stone including cost of stones. in Horizontal on level		_	No	21462.85		21462.85
	Filling available excavated earth (excluding rock) in	99.7	′5	Cum	616.4	:	61485.9
÷	trenches, plinth, sides of foundations etc. in layers not exceeding	1					
	20 cm in depth, consolidating each deposited layer by ramming and	1	- 1			1	
15	watering, lead upto 50 m and lift upto 1.5 m				1	1	
	Providing and laying of Baramulla stones of approved size and	1683.	68	Cum	198.	7	334547.216
16	texture incld. All sorts of carriage	1					
15.	Providing and laying of filter media (gravel) to be laid in layers as	33	3.2	sqm	180	0	59760
	per specification and site incharge incld. Testing and all sorts of	1	**···			-	
17	carriage			11. a	1		· ·
18	Providing & laying stone soling in horizontal on level.	48		Cum	700	00	339920
	Providing and laying in position cement concrete of specified grade	30	.85	Cum	816	.4	25185.94
	including curing but excluding the cost of centring and shuttering. All	1					
	work upto plinth level with: 1:4:8 (1 cement: 4 coarse sand: 8	1		1			
. 19	graded stone aggregate 40 mm nominal size)			1	1		1
	Providing and laying in position specified grade of reinforced cemen	22	1.14	Cum	4861.8	35	117364.6969
•	concrete including curing but excluding the cost of contaring	1		1	1		
	shortering, tinishing and reinforcement. All works upto plinth level.	· 1		1	. 1	- 1	1
	1:172:3 (1 cement: 1/2 coarse sand: 3 graded stone aggregate 20	, l		1		Ĭ	
20	inin nominal size)	1		1		\	
	Reinforced cement concrete work in walls (any thickness) including		6.42	2 Cum	7800).76	206096.0792
	and string courses fillete selven	\		1	1		
	pillars, piers, abutments, posts and struts upto floor five level including	15,			1		
	curing but excluding cost of centering shuttering, finishing and	ng		1	1	1	
	reinforcement.	l		- 1	1	1	
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 2			1		1	
· 21	mm nominal size)				1	1	
	Reinforced cement concrete work in beams, suspended floors, roofs		54.8	39 Cu	m 940	3.135	516412.5302
	having slope upto 15°, landings, balconies, shelves, chajjas, lintels,	• 1		1	1 = 3,=		
	bands, plain window sills, staircases and spiral stair cases upto five	1		1	1	. 1	
	level including curing but excluding the	€		1		1	
	level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:	1		1	1.		,
	1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate	20		-	ľ		-
22	mm nominal size)	20	1		1		
			4	.39 0	ium 98	49.345	43238.6245

lead Draftsman

contd. On 3rd

utive Engineer

p-3rd including successful testing and commissioning of 0.02MGD Slow Sand Filtration Plant RCC service resorvoir with sluice chamber, Laying/Fitting of pipe RCC onstruction of protection wall, chain link fencing Anchor blocks and intake/spring chamber and ork, and intake/spring chamber and ork, a

	onstruction of protection wall, chain link tence of one on truction of protection wall, chain link tence of one of the original	ing Anchor	ploc	ks ana	intake/sp	ing chambe.
	network, Numberdarpatti" network Numberdarpatti" network Numberdarpatti" network Numberdarpatti" for WSS Numberdarpatti network in arches, archribs, domes, vaults for WSS Numberdarpatti network in arches, archribs, domes, vaults for WSS Numberdarpatti network in arches, archribs, domes, vaults for WSS Numberdarpatti network in arches, archribs, domes, vaults for Sells, level including curing but excluding the cost of centering, inforcement with:					
	network Numberdarpam network Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, archribs, domes, vaults for W55 Numberdarpam network in arches, domes, do	1			1	
	for the concrete with slope more than 15° upto floor			1	1	
	for Work in diches, for work			1	1	
/	Reinforce plate with the cost of centering, shells, folded plate with including curing but excluding the cost of centering, shells, folded plate including curing but excluding the cost of centering, shells, five level level including and reinforcement with: Shells, folded plate with the cost of centering, shells, folder with the cost of centering with the centering with th				1	
	five level finishing and 11/2 cocrse sand : 3 graded stone aggregate 20	3.33	Curr	. 10	404.515	34647.03495
		3,33	Con		7.7.513	
1	shirty2:3 (1 cement 1:1½:3 (1 cement 1:1	1	No		3500	3500
23	Providing & fixing of main hole cover 0.73 x 0.73 of standard quality with angle iron frame incld all necessary fittings complete with angle iron frame incld all necessary fittings complete		140			
24	Providing & fixing of main hole cover 0.90 x 0.90 of standard quality Providing & fixing of main hole cover 0.90 x 0.90 of standard quality Providing & fixing of main hole cover 0.90 x 0.90 of standard quality	3	No	1	4500	13500
1	Providing & fixing of main hole cover 0.70 x or providing & fixing of main hole cover 0.70 x or providing straightening, cutting,		110			
25	with angle iron frame incld all necessary fillings complete with angle iron frame incld all necessary fillings complete with angle iron frame incld all necessary fillings complete with a cutting, Steel reinforcement for R.C.C. work including straightening, cutting, Steel reinforcement in a cities and binding all complete upto plinth levels		ľ	1	1	
	Steel reinforcement for R.C.C. work including straightening, Steel reinforcement for R.C.C. work including straightening, Steel reinforcement for R.C.C. work including straightening, Straightening, Steel reinforcement for R.C.C. work including straightening, St	11709.28	kg	1	87.175	1020756.484
1 . 1	bending, placing in position and billialing and compared to the state of the state	11707.20				
			1	- 1	ł	- : - : -
	has boisting tixing in position and opplying	380.5	kg	1	102.135	38862.3675
		300.5	1.9			
27			1			
	Structural steel work in single section, fixed with a plate, including cutting, hoisting, fixing in position and applying a	_	1	- 1		
	twing	1420	kg		91.025	129255.5
28						1
			1			45540.001
	Centering and shuttering including strating, propping of form for: Foundations, footings, bases of columns etc. for mass	249.87	7 sc	m.	262.3	65540.901
29						456933.801
	Walls (any thickness) including attached pilasters, buttlesses, pilities	796.20	s sc	ım	573.85	
29.01	La de acursos etc	12.9	B sc	m	635.6	8250.088
29.02	and floors roofs landings, balconies and access planothis	12.7		qm	502.85	6416.366
29.03	light beams girders, bressumers and cannevers	27.2	_	qm	2086.8	56781.828
	Arches, domes, vaults upto ó m span			-	114.76	10875.8052
29.04	s I was in circular work	94.7		qm	242.3	21215
29.05	Edges of slabs and breaks in floors and walls: Under 20 cm wide			m		
29.06	Edges of slabs and breaks in ricors and struts	8.6	4 5	qm	680.15	30,0
29.07	Columns, pillars, piers, abutments, posts and struts.				250	7500
	Browiding and fixing of 50mm ala G. Hall bella	3	1 08	10	230	
30				_	400	1532
	Providing and incorporating PGI sheets strips 0.8mm thick at	- 3.8	33	Sqm	400	7
31	construction joints incld. All carriages complete job Providing and laying in position cement concrete of specified grade		1	1		1
	Providing and laying in position certein contring and shuttering. A	n {	1			
1	Providing and laying in position certent concrete or spanishing. All including curing but excluding the cost of centring and shuttering. All including curing but excluding the cost of centring and shuttering. All companishes considered to the cost of centring and shuttering.		1	- 1		146818.98
	l unto plinth level with: 1:3:0 (1 cernetit: 3 de la		27	Cum	5437.7	4 14001007
32					*	14953.125
1000	graded stone aggregate 20 mm normal steep 12mm Cement plaster finished with a floating coat of neat cement	4	3.5	sqm	343.7	75 14953.125
33	of mix:1:3 (1 cement 3 sand)					
			1		1	
	Providing and fixing G.I. chain link tablic leftening or a mind dia wire of mesh size 50x50 mm including strengthening with 2 mm dia wire or mesh size 50x50 mm including strengthening with 2 mm dia wire or mind somplete as per the direction of					
L	mesh size 50x50 mm including strengthening with 2 minesh size 50x50 mm including strengthening s	ot	100	cam	733	3.5 79218
	nuts, bolts and washers as required some		108	sqm	260	1 1005
34	- inchargo Made III II. WII Col ala	71	4.79	sqm	260	.03
35		ent		1	1	
				1		
	Providing and laying in position specified grows of centering, concrete including curing but excluding the cost of centering,	. 1		1		1
	concrete including curing but excluding the cost of ections of states of sta	1:		1	1	
	shuttering, finishing and removed and stone aggregate 20 mm	r	12.8	Cum	6978	.675 89327.0
	1:2:4 (1 cement : 2 coarse sail 4 8 does	1	12.8	Cuit		
36	nominal size)					WMX

lead Draftsman

contd. On 4th

Executive Engineer

construction including successful testing and commissioning of 0.02MGD Slow Sand Filtration Plant Aconstruction including section resting and commissioning of 0.02MGD Slow Sand Filtration Plant and 0.10 lac Gallon Capacity RCC service resorvoir with sluice chamber, Laying/Fitting of pipe and one of protection wall, chain link fencing Anchor blocks and intake/spring chamber for WSS Numberdarpatti"

	for WSS Numberdarpain			and	illiake/spring	gcnamber
	providing and laying cernain death in retaining walls, return walls, providing and thickness) including attached pilasters, columns, piers, walls (any thickness) posts, struts, buttresses string or lacing courses	1				
					. 1	
	ranets, coping, bed blocks, alleriors blocks, plain window cille					
	filets etc upto noor vievel, including curing but excluding the cost			1		
/ 1	of centring, shutteringand finishing with 1:3:6 (1 cement : 3 coarse					
	sand: 6 graded stone aggregate 20 mm nominal sizol	94.2				
	Applying priming coat:- With ready mixed red oxide Zinc Chromate	94.2	Cum		269.185	684757.227
	primer of approved brand and manufacture on steel work (second					
38	COAL)	149.6			1	
	Painting with aluminum paint of approved brand and manufacture	117.8	sqm		28.9	3404.42
1	to give		1			
39	an even shade. Two or more coats on new work	ن سقام الأ		1	1	
	Providing and fixing of nuts , bolts and chips incld one and fixed	117.8	sqn	1	119.4	14065.32
40	anchor block					1.1003.32
41	Providing & fixing of 80mm dia PVC pipe for aeration purpose	130	kg		79.25	10302.5
	Providing and mixing water proofing material in cement concrete	50	mt		100	5000
	TOTAL MODES DV WEIPHI IN COMMENT OF NOW AREA					3000
43	specification. (1 kg of water proofing material in 50 kg of cement)					
	Welding, including transportation of plant at site etc. complete By	515.18	kg		57.6	29674.368
44	- cocite platic				323,742	27074.308
	Provision for Providing and fixing of pipe specials of standard quality	3500	cm	1	6.15	21525
45	incld. testing complete					21323
	Carriage of materials from source to road site of work including	5	L jo	b	30000	30000
	loading, unloading and stacking. Stack of work including					30000
46	loading, unloading and stacking:—Stone / stone soling for an av lead		1.	1	1	
46.01	40mm aggregate for an av lead of 45 km	130.	6 Cı	ım	401.83	52479.000
46.02	20mm aggregate for an av lead of 45 km	21.7		um	707.26	52478.998
46.03	sand for an av lead of 30km	200.7		um	650.69	15354.6146
46.04	Pipes for an av lead of 15km	129.3		um	501.65	130606.4968
46.05	cement for an av lead of 15 km	29.0	_	um	303.65	64883.411
46.06	steel for an av lead of 15 km	74.4		ΛT	303.65	8814.9595
	Carraign of material of	13.6		ΛT		22603.706
	Carraige of materials from road site to site of work by manual		-	-	303.65	4147.859
47	including loading unloading and stacking for an and the		1	1		
47.01	300 Mtrs. Stone / stone scling 40mm aggregate	130	0.6	Cum	515.67	V
47.02	20mm aggregate	21.		Cum	473.94	67346.502
47.03	20mm aggregate	200		Cum		10289.2374
47.04	sand	129		Cum	438.4	87995.648
47.05	pipes		.03	MT	438.4	56702.656
	Cement		.44		265.72	7713.8516
47.06	Steel		_	MT	265.72	19780.1968
	Providing, erecting and fixing of sign board 2'6"x4' made up of angle	1:	3.66	MT	452.69	6183.7454
_	"Of Harrie Work SUXSUX6mm with 1mm thick M C shoot in short				1	
	printing, painting and proper lettering and embeding with 1.2.5	1			1	1
48	cement concrete complete job			1	1	1
	asseminate lon	-	1	job	6000.00	0.000
					TOTAL	7638730.0
	(Allotted rate @	6% belo	w or	all ite	ms of work	458323.0
					1945 AND 1965 B	, , , , , , , , , , , , , , , , , , , ,

Rs. 71,80,407.00 (Rupees Seventy One Lac Eighty Thousand Four Hundred Seven only)

Draftsman

Executive Engineer PHE (Hyd) Division Bandipora

ANNEXURE "B"

Including successful testing and commissioning of 0.02 MGD Slow Sand Filtration Plant and Including Service Reservoir with sluice chamber, Laying/Fitting of nine potential including successive Reservoir with sluice chamber, Laying/ Fitting of pipe network, construction allowed link fencing, anchor blocks and intake/ spring chamber WSS News fig. in RCC serion link fencing, anchor blocks and intake/ spring chamber WSS Numberdarpati

TERMS AND CONDITIONS MS AIVE work shall be executed strictly as per approved design / drawing, specifications and JJM The work state of the prior or change in proposal/location is subject to the prior approval from the competent authority.

- The rates allotted are inclusive of all taxes applicable as per norms amended by competent 02. authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.
- The execution of work shall be subject to check by the third party monitoring agency (TPIQM) 03. appointed by the Department
- No liability should be created on this account. 04.
- This letter of allotment will constitute a legal contract between the government and the 05. contractor and the conditions as laid down in the master NIT for 2022-2023 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
- That the date of start of the work shall be reckoned within two days from the date of issue of 06. this allotment and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.
- The total amount of work should not exceed Rs.71,80,407.00 in any case. 07.
- 08. The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, valid for a period of 24 Months, which shall be released after successful fulfilment of the laid down conditions in SDB/E-NIT.
- 09. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter
- The time of completion of the work is reckoned 90 Days (Ninety Days) as per the condition 10. laid down in the e-NIT.
- The firm shall be bound for satisfactory performance of works for 18 months after 11. the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the fim and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting
- After testing and commissioning of work, the bidder will have to make a trial run of 12. the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department
- 13. The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months
- In the event of allottee failing, declining, neglecting or delaying the supplies / works 14. or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the sime

in the UT: in the contract after 15 days' notice and/or the amount of loss caused by damage, failure or default, as recover cause by the department. and/or c). Recover the extra cost, if any, involved in allotting contract to other party. and/or

d). Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract.

and/or

Any failure or commission to carry out the provision of the contract shall not 15. give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or

In the event of the death or insanity or insolvency or imprisonment of the bidder or 16. where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the

The bidder should ensure the safety of the water supply lines, sewer lines, 17. telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee 18.

All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the

responsibility of the Bidder

The bidder shall not sublet the whole or part of the work. The bidder shall not 19. assign the work or any part thereof or any benefit or any interest thereon or any claim arising of the contract, without prior written consent of the allotting authority

20. From the commencement of the work to the completion thereof the same shall be under the bidder's charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country 21.

The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions

of all labour laws and the rules framed there under

22. The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of

The bidder shall in connection with the work provide and maintain at his own cost all 23. lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc

shall make his own arrangement, at his own cost, for all lines, points, etc. to the machinery and plant required by him for the provided and commissioning of the equipment ordered by him for the spirit for all electrical energy consumed by him for the distring the string of the string of the bidder of the string of the str prevalent directly to the Power Corporation and the bidder's final bill shall be bidder/film bidder/s final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc

Forfeit the performance security and blacklist the firm 25.

Geo Tagged Photographic evidences of the work; pre-execution, during execution 26. and post execution should be maintained by the agency on his own expenses 27.

executing agency/contractor must execute the requirements/specifications detailed in the relevant/applicable IS codes work as

The tests for concrete and allied materials shall have to be carried out at reputed 28. institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor 29.

All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit

The payment of work shall be made as and when the funds are available to the 30. tune within available provision of DPR by the competent authority under the proper scheme/ account head.

- As soon as letter of award is communicated to the firm, the contract shall be 31. complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
- 32. Nothing shall be paid to the contractor on account of dewatering/ diversion even if involved at site of work.
- 33. If the Contractor have not start the work within 15 days of issuance of this letter of intent, the contract shall be cancelled at the risk and cost of contactor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office regarding the same.

34. All other terms and conditions as laid down in Master E-NIT, Tender documents and

PWD form 25 shall remain in force.

Technical Officer

Executive Engineer PHE (Hyd) Division 4

Bandipore