

OFFICE OF THE  
EXECUTIVE ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE

Laying/ Fitting of pipe network, construction of protection wall, anchor/ saddle blocks, crate protection works at head site WSS Bonakoot.

1. This office E-NIT No 03-PHE/Hyd/Bpr of 2022-23 issued under endorsement No PHE/Hyd/Bpr/386-96 dated 18/04/2022.
2. Revised District Action Plan of District Bandipore approved by DJJM vide No DDCB/BPR/2022/2056 dated 16/07/2022.
3. Minutes of Meeting held with District Development Commissioner Bandipore (Chairman DDJM) on 04/07/2022 minutes issued vide order No 154-DDCB of 2022 dated 28/07/2022
4. Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated 21/06/2022
5. Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No CE/PHE/MC/DB/13745-83 Dated 26/07/2022
6. Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No SE/Hyd/DB/4901-14 dated 29/07/2022
7. Letter of intent issued vide this office No PHE/Hyd/Bpr/JJM/4040-53 dated 30/07/2022.
8. Administrative Approval Accorded by Chief Engineer Jal Shakti PHE Department Srinagar vide order No CE/PHE/DB/JJM/280 of 09/2022 dated 24/09/2022 issued endorsement No CE/PHE/DB/24342-50 dated 24/09/2022.
9. Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order No CE/PHE/DB/728 of 11/2022 Dated 15/11/2022 issued under endorsement No CE/PHE/DB/29789-95 dated 15/11/2022.

ORDER NO. PHE/HYD/BPR/ 96 OF 2022-2023

DATED: 09/02/2023

Major Head of Account: **JAL JEEVAN MISSION**

Advertised Cost: Rs.82.63 Lacs

Allotted Cost: Rs.83,45,416.00

Time of Completion: 90 Days

(GST No: -01AMAPM2017M1Z)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Laying/ Fitting of pipe network, construction of protection wall, anchor/ saddle blocks, crate protection works at head site WSS Bonakoot" is hereby fixed with Mr. Abdul Rashid Mir S/o Late Mohd Ramzan Mir R/o Plan Bandipore bearing Regd No 545/AYY/CE/KCC/PDC/2006-07, on the allotted cost of Rs.83,45,416.00 (Rupees Eighty Three Lac Forty Five Thousand Four Hundred Sixteen only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as laid down in Annexure "B" of this allotment and Detailed E-NIT and SBD.

Technical Officer

No: - PHE/Hyd/Bpr/CC/10492-10505  
Dt: - 09/02/2023

Copy to the: -

01. Chief Engineer Jal Shakti PHE Department Srinagar for favour of information.
02. District Development Commissioner Bandipore (Chairman DJJM) for favour of information.
03. Additional District Development Commissioner Bandipore (Member DJJM) for favour of information.
04. Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of information.
05. Assistant Commissioner Development Bandipore (Member DJJM) for favour of information.
06. Divisional Forest Officer Bandipore (Member DJJM) for favour of information.
07. Chief Planning Officer Bandipore (Member DJJM) for favour of information.
08. Chief Medical Officer Bandipore (Member DJJM) for favour of information.
09. Chief Education Officer Bandipore (Member DJJM) for favour of information.
10. District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DJJM) for favour of information.
11. District Information Officer Bandipore (Member DJJM) for favour of information.
12. Assistant Executive Engineer PHE Sub-Division Bandipore for information.
13. WAPCOS Bandipore for information.
14. Mr. Abdul Rashid Mir S/o Late Mohd Ramzan Mir R/o Plan Bandipore for information.

  
Executive Engineer  
PHE (Hyd) Division  
Bandipore

OFFICE OF THE

ASSISTANT ENGINEER PHE (HYD) DIVISION BANDIPORE

"A" TO ALLOTMENT Order No. 96 PHE/HYD/BPR/2022-23 Dated 09/02/2023

"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks , Crate protection works at head site for WSS Bonkoot Under JJM".

Adv. Cost :- 82.63 lacs

Allotted Cost :- 8345416.00

	Particulars	Qty.	Unit	Rate	Amount
	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	3085.74	Cum	440.36	1358836.47
1	Ordinary Rock	1296.72	Cum	977.53	1267580.76
1.1	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres:	173.34	Cum	254.57	44127.25
2	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	1680.00	qtl	248.01	416649.24
3	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket. 150 mm dia	1273.00	No	146.15	186045.13
4	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore	462.00	mtr	100.75	46545.35
5	Above 40 mm nominal bore	900.00	mtr	111.76	100580.85
5.1	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work:- 50mm dia G.I pipe	3650.00	mtr	41.21	150409.20
6	40mm dia G.I pipe	2522.00	mtr	41.21	103926.58
6.1	25mm dia G.I pipe	3290.00	mtr	30.96	101846.89
6.2	20mm dia G.I pipe	1650.00	mtr	20.45	33746.63
6.3	15mm dia G.I pipe	2000.00	mtr	20.45	40905.00
6.4	Providing and fixing of 12mm thick M.S flanges G.I pipe incld. Cost of flanges, rubber gaskets, nuts bolts, welding charges cutting of threads exclud. Earth work and refilling:	417.00	joints	1212.00	505404.00
7	100mm dia	150.00	joints	808.00	121200.00
7.1	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions incld. Tailpeices ,tapers, Gi pipe etc. complete. 50mm dia	8.00	No	10100.00	80800.00
8	25mm dia	5.00	No	7070.00	35350.00
8.1	Providing and fixing of CI sluice valve with cap including all accessories like nuts, bolts rubber insertion etc and tail pieces of Kirlöskär make including successful testing and commissioning. 150 mm dia	8.00	No	55550.00	444400.00
9	100mm dia	3.00	No	45450.00	136350.00
9.1	80mm dia	2.00	No	30300.00	60600.00
9.2	65mm dia	2.00	No	25250.00	50500.00
9.3					

Head Draftsman

contd. On 2<sup>nd</sup>

Executive Engineer

**"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks, Crate protection works at head site for WSS Bonkoot Under JJM".**

	connection of G.I. distribution branch with G.I. main of sizes by providing and fixing Tee, including cutting and the pipe etc. complete 25 to 40 mm nominal bore	35.00	Nos	672.91	23551.94
	providing and fixing gun metal gate valve with C.I. wheel of 80 mm nominal bore	12.00	Nos	1281.44	15377.25
	providing and fixing gun metal gate valve with C.I. wheel of 50 mm nominal bore	8.00	No	2020.00	16160.00
	approved quality (screwed end) 50 mm nominal bore	4.00	No	2525.00	10100.00
	Constructing masonry Chamber of specified size, in brick work with common burnt clay (non modular) bricks of class designation 7.5 cement mortar 1:4 (1cement :4 coarse sand) and R.C.C. top slab 1:1.5:3mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) including necessary xcavation, foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick finished with a floating coat of neat cement complete as per standard design. For sluice valve, with C.I. surface box 100 mm top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid. Chamber 120x120x100 cm	3.00	No	21677.48	65032.44
12	Dumping stone including cost of stones. in Horizontal on level	137.61	Cum	622.56	85671.03
13	Hand-packing stones in wire-crates; including cost of stones but excluding cost of crates	58.32	Cum	744.82	43438.16
14	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each; deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m	2901.33	Cum	200.69	582259.21
15	Providing & laying stone soling in horizontal on level.	6.92	Cum	824.56	5705.98
16	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	6.92	Cum	4910.46	33980.37
17	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level: Thermo-Mechanically Treated bars of grade Fe-500D or more	473.00	kg	88.05	41648.50
18	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	122.20	sqm	264.92	32373.59
19	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	385.00	sqm	579.59	223141.57
19.1	12mm Cement plaster of mix: 1 : 4 ( 1 cement : 4 fine sand)	294.35	sqm	262.65	77311.17
20	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	11.83	Cum	7048.47	83383.36
21	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchors blocks, plain window sills, fillets etc upto floor V level, including curing but excluding the cost of centring, shuttering and finishing with 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	90.48	Cum	7341.88	664293.47
22	Providing and fixing of nuts ,bolts and chips incld one end fix to anchor block	130.00	kg	80.04	10405.53
23					

Head Draftsman

contd. On 3<sup>rd</sup>

Executive Engineer

**"Laying / Fitting of pipe network, construction of protection wall, Anchor/ saddle blocks , Crate protection works at head site for WSS Bonkoot Under JJM".**

	Providing and fixing of PVC pipes for aeration purposes	50.00	mtr	101.00	5050.00
	Supply of crate mesh	2726.00	sft	21.21	57818.46
	Providing, including transportation of plant at site etc. complete By electric plant	4200.00	cm	6.21	26088.30
	Providing and laying D.I. Specials of Class K-12 suitable for mechanical jointing as per IS : 9523 Upto600 mm dia.	9.00	Qtl	18104.45	162940.07
	Provision for Providing and fixing of pipe specials of standard quality incld. testing complete	1.00	job	75750.00	75750.00
	Carraige of materials from source to road site of work including loading , unloading and stacking:-- Stone / stone soling for an av lead of 10 km	202.80	Cum	449.13	91082.92
29	40mm aggregate for an av lead of 40 km	6.22	Cum	747.06	4646.69
29.1	20mm aggregate for an av lead of 40 km	91.87	Cum	687.31	63142.71
29.2	sand for an av lead of 33km	57.87	Cum	687.31	39774.34
29.3	Pipes for an av lead of 10km	105.10	MT	306.69	32232.75
29.4	cement for an av lead of 10 km	40.88	MT	306.69	12537.34
29.5	steel for an av lead of 10 km	0.60	MT	306.69	184.01
29.6	wire Crates for an av lead of 10 Km	0.59	MT	919.98	542.79
29.7	150mm dia D.I pipe for an av lead of 15 km	7000.00	mtr	10.93	76497.40
29.8	Carraige of materials from road site to site of work by manual labour including loading , unloading and stacking for an av lead of 500 Mtrs. Stone / stone soling	202.80	Cum	641.83	130164.10
30	40mm aggregate	6.22	Cum	589.80	3668.55
30.1	20mm aggregate	91.87	Cum	545.58	50122.60
30.2	sand	57.87	Cum	545.58	31572.82
30.3	Pipes	105.10	MT	312.39	32832.50
30.4	Cement	40.88	MT	312.39	12770.63
30.5	Steel	0.60	MT	532.19	319.31
30.6	wire crates	0.59	MT	263.42	155.42
30.7	150mm dia D.I pipe for an av lead of 1000 km	7000.00	mtr	19.41	135885.40
30.8					

**Rs.8345416.00**

**(Rupees Eighty Three Lac Forty Five Thousand Four Hundred Sixteen only)**

  
Head Draftsman


  
Executive Engineer  
PHE (Hyd) Division  
Bandipora

## ANNEXURE "B"

Fitting of pipe network, construction of protection wall, anchor/ saddle blocks, crate  
protection works at head site WSS Bonakoot

### TERMS AND CONDITIONS

01. The work shall be executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.
02. The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.
03. The execution of work shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department
04. No liability should be created on this account.
05. This letter of allotment will constitute a legal contract between the government and the contractor and the conditions as laid down in the master **NIT for 2022-2023** and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
06. That the date of start of the work shall be reckoned within two days from the date of issue of Letter of Intent issued vide this office No **PHE/Hyd/Bpr/JJM/4040-53** dated **30/07/2022** and in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.
07. The total amount of work should not exceed **Rs.83,45,416.00** in any case.
08. The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, valid for a period of 24 Months, which shall be released after successful fulfilment of the laid down conditions in SDB/E-NIT.
09. In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor and strict action as warranted under contractual obligation shall be taken against the defaulter
10. The time of completion of the work is reckoned **90 Days (Ninety Days)** as per the condition laid down in the e-NIT.
11. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/ repaired by any other agency and cost thereof shall be recovered from the firm and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting
12. After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department
13. The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months
14. In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time



enforce in the UT:  
and/or  
recover the amount of loss caused by damage, failure or default, as  
be determined by the department.  
and/or  
Recover the extra cost, if any, involved in allotting contract to other party.  
and/or  
d). Impose Liquidated damages on account of delay beyond the schedule completion  
period to the tune of 0.5% of the delayed portion of contract every week but not  
exceeding 10% value of the contract.  
and/or

15. Any failure or commission to carry out the provision of the contract shall not  
give rise to any claim by the department or bidder one against the other if such  
failure of commission arises from the 'ACT OF GOD' which shall include all natural  
calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or  
from any political or other reasons beyond the control of the parties including war, or  
a state of insurgency

16. In the event of the death or insanity or insolvency or imprisonment of the bidder or  
where the bidder being a partnership or firm becomes dissolved or being  
corporation goes into liquidation, voluntary or otherwise, the contract may, in the  
option of the Engineer-in-charge, be terminated by notice in writing posted at the  
site of the works

17. The bidder should ensure the safety of the water supply lines, sewer lines,  
telephone cables, power cables, storm water drains etc., pipe laying alignment  
and, if any damage occurs during execution it should be attended immediately  
at the cost of the bidder. Failing to attend immediately, the same will be got done  
by the Department at the risk and cost of the allottee

18. All risks of loss or damage to physical property and of personal injury and death  
which arise during and in consequence of the performance of the Contract are the  
responsibility of the Bidder

19. **The bidder shall not sublet the whole or part of the work.** The bidder shall not  
assign the work or any part thereof or any benefit or any interest thereon or any  
claim arising of the contract, without prior written consent of the allotting authority

20. From the commencement of the work to the completion thereof the same shall  
be under the bidder's charge. The bidder shall be held responsible for and make  
good any loss or injuries by fire or other causes / theft and shall hold the  
Government harmless for any claims for injuries to persons or damage to property  
happening from any neglect, default, want of proper care and misconduct on  
the part of the bidder, or any of his employees, during the execution of work. The  
bidder shall be responsible for the compensation if any, to labour under the  
existing labour laws of the country

21. The bidder shall make his own arrangements for the engagement of all types of  
the labour, required for the execution of the job. No workman below the age of 18  
years shall be employed on the works. Also the bidder shall comply with the provisions  
of all labour laws and the rules framed there under

22. The bidder shall at his own cost make arrangements for proper storage especially  
towards Rain and Snow damages of the equipment/ materials at sites till its  
erection/completion. For the purpose the bidder shall, with the approval of  
Engineer in charge construct temporary storage accommodation for equipment/  
material at site for which land shall be provided by the department near the site of  
work


23. The bidder shall in connection with the work provide and maintain at his own cost all  
lights, guards, fencing and watching, when and where necessary or required by the  
Department for the protection of the work or safety and convenience of the Public etc

The bidder/firm shall make his own arrangement, at his own cost, for all lines, individual power points, etc. to the machinery and plant required by him for the erection, testing and commissioning of the equipment ordered on him. The bidder shall pay for all electrical energy consumed by him for this purpose at the prevalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc

25. Forfeit the performance security and blacklist the firm
26. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post execution should be maintained by the agency on his own expenses
27. The executing agency/contractor must execute the work as per the requirements/specifications detailed in the relevant/applicable IS codes
28. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor
29. All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit
30. The payment of work shall be made as and when the funds are available to the tune within available provision of DPR by the competent authority under the proper scheme/ account head.
31. As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
32. Nothing shall be paid to the contractor on account of dewatering/ diversion even if involved at site of work.
33. If the Contractor have not start the work within 15 days of issuance of this letter of intent, the contract shall be cancelled at the risk and cost of contractor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office regarding the same.
34. All other terms and conditions as laid down in Master E-NIT, Tender documents and PWD form 25 shall remain in force.

Technical Officer

  
Executive Engineer  
PHE (Hyd) Division  
Bandipore