

## Jammu &amp; Kashmir

## OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION SOPORE

\*\*\*\*\*

M/s Gulzar Ahmad Dar  
 S/o: Ab. Ahad Dar  
 R/o: Batshah Masjid Sopore  
 Reg. No: 435-BK/SE-PWD/CEE/2003-04  
 E-mail.Id.: gulzarah2786@gmailcom  
 Position of AAA : Accorded  
 Position of T.S : Accorded

No:- 107-93  
 Dated: 05-04-2023  
 Advt. Cost: Rs.12.85 lacs  
 Allott. Cost: Rs.13.37 lacs  
 Time of Complt.: 60 days

Subject: - Construction, Testing and Successful Commissioning of 0.10 lac gallons Clear water Sump for 0.10MGD Rapid Sand Filtration Plant for WSS Wadoora Bala under JJM (Tender Id: 2023\_PHE\_204996\_2).

Ref: 1. Your on-line tender received in response to this office E-NIT No: 51/JJM/JSDS of 02/2023 dated: 13-02-2023 S.No: 02  
 2. Superintending Engineer Hyd. Circle Sopore's Authorization issued vide No: SE/Hyd./DB/176-88 dated: 04-04-2023

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, contract for the work mentioned above is here by fixed with you on the following negotiated rates, terms and conditions.

## A Rates:

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
1	Earth work in excavation by mechanical means (hydraulic excavator) in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed, within a lead of 50 metres: All kinds of soil :	Cum	115.40	252.05	29086.57
2	Extra for earthwork in excavation beyon 1.5m	Cum	57.70	81.65	4711.21
3	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	K.L	311.57	155.50	48449.14
4	Providing and laying of dry Stone soling in horizontal on level.	Cum	16.58	816.40	13535.97
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone agg. 40 mm nominal size Crushed	Cum	3.32	4861.84	16141.31

Head Draftsman

Technical Officer

Exen

## Sump Wadoora Bala under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
6	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level in 1:1.5:3 Mix.(1 cement: 1.5 coarse sand : 3 graded stone agg.) 20mm nominal size	Cum	9.95	7800.76	77617.56
7	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.10	9408.14	104430.35
8	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°,landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering,finishing and reinforcement with1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	11.67	9849.35	114941.91
9	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	Sqm	8.16	262.30	2140.37
10	Centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	86.60	573.85	49695.41
11	Centering and shuttering including strutting, propping etc. and removal of form for: Lintel, beams, plinth beams, girders, bressummers and cantilevers.	Sqm	59.21	502.85	29773.75
12	Extra for shuttering in circular work (20% of respective centering and Shuttering items). Foundations, footings, bases of columns etc. for mass concrete.	Sqm	8.16	52.46	428.07
13	Extra for shuttering in circular work (20% of respective centering and Shuttering items). Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	Sqm	86.60	114.80	9941.68
14	Extra for shuttering in circular work (20% of respective centering and Shuttering items). Lintel, beams, plinth beams, girders, bressummers and cantilevers	Sqm	54.46	100.57	5477.04
15	Brick work in FPS bricks of class designation 75 in foundation and plinth in cement mortar 1:4 mix	Cum	11.95	6501.20	77689.34
16	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	Cum	11.95	1323.70	15818.22
17	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Hot rolled deformed bars	Kg	2825.23	87.17	246275.30

Head Draftsman

Technical Officer

Exen

Page 3<sup>rd</sup>  
Sump Wadoora Bala under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
18	15mm Cement plaster on the rough side of single or half brick wall of mix: 1 : 4 ( 1 cement : 4 fine sand)	Sqm	115.78	300.45	34780.09
19	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 ( 1 cement : 3 fine sand)	Sqm	63.65	343.75	21879.69
20	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	Sqm	121.49	91.80	11152.78
21	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Hard drawn steel wire fabric	Kg	1805.84	102.14	184448.50
22	Providing and incorporating during concreting G.P strip water seal 0.63mm nominal thick at construction joint as per proper specification and instruction of Engineer incharge complete job .	Sqm	12.69	650.00	8248.50
23	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	23.08	198.70	4586.00
24	Providing and fixing of MS lid of size 0.75x0.75 made out of angle iron 50xx50x6 with all locking arrangement complete	Job	1.00	4500.00	4500.00
25	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface) excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.0.50 mm thick with zinc coating not less than 275 gram/m2	Sqm	47.19	830.30	39181.86
26	Providing ridges or hips of width 60cm overall width plain G.S. sheets fixed with polymer coated J. or L hooks, bolts and nuts 8mm dia G.I. limpet and bitumen washers complete. 0.63 mm thick with zinc coating not less than 275 gram/m2	Mtr	35.20	626.70	22059.84
27	Providing and fixing at site Eaves boarding of 200mm wide coloured ncluding cost of holders, angle supports complete job	Mtr	21.51	250.00	5377.50
28	Providing and fixing of 0.5mm Color GS Sheet Soffit boarding incl supports etc complete job	Sqm	16.13	900.00	14517.00

Head Draftsman

Technical Officer

Exen



Page 4<sup>th</sup>  
Sump Wadoora Bala under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
29	Supplying and fixing rolling shutters of approved make, made of required size M.S laths interlocked together through their entire length and jointed together at the end by end locks mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete including the cost of providing and fixing necessary 27.50cm long wire springs manufacture from high tensile steel wire of adequate strength confirming to IS 4454 part 1 and M.S top cover of required thickness for rolling shutters. 80x1.25mm M.S laths with 1.25mm thick top cover	Sqm	3.18	3238.20	10297.48
30	Providing and fixing ball bearing for rolling shutters	Each	2.00	483.10	966.20
31	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): second class kail wood	Cum	0.20	92065.35	18413.07
32	Providing and fixing glazed shutters for doors, windows and clerestory windows using 10kg/sqm (4mm thick) float glass panes including ISI marked M.S pressed butt hinges bright finished of required size with necessary screws. Second class kail wood 30mm	Sqm	1.38	3081.90	4253.02
33	Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge :First class kail wood	Sqm	1.38	3260.70	4499.77
34	Providing and fixing of 5mm thick glass sheets in windows incld. cost of all complete job as directed by site Engineer	Sqm	0.95	1233.10	1171.45
35	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	Sqm	10.34	179.80	1859.13
36	Carriage of material by mechanical transport from source to actual site of work for: Cement & Steel Avg lead 12 Km	M.T	22.60	271.25	6130.25

Head Draftsman


Technical Officer

Exen


Page 5<sup>th</sup>  
Sump Wadoora Bala under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
37	Carriage of material by mechanical transport from source to actual site of work for: Sand Avg lead 20 Km	Cum	22.90	402.29	9212.44
38	Carriage of material by mechanical transport from source to actual site of work for: Stone agg. 40mm Avg lead 20 Km	Cum	2.98	437.30	1303.15
39	Carriage of material by mechanical transport from source to actual site of work for: Stone agg. 20mm Avg lead 20 Km	Cum	29.45	402.29	11847.44
40	Carriage of material by mechanical transport from source to actual site of work for: Stone soling Avg lead 8 Km	Cum	14.92	295.32	4406.12
41	Carriage of material by mechanical transport from source to actual site of work for: Bricks Avg lead 75 Km	No.	5677.00	2.53	14362.81
					1285607.28
	<b>Total</b>				51424.00
	<b>Above 4% on all itmes</b>				1337031.00
	<b>Allotted Cost</b>				

Rates and quantities checked:

  
Head Draughtsman

  
Technical Officer

  
Executive Engineer  
Jal Shakti PHE Division  
Sopore

**B Terms and conditions:**

- Total amount of the work should in no case exceed beyond **Rs.1337031.00** (Rs.Thirteen lacs thirty seven thousand and thirty one only which includes all taxes, levies etc applicable as per norms amended by competent authority from time to time.
- The work shall have to be completed by you within a period of **60 days** failing which the panality under rules shall be imposed upon you.
- Performance security @ **3%** of allotted cost i,e **Rs.40110.00** in shape of CDR/BG/FDR shall have be deposited by you in this office within seven days from the date of issue of this allotment from this office failing which action shall be initiated as per SBD of the NIT.
- An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment, failure to executed such a formal deed shall not however prevent the contract from being enforced upon you. However payment on account of this work shall not be considered in absence of agreement.