



Government of Jammu and Kashmir (UT)
OFFICE OF THE EXECUTIVE ENGINEER

JAL SHAKTI (PHE) MECHANICAL DIVISION SOUTH AWANTIPORA.
E-MAIL ID:-xenphemechsouthawp@gmail.com Fax/phone. 01933-295537



Allotment Order No: 18 of 05/2023

M/S Shalimar Engineering Works
Partner: Mohammad Saleem Mir
R/o: Nailbasti Anantnag
Head Office: Nailbasti Anantnag
GST No: 01AAUFS3554P1ZK
e-mail: shalimarIn2013@gmail.com
Cell No: 9906043015

AA Accorded vide Order No.	SE/Hyd/Spn/122 Dated: 27/01/2021
Tech. Sanction Accorded vide Order No.	20-PHE/MCS of 2022 Dated: 29/08/2022
Adv. Cost:	Rs. 16,56,000/-
Allotted Cost:	Rs. 16,47,287/-

Subject:- Supply, installation, testing and commissioning of electro-mechanical equipments at water supply scheme Safnagri of Jal Shakti (PHE) Mechanical Division South Awantipora under JJM.

Reference:- 1. This office e-NIT No.: 48 of 2022-23 of 03/09/2022 issued under endorsement No.: JSD/PHE/MDSA/2225-43 Dated: 03/09/2022 read with Corrigendum Nos.: JSD/PHE/MDSE/2767 Dated: 28/09/2022 & JSD/PHE/MDSE/2729 Dated: 26/09/2022.
2. Superintending Engineer Hydraulic Circle Pulwama/Shopian [HQ] Shopian's Authorization No.: SE/Hyd/Spn/DB/1026-39 Dated: 16/05/2023.
3. Acceptance of rates/extension of validity of your tender confirmed by you.

Dear Sir,


For and on behalf of Lt. Governor of J&K U.T contract for execution of aforementioned job is hereby fixed with you on item rate basis. This is in response to your online bid and subsequent acceptance of rates, specifications, terms and conditions as contained in Annexure "A & B" of this allotment order.

Encl. D7 Lvs.

No.: MDSA/ 853-60

Dated: 24 /05/2023

Yours Sincerely


Executive Engineer
Jal Shakti PHE Mechanical Division
(South) Awantipora
(Member JJM) 62

Copy to the:

1. Chief Engineer Jal Shakti (PHE) Department Kashmir, Srinagar for information.
2. District Development Commissioner (Chairman DJJM) Shopian for information.
3. Superintending Engineer Jal Shakti (PHE) Mechanical Circle (South) Srinagar for information.
This is with reference to his No. under reference at Sl. (02) above.
4. Superintending Engineer Jal Shakti (PHE) Hydraulic Circle Pulwama/Shopian for information.
5. Executive Engineer Jal Shakti (PHE) Division Shopian for information & n/a.
6. Provisional Head, TPIA JJM Kashmir, (WAPCOS Limited) Corporate Office 76-C Institutional area Sector-18 Gurugram-122015 (Haryana) for information.
7. Assistant Executive Engineer Jal Shakti (PHE) Mech. Sub Division Shopian for information & necessary action. He will ensure execution of work strictly in accordance with the rates, specifications, terms / conditions & within the stipulated time, besides, the cost of work should not exceed beyond allotted cost. In case of any delay in completion of work, the reasons shall be justified.
8. File concerned.

Name of work: Supply, installation, testing and commissioning of electro-mechanical equipments at water supply scheme Safnagri of Jal Shakti (PHE) Mechanical Division South Awantipora under JJM.

General Terms and Conditions: -

1. **TIME OF COMPLETION:** The scheme shall have to be completed/tested/commissioned within a period of 45 days from the date of issue of this allotment order.
2. **AGREEMENT:** A formal agreement deed shall be executed by the firm with the department within a period of 07 days from the date of issue of this allotment order after deposition of performance security @ 03% of allotted cost. However, non drawl of agreement will not prevent the contract from being enforced upon you.
3. **PENALTY:** In the event the contractor failing or delaying the work or a part thereof, & or non-complying with any of the terms and conditions of the contract, the NIT & the Agreement, the Department, without prejudice to the remedies available under the law in force in J&K UT, may terminate the contract after seven days' notice, and or recover the amount of loss caused by failure/delay or default of the contractor. The amount of such recoveries shall be determined by the Superintending Engineer PHE Mechanical Circle South Srinagar and or impose a penalty as the Government /Department may determine and or forfeit the performance security and or resort to any or all the remedial actions available under the law in force in the UT of J&K at the time of the dispute.
4. **ARBITRATION:** In case of any dispute arising at any stage between the contractor and the Department, the same shall be referred to the Superintending Engineer PHE Mechanical Circle South Srinagar /Govt. of J&K who may give a decision or nominate any other person of Government for arbitration. The decision to such arbitration shall be final and binding on both the parties.
5. **PERFORMANCE SECURITY DEPOSIT:** Soon after issuance of allotment order, the firm has to deposit performance security in the shape of CDR/FDR/BG valid for 18 months pledged to Executive Engineer PHE Mechanical Division (South) Awantipora within 07 days which shall be released after expiry of defect liability period/report of concerned AEE (After fulfillment of all contractual obligations). Failing to produce performance security, the firm is liable to be debarred for participation in future tendering in this Division and same shall be recommended to higher offices and other Govt. offices of UT of J&K.
6. **JURISDICTION OF COURT:** All disputes pertaining to this contract shall be subject to the jurisdiction of the Courts of J&K UT only.
7. **TERMINATION OF CONTRACT:** The department reserves the right to terminate the contract at any stage in case performance of the firm is found un-satisfactory in terms of any or all clauses of the NIT/Contract/Agreement in vogue.
8. **ADVANCE PAYMENT:** The Department shall in no case entertain any condition or request of making advance payment of any kind to the contractor during the execution of the work.
9. **TAXES, DUTIES LEVIES etc.:-** The rates offered by the Department shall be firm and final. Payment of Income Tax/GST, Octroi, Toll tax, Entry tax, Cess service tax duties and other levies etc. of the central or the UT Government and incidental charges of any shall be the responsibility of the contractor/firm.
10. **FORCE MAJEURE CLAUSE:** Any failure or omission to carrying out the provision of the contract shall not give rise to any claim by the department or the contract one against the other if such failure or omission arises from the Act of God which shall include all natural calamities such as fire , floods , earthquakes, hurricane strikes, riots , embargoes from any political or other reasons beyond the control of parties including the war whether declared or not civil war or a state of insurrection.
11. **ENGAGEMENT OF LABOURS:** The contractor shall not engage any workman below the age of 18 years. Firm/Contractor shall also comply with the provisions of labour laws and rules framed thereof and as prevalent in the UT of J&K. The contractor shall be responsible for any accident to the human life which may occur during the execution of work, compensation as shall be provided under law or any law will be payable by the contractor.
12. **INSURANCE:** The contractor shall insure all work-man at his own cost till the completion of work and take over by the department.
13. **DEFECT LIABILITY PERIOD:-** The defect Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run, during the defects Liability period (DLP) the firm shall have to operate & maintain the scheme as it is required for its successful running & as per Standard Engineering Practices, to the full satisfaction of the department. The bidder shall be responsible to make good & remedy at

(Contd. On page...2nd ...)

Executive Engineer

his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months.

14. **TRANSIT INSURANCE:-** Prior to dispatch, the ordered equipment shall be insured through a Nationalized Insurance Company up to its final destination, against all transit risks. The firm should, therefore, take appropriate insurance policy in advance for covering the transit of the goods, charges for which shall be borne by the tenderer and shall be included in his quoted rates. The department shall pay no extra charges on this account.
15. **SUBLETTING OF WORK:-** The bidder shall not sublet the whole or part of the work. The bidder shall not assign the work or any part thereof or any benefit or any interest thereon or any claim arising of the contract, without prior written consent of the allotting authority.
16. **LIQUIDATED DAMAGES (LD):-** In the event of firm's/joint venture falling, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the firm/ joint venture or in the event of any default or failure by the firm in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time being enforce in the UT:
 - a) Terminate the contract after 15 days' notice
and/or
 - b) Recover the amount of loss caused by damage, failure or default, as may be determined by the department.
and/or
 - c) Recover the extra cost, if any, involved in allotting contract to other party.
and/or
 - d) Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract.
and/or
 - e) Forfeit the performance security and blacklist the firm.
17. **THIRD PARTY MONITORING:** The allotted works shall be subject to check by the third party monitoring agency appointed by the Department in Kashmir. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery installed in each scheme. The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period.
18. **STORAGE AT SITE:** The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work.
19. **OPERATION AND MAINTENANCE MANUALS:** The bidder shall supply, free of cost to the Department, six complete sets of operation and maintenance manuals for the Pumping Equipment. The delivery of these manuals shall be made by the bidder to the Engineer along with the supply of equipment. The manuals shall be appropriately bound in book form and shall contain all necessary instructions regarding operation, preventive maintenance, repairs, trouble shooting, overhauling etc.
20. **OEM Certificate:** The contractor shall produce all relevant test certificates of the manufacturer to the Engineer in-charge before start of the work. The test certificates of the equipment's on whole or all accessories/ attachments and mountings thereof shall be appended with the invoice at the time of submission of the claim to Divisional office. Failure to do so shall result in non-acceptance of invoice/bills by the Divisional office.
21. **CLARIFICATION:** If any clarification is required by the Firm/contractor in relation of technical specifications, the same shall be had from the office of the Assistant Executive Engineer concerned/ Executive Engineer PHE Mechanical Division South Awantipora before the date of start of work.

(Contd. On page...3rd...)

Executive Engineer

22. **CONSIGNEE/PAYING AUTHORITY:** The consignee/paying authority in respect of electromechanical component and associated civil works shall be the concerned Executive Engineer, Jal Shakti (PHE) Mechanical Division Awantipora. Besides, the supervision of the various components of the civil work shall be carried out by the concerned Division under the overall coordination of the concerned Superintending Engineer Hydraulic Circle.
23. **TERMS OF PAYMENT:** All payments to the contractor for fulfilling the contract will be made as per the unit rates of Price Schedule (BOQ). All payments will be made in Indian Currency and will be subject to deduction of Income tax, GST, Cess at source, on the rates as are in vogue at the time of release of payment:-
- 65% of the contract value shall be paid on receipt of the material at site (as per the BOQ) in full & verification thereof by the concerned Assistant Executive Engineer.
 - 15% of the contract value shall be released on installation of ordered equipment/material in full at site.
 - 10% of the Contract Value shall be released after successful testing and commissioning of the entire equipment on full load, commissioning and trial run.
 - 10% of the Contract Value shall be released after commissioning of the scheme and satisfactory performance of the equipment for the period as enunciated in warranty clause. However the balance amount can be released against furnishing of Bank Guarantee for an equivalent value valid for three months beyond the expiry of the warranty period of the contract.
24. **WARRANTY:-** The Firm/contractor shall be bound for satisfactory performance of equipment/work **12 months** after the successful completion of trial run. If during warranty period, any malfunctioning/defect arises, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the Department may get the defects rectified by any other agency and cost thereof shall be recovered from the firm and shall be recommended for further punitive action as governed under the relevant clause of contract including blacklisting.
25. **TRIAL RUN:-** After completion of work, the firm/contractor will have to make a trial run of the scheme for a period of **03 months** during which the manpower required for operation shall be provided by the Department.
26. **EQUIPMENT MAKE:** The supplied material/equipments should confirm as per specification of the contract as well as make confirmed by the Firm/contractor.
27. The work done claim should be supported with Geo tagged photographs before, during and after execution of the job.
28. **SITE OFFICE:** - The Firm/Contractor has to maintain at his own cost a suitable site office at the site of work to which the Department sends communications/instructions.
29. **TRAINING OF DEPARTMENTAL STAFF:** - The bidder shall arrange at his own cost and risk to depute at least one competent Engineer of the equipment manufacturer to train up to twelve departmental representatives in the operation & maintenance of the equipment at site. This training shall be for duration of at least 04 consecutive months and shall commence from the date of successful commissioning of the equipment or as may be mutually agreed upon. To groups of Departmental Engineers shall also be deputed to bidders/manufacturers works for short duration to obtain training free cost in the operation & maintenance of the equipment.
30. **DRAWING & QUALITY ASSURANCE PLAN:** - The Firm/Contractor shall be necessarily furnish within two weeks of the date of placement of this order which shall be approved by the Department within two weeks from the receipt by the consignee:-
- Sectional drawing of pumps.
 - General Arrangement Drawings (GAD)/ layout of the equipment fully dimensioned for pumps, motors, starters, shunt capacitors, panels, delivery manifold, cables etc.
 - Detailed circuit diagrams of LT Panels, Starters, Shunt Capacitors etc.

Quality assurance plan (QAP) of each piece of equipment to Third Party Inspection Agency (TPA) and Department for their approval.

No manufacturing/fabrication activity shall be started by the Firm without approval of the drawings of each ordered equipment by the competent authority. Additional time consumed due to observations/summary rejection of QAP/GAD shall not be considered in the delivery period of the contract and the bidder shall be wholly and solely held responsible for the delay thus caused.

(Contd. On page...4th ...)

Executive Engineer


ANNEXURE "A" to this office Allotment Order No: 18 of 05/2023

31. INSPECTION & TESTING:- Before dispatch from the works of the OEM, the electro-mechanical equipment shall be inspected by a third party inspection agency i.e. M/S CEIL/Rites etc. New Delhi. However, the Firm (Bidder) shall make payment to the Inspection Agency (in case of 3rd Party Inspection) which shall subsequently be reimbursed by the Department. The successful tenderer shall intimate the Department and the Inspecting Agency/Authority in advance regarding the readiness of the equipment for dispatch and shall furnish test certificates. It shall be responsibility of the suppliers to tie up with the third party nominated for inspection and get necessary inspection of the material done within the delivery period. Any delay on the part of the third party shall not be entertained as an excuse for timely supply of material. The product/ material at site shall be inspected by Assistant Executive Engineer concerned or any other official(s) of the department designated by the concerned Executive Engineer. Any modifications to the works as specified in the specifications considered to be necessary for smooth and trouble-free operation of the equipment by the Department or the third-party inspection agency, the firm shall have to execute the same without any extra cost, to the best satisfaction of the department. The firm shall as such keep the department informed about arrival of material at site. It shall be obligatory on the part of the firm to rectify the defects pointed out by the AEE, if any, and also to incorporate any modification within the scope of work which may be deemed necessary for better performance/finish and workmanship. The supplier upon demand by the department or its representative shall rectify or replace defective unsuitable equipment. The Department reserves the right to nominate his representative for inspection of the goods at the works of the supplier/ manufacturers. As such the department at all reasonable times shall have access to the works and to the site and to all workshops and places where work is being executed and where material / manufactured articles and machinery are being obtained. In case of Sub-Station and power/feeder lines, the firm shall have to obtain a clearance certificate from the concerned inspection Division of the Power Development Department. The list of electromechanical equipment in which third party inspection from CEIL/RITES is to carried on:-

- 1) DG Set > 100 KVA.
- 2) Pumping Unit > 100 HP (Horizontal and Vertical)
- 3) Valves >300 mm
- 4) Pipe > 200mm dia
- 5) HT Transformers > 300 KVA
- 6) Voltage Stabilizers > 500 KVA
- 7) Iron Removal Plant

For items other than those manufacturers test certificate shall have to be provided. The HT transformers shall have to be got inspected from the corresponding wing of Power Development department and the necessary certificate shall be submitted along with the manufacturers test certificate.

32. The work is executed strictly in close supervision of AEE/JE/Supervisory staff concerned. However, the civil work if involved should be executed under close supervision of civil counterpart.
33. **WATCH & WARD OF WORKS:** The Firm shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc.
34. All other terms and conditions shall be the part of this contract as laid down in e-NIT/SBD/GFR-2017/e-procurement manual 2019 and PWD form"25" double.


Executive Engineer
Jal Shakti PHE Mechanical Division
(South) Awantipora
(Member JJM)

Annexure 'B' to this Office Allotment Order No. 18 of 05/2023 for WSS Safnagri.

	Description of Work / Item(s) with technical specifications	No. of Qty	Units	Alloted/ Accepted Rate	Amount
00	(Electro-Mechanical Items) WSS Safnagri				
2.00	<p>Supply, installation, testing and commissioning of Horizontal pumping unit as per IS 1520 with following specification -</p> <p>Pump - Discharge 8000 GPH, 70 Mtr Head</p> <p>1 Type - Horizontal split casing/Multi stage</p> <p>Material of Construction</p> <p>1 Impeller - S steel</p> <p>2 Shaft - SS410</p> <p>3 Pump casing - Cast Iron</p> <p>4 RPM 1440</p> <p>The pump shall conform to IS-1520 code</p> <p>MOTOR - Rating 25 HP</p> <p>A) Type - Horizontal squirrel cage Induction Type</p> <p>B) Rating - Not less than 25 HP</p> <p>C) No of phases - 3 phase 415 V+10% 50 Hz, AC supply</p> <p>D) Winding -Copper wound squirrel cage</p> <p>E) Type of enclosure -SPDP/TEFC</p> <p>F) Method of cooling - Air cooled with fan mounted</p> <p>G) Method of Starting - star delta</p> <p>H) RPM 1440</p> <p>The pump-motor should be mounted on a common base frame fabricated out of M.S channel of suitable size and duly fitted with T- type foundation bolts /nuts and washers to make the pumping unit vibration free. The pump and motor should be coupled through suitable coupling. The coupling faces checked for both angular and axial alignment with the help of tapered gauges/feeler gauges or dial indicator. Job includes Testing and Commissioning of pumping unit on full load at site. Manufacturers Test Certificate to be appended</p> <p>(Make: KSB/Kirloskar/Mather Plate/ABB)</p>	1.00	Job	242550.00	242550.00
3.00	<p>Supply, Installation, Testing & Commissioning of Open Well Pumping Units as per IS 14220 at Filter Water Stage</p> <p>PUMP - Discharge: 8000 GPH, Head: 70 Mtr.</p> <ul style="list-style-type: none"> • Type of pump : Open well Submersible Pump (vertical) • Quality of Water to be handled : Filter water <p>MATERIAL OF CONSTRUCTION:</p> <ul style="list-style-type: none"> • Pump Casing : Cast Iron • Impeller : SS • Pump Shaft : Stainless Steel • Motor Body : Cast Iron • Sealing : Dual mech. seal <p><input type="checkbox"/> The bowl plate shall be provided with name plate giving complete specifications</p> <p>MOTOR:-</p> <ul style="list-style-type: none"> • Rating : Not less than 15 HP • Method of starting:Star - Delta. • Frequency : 50Hz + 3% • Voltage : 415 + 6 % , - 15% • Class of insulation: F • Sealing : Dual mech. seal. Provided with thermal and overload protection <p>The motor shall be made of corrosion resisting materials to resist corrosion under normal conditions and the motor shall have a name plate giving complete specifications</p> <p>Dual Mechanical Seals (01 No) and Bearings (02 No) for each pumping unit must be provided as spare parts for preventive maintenance by the firm.</p> <p>Note: Test certificate having the Serial No. of the Pumping Unit along with the performance curve in duplicate from the Manufacturer must be produced on delivery of the item.</p> <p>(Make: KSB/Kirloskar/Mather Plate)</p>	1.00	Job	99500.00	99500.00


 Executive Engineer

Annexure 'B' to this Office Allotment Order No. 18 of 05/2023 for WSS Safnagri.

	Description of Work / Item(s) with technical specifications	No. of Qty	Units	Alloted/ Accepted Rate	Amount
4.00	<p>Providing, fitting, testing and commissioning of 50 kva voltage stabilizer as per specifications below</p> <p>Type of voltage controller: Manually operated copper wound, 3-phase, AC power supply multi step</p> <p>Type of Regulator: Double plate type with electrolytic copper contacts. Input voltage: 250-600 volts (3 phase)</p> <p>Output voltage: 400 ±10% volts</p> <p>Frequency: 50 ±3 C/S</p> <p>Windings: Electrolytic grade copper of adequate section, vacuum impregnated and Oven dried</p> <p>Insulation: Fiber glass insulations to tested parameters. Cooling: Naturally, Oil cooled</p> <p>Temp. Rise (Max): 30°C above ambient Mounting: On Uni-directional wheels. Correction rate: 30 volts per step</p> <p>Wave form distortion: virtually nil</p> <p>Duty cycle: 100% continuous</p> <p>Enclosure: MS sheet enclosure in pressed CGR Sheet powder coated with radiators</p> <p>Core laminates: High grade, low eddy loss, grain oriented silicon steel laminations</p> <p>Load: Three phase induction motor load. Load Amperes (continuous)</p> <p>Overload in 24-hours operation: 10% above continuous Ampere rating</p> <p>The voltage stabilizer shall have T-oil level indicator gauge preferably glass type tube or otherwise visible to naked eye. The top of the container to have a display panel for housing 02 numbers Digital voltmeters (0-500V) along with 4-way selector switch and set of neon indicators for incoming and outgoing phases (06 No's)</p> <p>Insulating media (T Oil) of 11 KVA grade to be provided and filled up to top level, with dielectric strength of 5 KV at 4m air gap. The T-Oil of specific grade should be provided in separate barrels and filled at site up to top level.</p> <p>The voltage Stabilizer shall be accepted with manufacturers duly stamped test certificate and shall have name plate with specifications</p>	1.00	Job	95000.00	95000.00
5.00	<p>Providing and fitting of 3-Core flat 16 square mm submersible copper cable conforming to IS 694 (Part 1st) - 1964 & IS 694 (Part 2nd) - 1964 for Submersible Pumping Unit and other electrical Equipments. The cable connections terminal shall be fitted with copper thimbles of required size (Make: Havells/Polycab)</p>	90.00	Mtr	690.00	62100.00
6.00	<p>Providing and Fitting of 3 5-Core, XLPE, 1.1KV LT grade 50 square mm Armoured Aluminium Cable of various sizes conforming to IS 7098 part 1st as service line from the HT transformer to control panel including necessary thimbling, crimping, taping etc. (Make: Havells/Polycab)</p>	50.00	Mtr	473.00	23650.00
7.00	<p>Supply, installation, commissioning and Creation of pole mounted, outdoor type 63 KVA (Level-2) HT Transformer/Electric Sub Station as per the technical specifications given here under -</p> <p>Specifications conforming to IS : 1180 (Part 1) 2014 with latest amendments .</p> <p>Type: HT/LT Transformer</p> <p>Type of cooling: ONAN.</p> <p>Operating conditions:</p> <p>Input =11000 volts</p> <p>Output =433 volts AC supply in 3- phase.</p> <p>Terminals:</p> <p>Input=3 No. HT bush rods with insulators, washer, nuts etc.</p> <p>Output=4 No. LT bush rods switch insulators, washers, nuts etc.</p> <p>Core: The core shall be of high permeability to reduce core losses and the strips shall be of suitable size and gauge</p> <p>Transformer Coils: Suitable number of HT and LT coils in each leg of the core. The transformer coils shall be fabricated out of superior quality aluminum wire/strips, properly wound. The HT transformer is completely filled with suitable grade transformer oil up to required level. The job includes carriage, and all leads and lifts involved.</p> <p>The HT transformer shall be of reputed make from an ISO certified company as per relevant standards and a test certificate shall be provided before installation. The transformer shall also be provided with breather fill with silica jel crystals, conservator with oil level indicator, explosion vet and adequate radiator fins/ Tubes. The impedance of transformer shall be as per IS:1180 (Part 1) 2014 with latest amendments.</p> <p>NOTE: The scope of the work shall include obtaining of necessary inspection/clearance certificate from the concerned department for all the required equipment. The testing and commissioning shall be completed only after obtaining above certificate.</p> <p>(Make: JK/Alba)</p>	1.00	Job	156330.00	156330.00
8.00	<p>Providing and fitting G.I Channel /Angle/ Flat of sizes including clamps</p>	352.00	Kg	123.00	43296.00
9.00	<p>Supply, Installation, Testing and commissioning of Polymeric Gang operated Air break switch, outdoor type, triple pole, suitable for vertical installation, single break provided with locking arrangement at both ON and OFF position consisting of HT post double insulator, copper or copper alloy high pressure heavy contact assembly, rod with bearings, operating handle and 2 length of 32mm dia. GI pipe conforming to IS 1818 1961, 06 No. of insulators, rated voltage 11KV 200A complete as per IS specs.</p>	2.00	Job	11388.00	22776.00
10.00	<p>Supply, Installation, Testing and commissioning of 11KV polymer fuses Set Horn Gap 3-phase 200 A suitable for vertical installation .</p>	1.00	Job	4838.00	4838.00
11.00	<p>Supply, Installation, Testing and commissioning of Gapless Surge arrester station class, 10KA, 9KV, LA With polymer housing, Station Type .</p>	1.00	Job	7528.00	7528.00
12.00	<p>Supply and fitting of 11 KV polymeric composite pin insulator 12 KV, 5KN, Lighting impulse 75KV Positive, and 80 KV Negative, creepage distance 320 mm</p>	12.00	Job	337.00	4044.00
13.00	<p>Supply, installation, erection of 9 mtrs long H.T pole of specifications ST- 410 (sp-33) . the job further includes drilling of holes for installation of various accessories, wherever required the job further includes G.I wire earthing of pole as per REC standard .</p>	12.00	Job	20083.00	240996.00
14.00	<p>P/F of Galvanized nuts, bolts of various sizes as per site requirement.</p>	50.00	Kg	130.00	6500.00

Executive Engineer

Annexure 'B' to this Office Allotment Order No. 10 of 05/2023 for WSS Sainagri.

No.	Description of Work / Items with technical specifications	No. of Qty	Unit	Advised Accepted Rate	Amount
15.00	Hot Dipped Zinc with clamps	12.00	Job	148.00	1776.00
16.00	Providing and fixing 2.5 mtr. wire for anti-climbing and climbing devices	35.00	Fig	131.00	4585.00
17.00	Providing and fitting of Galvanized stay set with 50 x 8 mm Stay Clamp, Guy insulator (2nos.), Anchor plate (200x200x10mm), nuts and bolts, J NO. turn buckle 1.5 m long, 18 mm diameter solid GI stay rod & 10-15 nos. dia 2.5 stranded wire complete	12.00	Job	4779.00	57348.00
18.00	Painting of steel Post rods	12.00	Litre	200.00	2400.00
19.00	Painting of poles Aluminium paint	12.00	Litre	450.00	5400.00
20.00	Providing and fitting of ACSPR as per IS 358 (part 2) 1006 for 50 sq mm ACSPR (Galvanized steel reinforced) by means of various accessories	60.00	Site	58.00	3480.00
21.00	Supply, installation and Testing of 35 Sq mm XLPE Aluminium H.T. cable (ABC type) of 11 KV grade with following specs Cable cross sectional area in sq mm: 3x35 Phases: Red, Yellow, Blue (Water Wapnet/Polycab)	450.00	Site	734.00	330300.00
22.00	Providing and fitting of suspension tension clamp with Eye Hooks required for loading of 3 - Core 35 Sq mm 11 KV Cable	12.00	Nos	882.00	10584.00
23.00	PHOTIC of LT 3 phase, 4 wire, 415 V, 50 Hz preferably of Secure make with all accessories & fittings, cabling required as per site requirement. NOTE: The job includes complete charging of substation which includes getting clearance from POC and sealing of meter etc.	1.00	Job	27500.00	27500.00
24.00	PH of earthing station for 11 KV electric substation, LT panel and stabilizer comprising of company fabricated earthing electrode as per IS 3043. The job includes Auguring of bore of required diameter for installation of electrode along with backfill compound mixed with soil and all other items required thereof for achieving the best result. The job includes connecting of electric pickets through GI strip as per relevant standards. Bore earthing electrode size: 80 mm dia Length: 2000 mm Back fill compound: 30 kg	6.00	Job	10462.00	62772.00
25.00	Earthing complete by GI pole 40mm or GI rod 2 m long through GI wire 25x3mm	10.00	Nos	2470.00	24700.00
26.00	PH of 11 KV cable termination kit for connecting 35 Sq mm XLPE cable (ABC type) with the existing HT line near tapping point and HT transformer	4.00	Nos	3500.00	14000.00
27.00	Earth work in excavation by manual means in trenches for foundation, drains, pipes, cables (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm in plan, including dressing of sides and ramping of bottom (if less than 1.5 m), including getting out excavated earth and disposal of surplus excavated earth as directed. 4:1 ratio of soil 90% - 20 meter from cutting edge	4.80	cum	450.00	2160.00
27.01	Drainage hole 20% - 20 meter from cutting edge	1.20	cum	1065.00	1278.00
28.00	Providing and laying of spring stone including manual connection	2.04	cum	670.00	1366.80
29.00	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of painting and shuttering, all work upto plinth level with 1:2:4 mix of cement, 2 coarse sand, 4 graded stone aggregate 20 mm nominal size	6.00	cum	3454.00	20724.00
Total in Figures:				1647286.800	
Total in Words: Rupees Sixteen Lac, Forty-Seven Thousand, Two Hundred & Eighty-Seven only.					

Executive Engineer
Jai Shakti (PHE) Mechanical Division
South Awantibagar

Executive Engineer