

GOVERNMENT OF JAMMU AND KASHMIR
OFFICE OF THE EXECUTIVE ENGINEER FEROPORA BASIN IRRIGATION DIVISION TANGMARG
E NO.01954-254611) (EMAIL ADDRESS:FBIDIVISIONTANGMARG@GMAIL.COM)

Allotment No. 51-PHE Dated:- 11/2022

M/S :- FAROOQ AHMAD MAGRAY	NO/ <u>7300-7306</u>
S/O:- GH. MOHAMMAD MAGRAY	DATED:- <u>24/11/2022</u>
R/O :- DRUROO TANGMARG	

REGD. NO:-SE/HYD/SGR/AAY/CLASS-230/CIVIL OF 2004-05

TENDER ID: 2022_PHE_181609_1

Adv. Cost Rs:-88.89 Lacs

Alloted cost Rs:-91.62 Lacs

SUBJECT:- RETROFITTING OF WSS AWALARA MULGAM BY WAY OF LAYING RAW WATER MAIN, SUPPLY MAIN, SUB MAIN & DISTRIBUTION SYSTEM AT VARIOUS SPOTS INCLUDING CONSTRUCTION OF CHAIN LINK FENCING AROUND VARIOUS STRUCTURES
 CONSTRUCTION OF SLUICE CHAMBER REYAPMING OF SSFP, CONSTRUCTION OF SADDLE BLOCKS/SUPPORTING PILLARS TO RWM , REPAIR/RENOVATION TO EXISTING CHOWIKDAR QUARTER FOR PROVIDING 100%(FHTC) UNDER JJM

- Reference**
- 1.Your tender received in response to this office enit No.33 of 2022-23 Dated:- 29.07.2022. issued under No.FBID/CC/3359-69 Date:-29-07-2022 CDR NO:- 657965 DT:-08-08-2022 RS:-180000.00
 02. DJJM /District Development Commissioner Baramulla Authorization No:DDCB/JJM/2022-23/1725-28 Dated: 04.06.2022
 03. Superintending Engineer Hyd.Circle Sopore's Authorization Letter No.SE/Hyd/DB/7434-46 Dated:-10-09-2022
 - 04.This office Letter of intent No/FBID/DB/5226-39 Dated:-22-09-2022


For & on behalf of Lt. Governor of J&K (UT), contract for above noted work is hereby fixed with you on the following quoted rates :-

Sl.No	Description of Work / Item(s)	Qty	Units	Estimated Rate	Amount
1	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/by mechanical means including stacking of pipes within 50 meters lead as per direction of Engineer-in-charge : 15mm - 40 mm nominal board.	1200	RM	99.75	119700
1 01	Above 40 mm nominal board.	800	RM	110.65	88520
1 02	150 mm DI	300	RM	120	36000


(Handwritten signatures and initials)

2	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m as directed by Engineer-in-Charge. All kinds of soil	3886.33	Cum	436.00	1694439.88
2.01	Ordinary rock	992.36	cum	967.83	960435.779
3	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	839.97	Qtl	245.55	206254.634
4	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket 150 mm dia DI	200	Joints	144.70	28940
4.01	100 mm dia DI	545	Joint	89.70	48886.5
5	Laying and fitting of G.I. pipes (all classes) complete including cost of pipes specials but excluding cost of pipes and Earth work. 100 mm dia GI	800	RM	73.05	58440
5.01	50 mm dia GI	2500	RM	40.80	102000
5.02	40 mm dia GI	2500	RM	40.80	102000
5.03	25 mm dia GI	3700	RM	30.65	113405
5.04	20 mm dia GI	5000	RM	20.25	101250
5.05	15 mm dia GI	1000	RM	20.25	20250
6	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 mm - 40 mm	120	NO.	666.25	79950
6.01	50 mm - 80 mm	35	NO.	1268.75	44406.25
7	Providing and fixing of MS Flanged joints (12mm Thick) to double flanged G.I./D.I pipes Incl. cutting of pipes welding charges cutting of flanged rubber gaskets bolts nuts including testing of joint and sort of carriages Complete Job 80 mm dia GI	320	Joint	1100	352000
7.01	65 mm dia GI	135	joint	1000	135000
7.02	50 mm dia GI	95	Joint	800	76000
	Welding charges of leakage spots/sockets /tees/bends for GI pipes including carriage of welding machine and DG Set upto site of work including steel strips complete job including earth work in excavation and refilling of trenches complete job	120	Joint	500	60000

9	Providing and fixing of MS Bends fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm nominal size MS plate as per the requirement of site with anti-corrosive red oxide primer complete job	590	Kg's	147.82	87213.8
10	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m	4264.88	Cum	198.70	847431.656
11	Providing fixing of approved brand ISI mark gun metal regulating valves including all carriage of work site complete 100 mm Dia	4	NO.	8000	32000
11.01	80mm Dia Gate valve	3	NO.	2406.65	7219.95
11.02	40mm Dia Gate valve	4	NO.	704.70	2818.8
11.03	25mm Dia Gate valve	1	NO.	543.85	543.85
11.04	50 mm Dia Gate valve	3	NO.	942.75	2828.25
11.05	Providing and fixing D.I Sluice valve (with cap) complete with bolts nuts rubber insertions etc (the Tail pieces if required will be paid speratly) 100mm dia sluice valve	6	NO.	20243.00	121458
11.06	150mm dia sluice valve	4	NO.	31698.00	126792
12	Construction of surface boxes for regulative valves incld. Earth work concreting Angle iron frame and MS TOP Lid incld. All cariages. (as per requirement at site)	9	NO.	7000	63000
13	Providing and fixing of 15 mm dia (Plastive Heavy Duty) Bib Cock of approved brand including cost of all pipe specials and cost of 0.60 Mts long 15 mm dia GI pipes (for conneting of uncovered house holds)	183	NO.	375	68625
14	Providing and laying hand packed stone soiling 50 mm nominal size including filling spreading dressing ramming all leads lifts including all carriages complete job	21.45	Cum	1320	28314
15	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	14.8	CUM	4861.84	71955.232
	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	10.4	CUM	5399.02	56149.808


 G. O. A. ...
 ...

17	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	110.86	CUM	6465.20	716732.072
18	Centering and shuttering including strutting, prepping etc. and removal of form for Foundations, footings, bases of columns etc. for mass concrete	387.34	Sqm	262.30	101599.282
18.01	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	150.62	Sqm	573.85	86433.287
18.02	Suspended floors, roofs, landings, balconies and access platforms	9.93	Sqm	635.60	6311.508
19	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level	1815.08	Kg's	91.13	165408.24
20	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	3770	Kg's	95.16	358753.2
21	12mm Cement plaster finished with a floating coat of neat cement of mix: 1:4 mix	185.48	Sqm	286.044	53055.441
22	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. Made of G.I. wire of dia 4 mm	236.6	Sqm	733.50	173546.1
23	P/F of nuts and bolts of different sizes	40	Kg's	92.85	3714
24	Taking out of deposited silt / chucked coarse sand and removal of same to out side premises.	25.42	Cum	450	11439
25	Taking out of filter media and relaying of the same after washing and grading of serviceable material.	22.692	Cum	300	6807.6
26	Supply and filling of filter media of approved source grave (Graded gravel size ranging from 6mm to 65mm) in filter bed including all carriages complete job	36.31	Cum	7700	279587
27	Providing fixing of iron grill on top of existing of SSF Plant with angle iron frame and with 12 mm square mm bars incld. Painting and all carriages upto site fo work.	3500	Kg's	220	770000

6/20


28	Carriage of all materials from road site to actual site of work by mechanical transport Sand 40 km avg	58.04	Cum	601.01	34882.62
28.01	Stone aggregate 20 mm Avg 08 Km	109.13	Cum	251.02	27393.813
28.02	Stone aggregate 40 Avg 08 Km	14.04	Cum	272.84	3830.674
28.03	Cement/steel 20 kms Avg	50.4	MT	357.63	18024.552
28.04	15 to 80 mm dia GI pipes Avg. 10 kms	51.7	MT	249.65	12906.905
28.05	150 mm dia DI pipes Avg. 10 kms	800	RM	7.48	5984
28.06	100 mm dia DI pipes (Avg. 10 Km)	3000	RM	3.74	11220
29	Carriage of all materials from road site to actual site of work by head Load Avg	167.17	Cum	347.00	58007.99
29.01	Stone aggregate 40mm	14.04	Cum	375.13	5266.825
29.02	Cement	36.36	MT	220.73	8025.743
29.03	Steel	5.58	MT	376.05	2098.359
29.04	15 to 80 mm dia GI pipes	50.35	MT	220.73	11113.756
29.05	150 mm dia DI pipes.	800	RM	7.26	5808
29.06	100 mm dia DI pipes.	3000	RM	4.42	13260
			Total		8895438.356
	Alloted Rates @ 3% Above on all items				266863 .00
	G.Total				9162301.00
(Rupees Ninety One Lacs Sixty two thousand Three hundred one only)					

Rates & Qty Checked

Head Draftsman

Technical Officer

Executive Engineer
Jal Shakti Division Tangmarg

Terms & Conditions

1	The cost of work should in no case exceed beyond alloted cost .
2	The work shall have to be completed within a period of 90 days from the date of issuance of LOI/ allotment and the date of start shall be reckoned 07 days from the date issuance of LOI / Allotment which ever is earlier .
3	An Agreement shall have to be drawn by you with the department within the period of seven days from the date of issuance of allotment . However, failure to execute such a formal deed shall not prevent the contract from being enforced upon you .

4	Performance security equivalent to 03% of the value of contract shall have to be deposited by you in the shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order and valid for a period of 03 months beyond the expiry of Warranty period of the contract as mentioned in Standard Bid Document (S.B.D)/e-NIT .
5	The allotted work shall be subjected to check by the third party monitoring agency appointed by the department .
6	Pre, during and post execution Geo-tagged photographic evidence have to be produced at the time of submission of the bill.
7	All other conditions shall be applicable as laid down in S.B.D and PWD form No.25/33.
8	Any rules/terms and condition if not stipulated in the S.B.D , shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in G.F.R- 2017 and manual for procurement of works 2019 G.O.I .

Copy to the :-

- 1 Chief Engineer Kmr PHE Department Srinager for favour of information please.
- 2 District Dev.Commissioner Baramulla (Chairperson DJJM) for favour of information please .
- 3 Superintending Engineer Hyd. Circle Sopore for favour of information.
- 4 Assistant Executive Engineer PHE Sub -Division Tangmarg for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work should not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- 5 Technical Officer Divisional Office for information.
- 6 Asstt. Accounts Officer for information .
- 7 File Concerned for records .


Technical Officer


AAO


Executive Engineer
FBI Division Tangmarg