

verified

GOVERNMENT OF JAMMU AND KASHMIR  
OFFICE OF THE EXECUTIVE ENGINEER FEROPORA BASIN IRRIGATION DIVISION TANGMARG  
(NE NO.01954-254611) (EMAIL ADDRESS:FBIDIVISIONTANGMARG@GMAIL.COM)

ALLOTMENT NO. 29-PHE DATED:- 10/2022

M/S :- SOFI CONSTRUCTION	NO/ 6103-08
S/O:- MOHAMMAD AYOUB SOFI	DATED: 19-10-2022
R/O :- BANA MOHALLA FATHEH KADAL	
REGD. NO:- CE/R&B/K-15/2018-19	
TENDER ID: 2022_PHE_170077_7	
ADV. COST RS:-93.48	ALLOTTED COST RS:- 95.35 LACS

Subject:- RETROFITTING OF WSS HARDI ICHLOO ZASPORA BY WAY OF LAYING RAW WATER MAIN, SUPPLY MAIN SUB MAIN AND DISTRIBUTION SYSTEM AT VARIOUS SPOTS INCLUDING CONSTRUCTION OF CHAIN LINK FENCING AROUND STRUCTURE, CONSTRUCTION RCC SLAB OVER EXISTING SR & CONSTRUCTION OF ANCHOR BLOCKS/SADDLE BLOCKS FOR RWM FOR PROVIDING 100%(FHTC) UNDER JJM

1. Your tender received in response to this office enit No.17 of 2022-23 Dated:- 21.05.2022. issued under No.FBID/CC/1292-1303 Date:-20-05-2022 CDR NO:3048705 DT:07-06-2022 RS:187000.00
01. Read with date Extension No: FBID/1586-1602 Dated: 28.05.2022
02. DJJM /District Development Commissioner Baramulla Authorization No:DDCB/JJM/2022-23/1725-28 Dated: 04.06.2022
03. Superintending Engineer Hyd.Circle Sopore's Authorization Letter No.SE/Hyd/DB/4758-70 Dated:-28-07-2022
04. This office Letter of intent No/FBID/DB/3396-3410 Dated: 30.07.2022

For & on behalf of Lt. Governor of J&K (UT), contract for above noted work is hereby fixed with you on the following quoted rates :-

Sl.No	Description of Work / Item(s)	Qty	Units	Estimated Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: All kinds of soil	6587.1	Cum	436.00	2871975.6

low T.O

*[Handwritten signature]*

01	Ordinary rock	737.13	cum	967.85	<b>713431.271</b>
2	Laying in position centrifugally cast (spun) iron S&S or flanged pipes (excluding cost of pipe)	840	Qtl	245.55	<b>206262</b>
3	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket 150 mm dia DI	636	Joint	144.70	<b>92029.2</b>
4	Laying and fitting of G.I. pipes (all classes) complete including cost of pipe specials but excluding cost of pipes and Earth work. 50 mm dia GI	2900	RM	40.80	<b>118320</b>
4.01	40 mm dia GI	2800	RM	40.80	<b>114240</b>
4.02	25 mm dia GI	4500	RM	30.65	<b>137925</b>
4.03	20 mm dia GI	5500	RM	20.25	<b>111375</b>
4.04	15 mm dia GI	2900	RM	20.25	<b>58725</b>
5	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 mm – 40 mm	120	NO.	666.25	<b>79950</b>
5.01	50 mm – 80 mm	10	NO.	1268.75	<b>12687.5</b>
6	Providing and fixing of MS Flanged joints (12mm Thick) to double flanged GI/DI pipes Incl. cutting of pipes welding charges cutting of flanged rubber gaskets bolts nuts including testing of joint and sort of carriages. Complete Job 100 mm dia GI	860	Joint	1520	<b>1307200</b>
6.01	80 mm dia GI	200	Joint	1100	<b>220000</b>
7	Welding charges of leakage spots/sockets /tees/bends for GI pipes including carriage of welding machine and DG Set upto site of work including steel strips complete job including earth work in excavation and refilling of trenches complete job.	20	job	500	<b>10000</b>
8	Providing and fixing of MS Bends fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm nominal size MS plate as per the requirement of site with anti corrosive red oxide primer complete job	300	KG	147.82	<b>44346</b>


Low  
T.O

*[Handwritten signature]*

9	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	6556.05	Cum	198.70	<b>1302687.135</b>
10	Providing and laying hand packed stone soiling 50 mm nominal size including filling spreading dressing ramming all leads lifts including all carriages complete job	9.3	Cum	1320	<b>12276</b>
11	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	6.20	Cum	4861.83	<b>30143.346</b>
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	39.69	Cum	6465.2	<b>256603.788</b>
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	12.43	Cum	9849.34	<b>122427.296</b>
14	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	7.21	Cum	7800.76	<b>56243.48</b>

by T.O. 

15	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns etc. for mass concrete	177.66	SQM	262.30	<b>46600.218</b>
15.01	For domes exceeding 6 m span	100.65	SQM	1008.45	<b>101500.493</b>
16	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars	1370.8	Kg	91.13	<b>124921.004</b>
17	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1569.9	KG	95.16	<b>149391.684</b>
18	12mm Cement plaster of mix: 1:4 mix	206.77	SQM	260.05	<b>53770.539</b>
19	Dismantling of CGI sheet roofing (Damaged and back to divisional store incl. carriage)	150	SQM	450	<b>67500</b>
20	Dismantling of wood work from Trusses (Damaged and back to divisional store incl. carriage)	2	Cum	550	<b>1100</b>
21	P/F of MS Lid cover made of angle iron fram 40*40*6mm and fixing with 5mm thick ms sheet including all locking arrangements etc complete (size 0.60*0.60)	2	NO.	7000	<b>14000</b>
22	Providing fixing of approved brand ISI mark gun matel regulating valves including all carriage of work site complete 100 mm Dia	3	NO.	8000	<b>24000</b>
22.01	80 mm Dia Gate valve	3	NO.	2406.65	<b>7219.95</b>
22.02	40 mm Dia Gate valve	4	NO.	704.70	<b>2818.8</b>
22.03	25 mm Dia Gate valve	3	NO.	543.85	<b>1631.55</b>
22.04	50 mm Dia Gate valve	2	NO.	942.75	<b>1885.5</b>
22.05	Providing and fixing D.I Sluice valve ( with cap) complete with bolts nuts rubber insertions etc ( the Tail pices if required will be paid speratly) 100mm dia sluice valve 150 mm dia sluice valve	3	NO.	20243.00	<b>60729</b>
22.06	200 mm Dia Sluice valve	5	NO.	31698.00	<b>158490</b>



23	Construction of surface boxes for regulating valves and out of angle iron fram 40*40*6mm and 5mm thick MS sheet and all locking arrangements complete job including fixing in cement concrete 1:2:4 mix	25	NO.	7000	<b>175000</b>
24	P/F of 15mm dia Bibcock of approved brand plastic heavy duty including all pipe specials complete	600	NO.	375	<b>225000</b>
25	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-incharge. Made of G.I. wire of dia 4 mm	109.2	SQM	733.50	<b>80098.2</b>
26	Applying priming coat with ready mixed red oxide Zinc chromate primer approved brand on steel surface	109.2	SQM	52.75	<b>5760.3</b>
26.01	Painting of work with sunthic enamel paint two or more qoutes new surface	109.2	SQM	121.95	<b>13316.94</b>
27	Carriage of all materials from road site to actual site of work by mechanical transport Sand (40 km) avg lead.	31.24	Cum	601.01	<b>18775.552</b>
27.01	Stone aggregate 20 mm (7 km) av lead	51.75	Cum	256.63	<b>13280.603</b>
27.02	Stone aggregate 40mm avg lead 7 KM	5.58	Cum	272.84	<b>1522.447</b>
27.03	Cement /steel 20km avg lead	23.38	MT	357.63	<b>8361.389</b>
27.04	150 mm dia DI pipes. avg 8km	3500	RM	5.82	<b>20370</b>
27.05	GI pipes (8 Km Avg)	108.22	Ton	223.13	<b>24147.129</b>
28	Carriage of all materials from road site to actual site of work by head Load Sand and stone aggregate. 50m	62.01	Cum	209.89	<b>13015.279</b>
28.01	Cement 50mt avg lead	14.06	Ton	153.24	<b>2154.554</b>
28.02	150 mm dia DI pipes. Avg 200 mtr	3500	RM	7.26	<b>25410</b>

1.0

*[Handwritten signature]*

28.03	GI pipes (Avg. 200 M )	108.22	Ton	220.3	<b>23840.866</b>
28.04	Sand/stone aggregate Avg 200 mtr	9.6	Cum	347.00	<b>3331.2</b>
28.05	Cement Avg 200 mtr	2.5	MT	220.73	<b>551.825</b>
28.06	Steel Avg 200 mtr	0.2	MT	376.05	<b>75.21</b>
			<b>Total</b>		9348417.848
	Allotted Rates @ 2% Above on all items			186968.00	
			<b>G.Total</b>		<b>₹ 95,35,385.00</b>
( Rupees Ninety five lacs thirty five thousand three hundred and eighty five only)					

Rates & Qty Checked

Head Draftsman

Technical Officer

Executive Engineer  
Jal Shakti FBI Division Tangmarg

### Terms & Conditions

1	The cost of work should in no case exceed beyond allotted cost .
2	The work shall have to be completed within a period of 90 from the date of issuance of LOI/ allotment and the date of start shall be reckoned 7 days from the date issuance of LOI / Allotment which ever is earlier .
3	An Agreement shall have to be drawn by you with the department within the period of seven days from the date of issuance of allotment . However, failure to execute such a formal deed shall not prevent the contract from being enforced upon you .
4	Performance security equivalent to 03% of the value of contract shall have to be deposited by you in the shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order and valid for a period of 03 months beyond the expiry of Warranty period of the contract as mentioned in Standard Bid Document ( S.B.D)/e-NIT .
5	The allotted work shall be subjected to check by the third party monitoring agency appointed by the department .
6	Pre, during and post execution Geo-tagged photographic evidence have to be produced at the time of submission of the bill.
7	All other conditions shall be applicable as laid down in S.B.D and PWD form No.25/33.

Any rules/terms and condition if not stipulated in the S.B.D. shall be strictly dealt in accordance with the relevant rules / guidelines stipulated in G.F.R- 2017 and manual for procurement of works 2019 G.O.I.

Copy to the :-

- 1 Chief Engineer Kmr PHE Department Srinager for favour of information please.
- 2 District Dev Commissioner Baramulla (Chairperson DJJM) for favour of information please .
- 3 Superintending Engineer Hyd. Circle Sopore for favour of information
- 4 Assistant Executive Engineer PHE Sub -Division Tangmarg for information & necessary action. He will ensure the completion of work within the stipulated time period and strictly in accordance with approved proposals, besides the amount of work should not exceed beyond the provision of allotment in any case for which he shall be personally responsible.
- 5 Technical Officer Divisional Office for information.
- 6 Asstt Accounts Officer for information .
- 7 File Concerned for records .

  
Technical Officer

  
AAO

  
Executive Engineer  
FBI Division Tangmarg