

(57-K)

**OFFICE OF THE EXECUTIVE ENGINEER SPECIAL PIPE, MASTAKTI DIVISION KULGAM**

Mt Tariq Ahmad Bhat  
 S/o Ab Rasheed Bhat  
 R/o Karuwa Kulgam  
 Regd No 97/ANV/ST/Hyd/Ang/2000-01  
 PAN No. BCNPBPS039C

No.: PHE/NK/5270-00  
 Dated: 14/12/2023

Allocation order No/04 of 2023/24  
 Dated.....12/2023

Name of work: : Laying fitting of pipes, Const of chain link fencing around structures, const of retaining wall and balance work of RSPP WSS Sarsona Tantraypora (T)M

Ref:-1. This office E Nit No 46 of 2022-23 issued under No 4091-4101 Dated 08/09/2022  
 2. This office LOI No PHE/K/6964-68 dated 08/12/2022  
 3. SE Hyd Circle Anantnag authorization No SE/Hyd/DB/8354 dated 07/11/2022

Accord of Administrative Approval No and date SE/Hyd/DB/44/JM/3455-67 of 08/07/2022

CEP/HE/DB/2051-55 dated 08/09/2022

Rs51.69 lacs

Rs51.69 lacs

Amount **Rupees Fifty one lac sixty nine thousand only**

For and on behalf of Lt.Governor of UT of J&K, the contract for the above work is hereby fixed with you on the following rates quoted/accepted by you on the terms and conditions given as under:

Sl.No	Bidder Name	Quoted Negotiated Amount in Figures and Words			
		Quoted Percentage	Rate	Amount	
1	Tariq Ahmad Bhat	0.00	Rs51.69 lacs	Rupees Fifty one lac sixty nine thousand only	

**DESCRIPTION OF ITEMS AS PER BOQ**

S.No	Description of items	Quantity	Unit	Estimates rate	Total
1	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :all kinds of soil	12.820	Cum	81.650	1046.753
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge:all kinds of soil	43.190	Cum	539.350	23294.5265
3	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: all kinds of soil 1 metter from cutting edge				
4	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering lead upto 50 m and lift upto 1.5 m.	3276.000	Cum	198.700	650941.2
5	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	20.070	Cum	1320.000	26492.4

6	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)	77.460	Cum	6124.010	493378.446
7	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	16.990	Cum	4861.835	82402.57665
8	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centring, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.100	Cum	7800.760	16381.596
9	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with:	/	/	/	/
10	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	105.300	sqm	262.300	27620.19
11	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	317.390	sqm	573.850	182134.2515
12	Suspended floors, roofs, landings, balconies and access platforms.	12.650	sqm	635.600	3040.34
13	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	2.660	sqm	502.850	1337.581
14	Edges of slabs and breaks in floors and walls	30.360	m	242.300	7356.228
15	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete upto plinth level.TMT bars	638.000	Kg	87.175	55617.65
16	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in Cement mortar 1:6 ( 1 cement : 6 coarse sand)	8.660	Cum	7111.313	61583.97058
17	Extra for brick work with common burnt clay bricks(cement concrete bricks in superstructure above plinth level upto floor five level	8.660	Cum	1522.198	13182.23468
18	<b>RANDOM RUBBLE MASONRY</b> Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with: (Quarry Stone)Cement mortar 1:6 (1 Cement : 6 coarse sand)	15.900	Cum	4435.250	70520.475
19	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately):first class kail wood	0.070	Cum	106894.150	7482.5905

20	Providing and fixing panelled or panelled and glazed shutters for doors, windows and cloretoory windows fixing with butt hinges of required size with necessary screws, excluding paneling which will be paid for separately, all complete as per direction of Engineer-in-charge, first class kall wood	2.450	mm <sup>sq</sup> m	2784.100	6821.045
21	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.welded	4419.000	Kg	102.135	451334.565
22	p/l of 50mm thick DPC band over stone work in 1:2:4Mix	4.000	sqm	372.850	1491.4
23	Cement concrete flooring 1:2:4 (cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete 50 mm thick with 20mm nominal size stone aggregate.	11.590	sqm	505.000	5852.95
24	Providing and laying Ceramic glazed floor tiles 300x300 mm (thickness to be specified by the manufacturers) of 1st quality conforming to IS:15622 of approved make, laid on 20 mm thick bed of cement mortar 1: 4 ( 1 cement : 4 coarse sand) including skirting in vertical & pointing the joints with white cement and matching pigment etc., complete in colour such as White, Ivory, Grey, Fume, Red Brown (as directed by the engineer incharge)	32.860	sqm	1210.663	39782.38618
25	12mm Cement plaster finished with a floating coat of neat cement of mix:1 : 3 ( 1 cement : 3 fine sand)	17.860	sqm	343.750	6139.375
26	1 : 4 ( 1 cement : 4 fine sand)	291.310	sqm	325.450	94806.8395
27	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	20.490	sqm	91.800	1880.982
28	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:two or more coats on new work	215.780	sqm	121.950	26314.371
29	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade on New work (two or more coats) over and including priming coat with water thinnable cement primer.	20.490	sqm	149.050	3054.0345
30	Providing corrugated G. S. sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and GI limpet washers or with GI. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/vertical or curved surface)excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.50 mm thick with zinc coating not less than 275 gram/m <sup>2</sup>	12.000	sqm	830.250	9963

31	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.Made of G.I. wire of dia 4 mm	302.680	sqm	733.600	21192.43
32	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.15 mm and 20 mm dia. G.I. pipes	4000.000	Mtr	20.250	81000
33	25 mm and 32 mm dia. G.I. pipes	4000.000	Mtr	30.850	122600
34	40 mm and 50 mm dia. G.I. pipes	5000.000	Mtr	40.800	204000
35	65 mm and 80 mm dia. G.I. pipes	800.000	Mtr	73.050	58440
36	Laying in position centrifugally cast (spun) iron S&S or flanged pipes	673.050	quintal	245.550	165267.4275
37	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including festing of joints and including the cost of rubber gasket 100mm dia pipes 100mm dia	584.000	each	89.700	52384.8
38	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete	50.000	each	666.250	33312.5
39	25 to 40 mm nominal bore	10.000	each	1268.250	12682.5
40	Providing and laying D.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 9523 (as per site requirement) upto 300	0.800	Qtls	7823.700	6258.96
41	Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c maba, all complete as per the direction of Engineer-in charge.Long pattern W.C Pan of size 580x440 mm	1.000	no	2962.800	2962.8
42	Providing and Fixing stainless steel A ISI 304 (18/8) Kitchen Sink as per is: 13983 with ciand stainless steel plug 40mm, including painting of footings and cutting and making good the walls wherever required Kitchen sink 610x510 mm bowl depth 200 mm	4274.200		4274.2	
43	Providing & Fixing of Trap 100 dia	1.000	no	250.000	250
44	Providing & Fixing 50mm PVC vent pipe	2.000	no	450.000	900
45	Tee 100x100	1.000	no	250.000	250
46	100 Bend	1.000	no	250.000	250
47	Supply and filling of filter media from approved source - Gravel (Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter beds. Including all carriages, complete job	3.600	Cum	7700.000	27720
48	Supply and filling of filter media from approved source - Sand (Coarse filter sand - in filter beds. Including all carriages, complete job	1.800	Cum	7968.000	14342.4
49	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND: 5kms	50.230	Cum	206.276	10361.24348
50	Beyond 5 km upto 10 km per km	50.230	Cum	74.580	3746.1534
51	Beyond 10 km upto 20 km per km 15kms	50.230	Cum	60.720	3049.9656

31	Providing and fixing G.I. chain link fabric fencing required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm	302.580	sqm	733.600	221912.43
32	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.15 mm and 20 mm dia. G.I. pipes	4000.000	Mtr	20.250	81000
33	25 mm and 32 mm dia. G.I. pipes	4000.000	Mtr	30.650	122600
34	40 mm and 50 mm dia. G.I. pipes	5000.000	Mtr	40.800	204000
35	65 mm and 80 mm dia. G.I. pipes	800.000	Mtr	73.050	58440
36	Laying in position centrifugally cast (spun) iron S&S or flanged pipes	673.050	quintal	245.550	165257.4275
37	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket 10mm dia pipes 100mm dia	584.000	each	89.700	52384.8
38	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete 25 to 40 mm nominal bore	50.000	each	666.250	33312.5
39	50 to 80 mm nominal bore	10.000	each	1268.250	12682.5
40	Providing and laying D.I. standard specials such as tees, bends, collars, tapers, caps etc. suitable for flanged jointing as per IS : 9523 (as per site requirement) upto 300	0.800	Qtis	7823.700	6258.96
41	Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material i/c malba, all complete as per the direction of Engineer-in charge. Long pattern W.C Pan of size 580x440 mm	1.000	no	2962.800	2962.8
42	Providing and Fixing stainless steel A ISI 304 (18/8) Kitchen Sink as per IS: 13983 with plain stainless steel plug 40mm, including painting of footings and cutting and making good the walls wherever required Kitchen sink 610x510 mm bowl depth 200 mm	1.000	no	4274.200	4274.2
43	Providing & Fixing of Trap 100 dia	1.000	no	250.000	250
44	Providing & Fixing 50mm PVC vent pipe	2.000	no	450.000	900
45	Tee 100x100	1.000	no	250.000	250
46	100 Bend	1.000	no	250.000	250
47	Supply and filling of filter media from approved source - Gravel (Graded gravel - size ranging from 2.0mm to 40.00 mm) in filter beds. Including all carriages, complete job	3.600	Cum	7700.000	27720
48	Supply and filling of filter media from approved source - Sand (Coarse filter sand - in filter beds. Including all carriages, complete job	1.800	Cum	7968.000	14312.4
49	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND: 5kms	50.230	Cum	206.276	10361.24348
50	Beyond 5 km upto 10 km per km	50.230	Cum	74.580	3746.1534
51	Beyond 10 km upto 20 km per km 15kms	50.230	Cum	60.720	3049.9656

52	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 20mm 5kms	49.400	Cum	206.278	10190.0344
53	Beyond 5 km upto 10 km per km	49.400	Cum	74.580	3684.252
54	Beyond 10 km upto 20 km per km 15kms	49.400	Cum	60.720	2999.568
55	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above : 5kms	15.300	Cum	224.204	3430.3212
56	Beyond 5 km upto 10 km per km	15.300	Cum	81.075	1240.4475
57	Beyond 10 km upto 20 km per km 15kms	15.300	Cum	66.010	1009.953
58	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Stone Soling :5kms	40.440	Cum	242.673	9813.69612
59	Beyond 5 km upto 10 km per km	40.440	Cum	87.745	3548.4078
60	Beyond 10 km upto 20 km per km (15Kms)	40.440	Cum	71.415	2888.0226
61	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel/ CGI Sheets:5kms	5.933	M.T	183.356	1087.851148
62	Beyond 5 km upto 10 km per km	5.933	M.T	66.300	393.3579
63	Beyond 10 km upto 20 km per km 15kms	5.933	M.T	53.995	320.352335
64	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement: 5kms	37.770	M.T	183.356	6925.35612
65	Beyond 5 km upto 10 km per km	37.770	M.T	66.300	2504.151
66	Beyond 10 km upto 20 km per km (15Kms)	37.770	M.T	53.995	2039.39115
67	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Bricks: 5kms	4115.000	no	0.506	2082.19
68	Beyond 5 km upto 10 km per km	4115.000	No	1.985	8168.275
69	Beyond 10 km upto 20 km per km 15kms	4115.000	No	1.615	6645.725
70	Carriage of G.I./D.I. pipes below 100mm dia from Stocking yard to the site by mechanical means 5km	34.880	M.T	183.356	6395.45728
71	Beyond 5 km upto 10 km per km	34.880	M.T	66.300	2312.544
72	Beyond 10 km upto 20 km per km 15kms	34.880	M.T	53.995	1883.3456
73	Carriage of G.I./D.I. pipes 100mm dia from Stocking yard to the site by mechanical means 5kms	3500.000	Mtr	4.500	15750
74	Beyond 5 km upto 10 km per km	3500.000	Mtr	1.420	4970
75	Beyond 10 km upto 20 km per km 15kms	3500.000	Mtr	1.325	4637.5
76	Carriage of materials by manual means including loading, unloading, stacking of materials- (Sand) ist 50m	50.230	Cum	209.898	10543.17654
77	Beyond Ist 50m 200Mtrs	50.230	Cum	137.103	6886.68369
78	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate Below 40mm ist 50m	49.400	Cum	209.898	10368.9612
79	Beyond Ist 50m 200Mtrs	49.400	Cum	137.103	6772.8882
80	Carriage of materials by manual means including loading, unloading, stacking of materials- Aggregate 40mm and Above ist 50m	15.300	Cum	226.918	3471.8454
81	Beyond Ist 50m 200Mtrs	15.300	Cum	148.212	2267.6436
82	Carriage of materials by manual means including loading, unloading, stacking of materials- Stone Soling ist 50m	40.440	Cum	246.940	9986.2536
83	Beyond Ist 50m 200Mtrs	40.440	Cum	161.289	6522.52716
84	Carriage of materials by manual means including loading, unloading, stacking of materials- Steel/CGI Sheets ist 50m	5.933	M.T	261.096	1549.082568
85	Beyond Ist 50m 200Mtrs	5.933	M.T	114.954	682.022081

86	Carriage of materials by manual means including loading, unloading, stacking of materials- Cement Ist 50m	37.770	M/T	121.567	4391.38559
87	Beyond Ist 50m 200Mtrs	37.770	M.T	53.511	2021.11047
88	Carriage of materials by manual means including loading, unloading, stacking of materials- Brick Ist 50m	4115.000	No	0.391	1608.965
89	Beyond Ist 50m 200Mtrs	4115.000	No	0.255	1049.325
90	Carriage of G.I./D.I. pipes 100mm dia from dumping site to actual site of work by manual means Ist 50m	3500.000	Mtr	4.142	14497
91	50m to 400m	3500.000	Mtr	0.608	2128
	<b>Total</b>				<b>5169634.04</b>
	<b>Total allotted amount</b>				<b>51.69 lacs</b>

HD

Executive Engineer  
Spl.PHE JSD Kulgam

Terms and conditions:::

1	The allotted cost of the work is Rs51.69 lacs (Rupees Fifty one lac sixty nine thousands only).However the allotted cost should in no case exceed beyond DAF/DPR.
2	The work shall have to be completed within a period of (90) days from the date of issuance of this allotment order, failing which penalty upto 10% of the total value shall be imposed upon you.
3	Earnest money deposited by you Vide FDR 206504 Dated 23/11/2023 For Rs155000.00 issued by JK Bank Kulgam and shall be released only after the successful completion of work and after the expiry of defect clause.
4	The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment
6	After testing and commissioning of work the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department. the DLP. In case any defect remains unattended by the firm at the completion of DLP , the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to maximum ceiling of 06 months
7	The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP in case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions levels dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in as deemed for getting the defect rectified subject to a maximum ceiling of 6 Months
8	The rates are including the Charges for Submission of progress Geo-tagged photographs, vediographic record through the professional person before during & after construction and progress reports in both hard and soft copies Taking Cross-Sections L Sections by Auto Level/ETS before and after execution Preparation of work abtract of executed work, preparation of bills besides the rates quoted/alloted are inclusive of taxes and the fees viz GST/income tax/Cess etc shall be deducted at source from running account bills.
9	All the Cement RCC Steel plumbing and other works shall be strictly as per relevant 15 Codes CPHEEO norms/requirements/specifications and normal PWD precautions
10	You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be done by the contractor and shall be deemed to have been included in the term rates for various items of work and percentage rate tendered Nothing extra shall be payable on this account
11	You have to furnish the confirmatory survey, strucctual & functional design including geo-technical analysis, soil investigation and quality control tests done at your level duly vetted by DIGC as per terms & conditions of the NIT The vetting charges for the design if any are to be done by you
12	The allotted works shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery nataled in each scheme The TPIQM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period

13	Any item of work not included in the BOQ but required for the completion of the work, shall be executed by the contractor, as directed by the Department. Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation /Depreciation of the contractor in case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority
14	No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever
15	No extra claim towards any type of tax, freight etc shall be entertained whatsoever.
16	No mobilisation advance shall be paid
17	Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 10% of bi amount from Running Account Bills and shall be released after completion of the defect liability period
18	In the event of allottee failing, declining, neglecting or delaying the supplies/works or in the event of any damage securing or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the timebeing enforce in the UT
19	All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
20	Any failure or commission to carry out the provision of the contract shall not give any claim by the department or bidder one against the other if such failure or commission occurs by the ACT OF GOD which shall include all natural calamities such as fires floods earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency
21	The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
22	From the commencement of the work to the completion thereof the same shall be under the bidders charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes/theft and shall hold the Government harmless for any claims for injuries to persons or damage a property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country
23	In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineerin charge be terminated by notice in writing posted at the site of the works
24	The damage caused to the work during execution or prior to actual completion of handing over of the project before defect liability period due to any natural calamity human interference, the same shall be got restored and made good by you at your own cost
25	No damage is caused to existing structures like roads, bridges, buildings or other public utilites as a result of construction of this work .Where ever any damage occurs to any public/private infrastructure or public utility, the same shall be rectified/made good by you at your own cost
26	Adequate precautions be taken for environment and social protection besides, all safety practices in vogue be strictly adhered to during execution of work
27	No objection certificate from the concerned regulatory authority may also be sought whenever required
28	All other terms & conditions will remain same as laid down in the original NIT SBD GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM


HD  


Copy to the

Superintending Engineer Hydraulic Circle Aantnag for favour of Information

Asstt.Ex.Engineer PHE Sub-Division Kulgam for information

AAO Divisional office for information

  
 Executive Engineer  
 Spl.PHE JSD Kulgam