

51D

OFFICE OF THE EXECUTIVE ENGINEER SPECIAL PHE JAL SHAKTI DIVISION KULGAM

M/S Tariq Ahmad Bhat  
 S/o Ab Rashid Bhat  
 R/o Kariwa Kulgam  
 Regd No 97-AAY/SE/Hyd/Ang/2000-2001  
 PAN No. BCNPB5039C

No: PHE/Wks/ 2930-40  
 Dated: 30-8-2023.

GST 01BCNPB5039C1Z9

Allotment order No 59 of 2023-24  
 Dated..... 30/08/2023

Name of work: Laying and fitting of pipes, Construction of sluice chamber, 0.20 lac gallons cap.SR , 0.40 lac gallons filtration plant, chain link fencing around structures, construction of 0.10 lac gallons cap.PST and other allied works for WSS Transit camp Mirhama Including installation of FHTC under JMM

Ref:- This office e-NIT No.58 of 2022-23 issued under No: PHEK/7149-63 Date: 14/12/2022. This office LOI No SPHE/K/7650-54 dated 04/01/2023. SE Hyd Circle Anantnags authorization No Se/Hyd/DB/6353 dated 10/09/2022

Accord of Administrative No and date	CE/PHE/DB/244/ of 08/2022 dated 31/08/2022
Technical sanction No and date:	***
Advertised amount of work	Rs114.42 lacs
Alloted amount of work	Rs10126217.00

Rupees One crore One lac twenty six thousand two hundred seventeen only

For and on behalf of Lt.Governor of UT of J&K, the contract for the above work is hereby fixed with you on the following rates quoted/accepted by you on the terms and conditons given as under:

SLNo	Bidder Name	Quoted /Negotiated Percentage	Allotted Amount in Figures and Words		
			Rate	Amount	
1	Tariq Ahmad Bhat	-11.50	Rs10126217.00	Rupees One crore One lac twenty six thousand two hundred seventeen only	
1	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil	1002.670	Cum	539.350	540790.06
2	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed: all kinds of soil 1 meter from cutting edge	3800.000	Cum	436.000	1656800.00
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	3492.000	Cum	198.700	693860.40
4	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	45.740	Cum	1320.000	60376.80
5	Extra for every addl. Lift 1.5m or part thereof	95.430	Cum	81.650	7791.86
6	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)	82.110	Cum	6434.010	528296.56
7	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	45.740	Cum	4861.835	222380.33

8	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size).	66.860	Cum	7800.760	521558.81
9	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering, shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	94.390	Cum	9408.135	888033.86
10	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	4.890	Cum	10404.515	50878.08
11	Centering and shuttering including strutting, propping etc. and removal of form for: foundation footings	213.150	sqm	262.300	55909.25
12	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	876.160	sqm	573.850	502784.42
13	Arches, domes, vaults upto 6 m span	39.100	sqm	2086.800	81593.88
14	Extra for shuttering in circular work (20% of respective centering and Shuttering items) Foundations, footings, bases of columns etc. for mass concrete.	187.210	sqm	52.460	9821.04
15	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	1049.000	kgs	57.900	60737.10
16	Steel reinforcement for R.C.C. work ready to use "cut and bend" rebars of approved make from factory/workshop to construction site including placing in position and binding all complete above plinth level. TMT bars	15178.000	Kg	87.175	1323142.15
17	Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Welded	3675.000	Kg	102.135	375346.13
19	12mm Cement plaster finished with a floating coat of neat cement of mix:1:3 mix	1307.400	sqm	343.750	449418.75
20	P/F of chain link fencing	270.000	kfg	733.510	198047.70
21	Painting with synthetic enamel paint of approved brand & manufacture to give an even shade two or more coats on new work.	270.000	sqm	97.960	26449.20
22	Providing & laying of filter media effective size of sand varies from 0.45 mm to 0.70 mm having uniformity coefficient between 1.30 to 1.75 & should be dust free & free from other organic impurities to be obtained from Ganderbal Nallah & the size of gravel should vary from 2mm to 40mm incld all carriages complete.	3215.660	cft	250.000	803915.00
23	Providing / laying of Baramullah slabs	571.530	sft	210.000	120021.30
24	Interconnecting of filtration plant with S.R and sluice chambers	1.000	job	60000.000	60000.00
25	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work. 15mm dia GI pipe	2000.000	m	20.250	40500.00
26	20mm dia gi pipe	600.000	m	20.250	12150.00

27	25mm dia GI pipe	800.000	m	30.650	24520.00
28	40mm dia GI pipe	1000.000	m	40.800	40800.00
29	50mm dia GI pipe	1000.000	m	40.800	40800.00
30	80mm dia GI pipe	500.000	m	73.050	36525.00
31	Laying in position centrifugally cast (spun) iron S&S or flanged pipes	1450.000	quintal	245.550	356047.50
32	Providing push-on-joints to Centrifugally (Spun) Cast Iron Pipes or Ductile Iron Pipes including testing of joints and including the cost of rubber gasket 100mm dia	1364.000	Each	89.700	122350.80
33	150 mm dia pipes	364.000	Each	144.700	52670.80
35	a) Cement and steel for average lead of 10kms	131.84	M.T	217.09	28621.15
36	b) Sand for average lead of 35kms	151.49	cum	479.42	72627.34
37	c) 20mm Aggregate for average lead of 30 kms	227.82	cum	436.22	99379.64
38	d) 40mm Aggregate for average lead of 30kms	41.16	cum	474.16	19516.43
39	f) Soling stone for average lead of 10kms	45.73	cum	287.32	13139.14
40	150 MM DIA D.I FOR AN AVG LEAD 10KM	2000	MTRS	10.22	20440.00
41	100 MM DIA G.I FOR AN AVG LEAD 5KM	7500	MTRS	4.5	33750.00
42	80 - 15 MM DIA G.I FOR AN AVG LEAD OF 5KM	14.44	M.T	183.356	2647.66
44	a) Cement and steel for average lead of 200mtrs	131.84	M.T	152.24	20071.32
45	b) Sand for average lead of 200 mtrs	151.49	cum	301.74	45710.59
46	c) 20mm Aggregate for average lead of 200 mtrs	227.82	cum	301.74	68742.41
47	d) 40mm Aggregate for average lead of 200mtrs	41.16	cum	326.2	13426.39
48	f) Soling stone for average lead of 200 mtrs	45.73	cum	354.98	16233.24
49	150 MM DIA D.I FOR AN AVG LEAD OF 500MTS	2000	MTRS	13.53	27060.00
50	100 MM DIA G.I	7500	MTRS	9.61	72075.00
51	80 - 15 MM DIA G.I	14.44	M.T	355.64	5135.44
52	Restoration of road berm along pipe alignment to be damaged	500	m	480	240000.00
53	Restoration of W.B.M Road at spots	500	m	1000	500000.00
54	Providing fixing of MS Bends , tees etc incl. the cost of MS tubes, Nuts bolts washers flanges incl welding charges all types of carriages complete Job	500	Kgs	150	75000.00
55	Providing fixing of gun metal gate valve with CI Wheel of approved quality 50mm Dia	6	Nos	942.75	5656.50
56	40mm	6	Nos	704.7	4228.20
57	P/F of G.I Unions in GI pipes including cutting and threading the pipe and making long screws complete 50mm	4	Nos	648.1	2592.40
58	40mm	4	Nos	492.3	1969.20
59	25mm	20	Nos	355.85	7117.00
60	20mm	25	Nos	315.7	7892.50
61	15mm	30	Nos	259.5	7785.00
62	P/F of G.I Bends/Elbows 50mm	6	Nos	200	1200.00
63	40mm	10	Nos	115	1150.00
64	25mm	20	Nos	55	1100.00
65	20mm	35	Nos	40	1400.00
66	15mm	30	Nos	25	750.00
67	P/F of G.I Reducer Sockets 50mm x 40mm	4	Nos	290	1160.00
68	40mm x 25mm	8	Nos	200	1600.00
69	40mm x 20mm	15	Nos	200	3000.00
70	25mm x 20mm	20	Nos	180	3600.00
71	20mm x 15mm	15	Nos	150	2250.00
72	P/F of G.I Nipples of different lengths 50mm	4	Nos	390	1560.00
73	40mm	6	Nos	300	1800.00
74	25mm	20	Nos	240	4800.00
75	20mm	20	Nos	140	2800.00
76	15mm	20	Nos	70	1400.00
77	P/F of G.I Tees 50mm x 50mm x 50mm	3	Nos	650	1950.00
78	50mm x 40mm x 50mm	3	Nos	600	1800.00
79	50mm x 25mm x 50mm	10	Nos	500	5000.00
80	50mm x 20mm x 50mm	10	Nos	500	5000.00

81	40mm x 40mm x 40mm	4	Nos	400	1600.00
82	40mm x 25mm x 40mm	8	Nos	380	3040.00
83	40mm x 20mm x 40mm	17	Nos	380	6460.00
84	25mm x 25mm x 25mm	25	Nos	250	6250.00
85	25mm x 20mm x 25mm	25	Nos	250	6250.00
<b>Total:::</b>					<b>11442053.32</b>
<b>Allotted amount after deduction of -11.5 % to Advt cost</b>					<b>Rs10126217.00</b>


*HD*  
HD

*DR. M*  
Executive Engineer  
Spl.PHE.JSD.Kulgam

Terms and conditions:::

1	The allotted cost of the work is <b>Rs10126217.00.00 Rupees One crore One lac twenty six thousand two hundred seventeen only</b> . However the allotted cost should in no case exceed beyond DAP/DPR.
2	The work shall have to be completed within a period of (90) days from the date of issuance of this allotment order, failing which penalty upto 10% of the total value shall be imposed upon you.
3	Ernest money deposited by you Vide CDR No 385846 IDated 13/07/203 For Rs300000.00 and shall be released only after the successful completion of work and after the expiry of defect clause.
4	The date of start of work shall be reckoned within one week from the date of issuance of this Contract allotment
5	After testing and commissioning of work the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department. the DLP. In case any defect remains unattended by the firm at the completion of DLP , the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to maximum ceiling of 06 months
6	The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run The bidder shall be responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP in case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time The bidder shall be responsible for the time and proper setting out of all the works and for the correctness of the positions levels dimensions and alignment of all parts of the works and for the provision of all necessary instruments, appliances and labour in as deemed for getting the defect rectified subject to a maximum ceiling of 6 Months
7	The rates are including the Charges for Submission of progress Geo-tagged photographs, videographic record through the professional person before during & after construction and progress reports in both hard and soft copies Taking Cross-Sections L Sections by Auto Level/ETS before and after execution Preparation of work abstract of executed work, preparation of bills besides the rates quoted/allotted are inclusive of taxes and the fees viz GST/income tax/Cess etc shall be deducted at source from running account bills.
8	All the Cement RCC Steel plumbing and other works shall be strictly as per relevant 15 Codes CPHEEO norms/requirements/specifications and normal PWD precautions
9	You shall be solely responsible for carrying out the mandatory tests required or as decided by Engineer-in-charge for the quality control at your own costs. The cost of conducting all tests shall be done by the contractor and shall be deemed to have been included in the term rates for various items of work and percentage rate tendered Nothing extra shall be payable on this account
10	You have to furnish the confirmatory survey, structural & functional design including geo-technical analysis, soil investigation and quality control tests done at your level duly vetted by DIGC as per terms & conditions of the NIT The vetting charges for the design if any are to be done by you
11	The allotted works shall be subject to check by the third party monitoring agency (TPIOM) appointed by the Department. The agency shall check the quality of works executed by the agencies, quality of materials used for construction and quality of machinery named in each scheme The TPIOM's role shall be that of an assistant to the Employer's Representative for the purpose of monitoring and evaluation of the performance of the Contract during the Contract Period
12	Any item of work not included in the BOQ but required for the completion of the work, shall be executed by the contractor, as directed by the Department Such extra item shall be paid at J&K SSR 2020 rates with allotted appreciation /Depreciation of the contractor in case such item does not figure in J&K SSR 2020, the same shall be paid as per the current market rate analysis, to be approved by the competent authority
13	No price escalation will be paid for completion of the work within stipulated time or extended date of completion due to any reason whatsoever
14	No extra claim towards any type of tax, freight etc shall be entertained whatsoever.
15	No mobilisation advance shall be paid
16	Retention money/Security deposit shall be 10% of the contract value. The Security Deposit is to be recovered at the rate of 10% of bi amount from Running Account Bills and shall be released after completion of the defect liability period

18	In the event of allottee failing, declining, neglecting or delaying the supplies/works or in the event of any damage securing or being caused by the allottee or in the event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the timebeing enforce in the UT
19	All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder.
20	Any failure or commission to carry out the provision of the contract shall not give any claim by the department or bidder one against the other if such failure or commission occurs by the ACT OF GOD which shall include all natural calamities such as fires floods earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency
21	The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc
22	From the commencement of the work to the completion thereof the same shall be under the bidders charge The bidder shall be held responsible for and make good any loss or injuries by fire or other causes/theft and shall hold the Government harmless for any claims for injuries to persons or damage a property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country
23	In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineerin charge be terminated by notice in writing posted at the site of the works
24	The damage caused to the work during execution or prior to actual completion of wondhanding over of the project before defect liability period due to any natural calamity human interference, the same shall be got restored and made good by you at your own cost
25	No damage is caused to existing structures like roads, bridges, buildings or other public utilites as a result of construction of this work .Where ever any damage occurs to any public/private infrastructure or public utility, the same shall be rectified/made good by you at your own cost
26	Adequate precautions be taken for environment and social protection besides, all safety practices in vogue be strictly adhered to during execution of work
27	No objection certificate from the concerned regulatory authority may also be sought whenever required
28	All other terms & conditions will remain same as laid down in the original NIT SBD GFR-2017/ Procurement Manual 2019/Operational guidelines for JJM



Executive Engineer  
Spl.PHE JSD Kulgand

Copy to the  
**Superintending Engineer Hydraulic Circle Aantnag for favour of information**  
**Asstt.Ex.Engineer PHE Sub-Division Kulgand for information**  
**AAO Divisional office for information**