

Jammu & Kashmir

OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION SOPORE

M/s Mohammad Amin Ahanger
 S/o: Mohd Ramzan
 R/o: Asham Sonawari Safapora Bpr.
 Reg. No: R-56/AYY/CE/CI & D/PDC/2010-11
 GST No: 01AILPA6482FIZL
 Email: mahanger67@yahoo.in

No:- 9074-81
 Dated:- 30-11-2023
 Time of Compl.: 150days

Subject: - Construction/Testing/Commissioning of over head Tank's (OHT) along with allied works in different divisions/ Districts of Kashmir Province under Jal Javeen Mission.

Ref:

1. Chief Engineer Kashmir Jal Shakti PHE Department Srinagar's letter No: CE/PHE/DB/15444-45 dated: 05-08-2023.
2. Superintending Hyd. Circle Sopore's authorization issued order No: SE/Hyd./DB/5391 dated: 10-08-2023
3. Your on-line tender received in response to E-NIT No: 16/JJM/JSDS of 8/2023 dated: 11-08-2023.
4. This office Letter of Intent No: JS/PHE/DB/Spr./6113-18 dated: 08-09-2023.

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, contract for the work namely "Construction/ Testing/ Commissioning of 0.30 lac gallons capacity RCC OHT Shell type with Staging Height of 20 Mts including construction of Sluice Chamber at Mazbugh for W.S.Scheme Mazbugh under JJM" is hereby allotted to you in accordance with the terms and conditions as laid down in the bid document read with any amendment if any for an amount of Rs.80.55 lacs (Rs.Eighty lacs and fifty five thousand only) as per the following item rates along with your quoted overall tender appreciation of 8% (Eight percent)

A Rates:

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
1.	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil	Cum	476.42	188.75	89924.00
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soils	Cum	211.98	539.35	114331.00
3.	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material : All kinds of soil	Cum	340.30	81.65	27785.00
4.	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	KL	317.49	155.55	49386.99


Head Draftsman

Technical Officer


Exen

Page No: 2nd
Construction of 0.30 lac gallons capacity at Mazbugh

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
5.	Providing and laying 75 mm size hand packed stone soling (Quarry) including ramming and dressing including all leads lifts and all carriages complete	l Cum	l 43.75	l 1320.00	l 57746.00
6.	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	l Cum	l 17.81	l 4861.84	l 86601.00
7.	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	l Cum	l 131.15	l 7800.76	l 1023034.00
8.	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	l Cum	l 60.49	l 9408.14	l 569115.00
9.	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	l Cum	l 5.06	l 9849.35	l 49789.00
10	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level including curing but excluding the cost of centring, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	l Cum	l 9.35	l 10404.52	l 97334.00
11	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using flyash and cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering, shuttering finishing and reinforcement including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer- in - charge.	l Cum	l 30.64	l 9302.98	l 285088.00


Head Draftsman


Technical Officer


Exen

Page No: 3rd
Construction of 0.30 lac gallons capacity at Mazbugh

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
12.	Extra for providing richer mixes at all floor levels. Note:- Excess/ less cement over the specified cement content used is payable/ recoverable separately. 5.35.1 Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340 kg/cum)	Cum	30.64	111.87	3428.00
13.	Extra for R.C.C./B.M.C./R.M.C. work above floor V level for each four floors or part thereof.	Cum	11.84	309.05	3660.00
14.	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns etc. for mass concrete.	Sqm	26.38	262.30	6918.00
15.	Centering and shuttering including strutting, propping etc. and removal of form for: Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	Sqm	1616.00	573.85	927343.00
16.	Centering and shuttering including strutting, propping etc. and removal of form for: Lintel, beams, plinth beams, girders, bressumers and cantilevers.	Sqm	74.44	502.85	37431.00
17.	Centering and shuttering including strutting, propping etc. and removal of form for: Arches, domes, vaults upto 6 m span	Sqm	102.46	2086.80	213824.00
18.	Centering and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platforms.	Sqm	15.72	635.60	9989.00
19.	Centering and shuttering including strutting, propping etc. and removal of form for: spiral stair cases (including landings)	Sqm	42.00	619.80	26032.00
20.	Extra for shuttering in circular work (20% of respective centering and Shuttering items).				
21.	Foundations, footings, bases of columns etc. for mass concrete	Sqm	26.38	52.46	1384.00
22.	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc	Sqm	1616.00	114.77	185469.00
23.	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	Sqm	74.44	100.57	7486.00
24.	Suspended floors, roofs, landings, balconies and access platforms	Sqm	15.72	127.12	1998.00
25.	Arches, domes, vaults upto 6m span	Sqm	102.46	417.36	42765.00
26.	Spiral stair cases (including landings)	Sqm	42.00	123.96	5206.00
27.	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. G.I pipes	Kg	242.25	174.25	42212.00

Head Draftsman

Technical Officer

Exen

Page No: 4th
Construction of 0.30 lac gallons capacity at Mazbugh

No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
28	Structural steel work welded in built up sections, trusses and framed work incld. cutting, hoisting, fixing in position & applying steel primer all complete. In gratings, frames, guard grills, ladders, railings	Kg.	694.26	146.63	101799.00
29	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation etc. Layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering lead upto 50m and lift upto 1.5m.	Cum	487.89	198.70	96944.00
30	12mm cement plaster of mix 1 : 3 (1 cement : 3 fine sand)	Sqm	897.13	343.75	308389.00
31	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	Sqm	8.38	800.00	6707.00
32	Reinforcement for RCC work including straightening, cutting, bending, binding and placing in position complete TMT	Kg	25976.43	87.17	2264365.00
33	Providing and fixing 1mm thick M.S. steel door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. (i) Using M.S. angles 40x40x6mm for diagonal braces.	Sqm	8.52	4352.95	37087.00
34	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work). 100 mm dia. nominal bore	Mtr	145.00	1234.95	179068.00
35	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work). 25 mm dia. nominal bore	Mtr	30.00	298.15	8945.00
36	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (external work). 15 mm dia. nominal bore	Mtr	12.00	163.55	1963.00
37	Providing, fixing of sluice valves flanged type of ISI mark. The job includes cost of nuts, bolts, washers incld. all sorts of carriages upto site of work complete job including cost of sluice valves 100mm dia sluice valve	No	4.00	17210.00	68840.00
38	Providing and fixing of M.S fittings viz bends of suitable degree, tees, collars etc to be fabricated from 6mm nominal size M.S plate as per the requirement of site including cost of welding. The work should be leak proof and should be painted with anti corrosive red oxide primer. Complete job. Bend, tee etc,	Kg	167.00	147.82	24716.00
39	Providing and fixing ventilator of size 450mmx450mm made out of angle iron 40mmx40mm with wire mesh of 25mmx25mm size including welding charges and including all carriages upto site of work	No	9.00	1500.00	13500.00
40	Finishing walls with water proofing cement paint of approved brand and manufacture and of required shade to give an even shade (two or more coats)	Sqm	862.96	91.80	79220.00

Head Draftsman


Technical Officer

Exen


Construction of 0.50 lac gallons capacity at Mazbugh

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
41	Supply, installation, testing and commissioning of Advanced Maintenance Free environment friendly Earthing system consisting of 1 no. of 3mtr length, 17.2 mm dia UL certified earth electrode made of high tensile low carbon steel circular rods, molecularly bonded copper on outer surface (minimum copper bonding thickness-250 microns) with GI terminals to connect incoming strips, (Environment friendly backfill compound duly certified as per ANSI/NSF standard 60/Toxic content certificate as safe for use near potable ground water resources strictly as per specification enclosed. Make- HREE ELECTRODES/ OBO BETTERMANN / ERICO(2 Nos UPS and 4 Nos Main L.T Panel/2 Nos Fire Fighting Panel)	No	1.00	15800.00	15800.00
42	Providing and Fixing 25 mm x 5 mm Copper Strip in 40 mm dia. G.I Pipe FRL Earth Electrode including connection with Brass nut ,bolt, spring, washer, excavation and refilling etc. as required.	RM	15.00	1224.00	18360.00
43	Supply, installation, testing and commissioning of lightening conductor made of 25 mm dia 300 mm long copper tube having single prong at top with base plate.	Each	1.00	1500.00	1500.00
44	Providing and fixing of level Indicator of ISIS mark standard reputed quality complete job	Job	1.00	10000.00	10000.00
45	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	Kg	490.00	57.90	28371.00
46	Providing and fixing of MS Mani fold out of 6mm MS sheets including fixing of flanges and making required dia of holes of various supply means complete with all accessories i.e nipples, sockets, flanges, etc	Job	1.00	20000	20000.00
47	Providing and fixing of MS flanged (8mm to 12mm thick) to GI pipes including cutting of pipes, welding of flanges including cutting of flanges, rubber gasket, bolts, nuts and sorts of carriage. Complete job 100mm dia	joint	24.00	1520.00	36480.00
48	Carriage of materials by mechanical transport including loading, unloading, stacking of materials. Cement & Steel for avg. lead 05 kms	M.T	105.36	183.3	19318.00
49	Carriage of materials by mechanical transport including loading, unloading, stacking of materials. Stone aggregate 40mm for avg. lead 25 kms	Cum	16.03	491.29	7876.00
50	Carriage of materials by mechanical transport including loading, unloading, stacking of materials. Stone aggregate 20mm for avg. lead 25 kms	Cum	199.66	451.97	90239.00
51	Carriage of materials by mechanical transport including loading, unloading, stacking of materials. Sand for avg. lead 08 kms	Cum	120.91	251.02	30352.00
52	Carriage of materials by mechanical transport including loading, unloading, stacking of materials. Stone soling for avg. lead 25 kms	Cum	43.75	531.73	23261.00
	Total				7458379.0
	8% above on all items				596670.00
	Grand Total				8055049.0
	Say				80.55 lacs

Rates and quantities checked:


Head Draughtsman


Technical Officer



Executive Engineer
Jal Shakhi PHE Division
Sopore

Terms and conditions:

01. Total value of the work is **Rs.80.55 lacs (Rs.Eighty lacs and Fifty five thousand only)** worked out on the basis of above quoted rates which includes all taxes, levies etc and as per the drawing provided vide Chief Engineer Kashmir Jal Shakti PHE Department Srinagar's No: **6711-18** dated: **04-06-2022**
02. The date of start of the subject work shall be reckoned from the date of issuance of this allotment order, in case of failure to start the work within three days of issuance of this allotment order action as warranted shall be initiated
03. An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment, failure to execute such a formal deed shall not however prevent the contract from being enforced upon you. However payment shall not be made unless the agreement is drawn.
04. Performance security equivalent to 5% of the value of the contract **Rs.402752.00** valid in accordance with bid conditions, shall have to be furnished by you in shape of CDR/BG/FDR within a week from the date of issuance of this allotment order or at the time of signing of agreement whichever is earlier.
05. All other terms and conditions and technical specifications shall remain the same as laid down in Standard bidding document of the subject E-NIT read with corrigendum minutes of Pre-bid meeting, PWD form No 25 and GFR-17.


Assistant Accounts
Officer


Technical officer


Executive Engineer
Jal Shakti PHE Division
Sopore

Copy to the:

01. Mission Director Jal Javeen Mission Civil Secretariat Srinagar for favour of information.
02. Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information.
03. District Development Commissioner Baramulla (Chair person DJJM) for favour of information.
04. Direction Planning Jal Shakti Civil Secretariat Srinagar for favour of information.
05. Superintending Engineer Hydraulic Circle Baramulla/Bandipora (Member Secretary JJM) for favour of information.
06. Assistant Executive Engineer PHE Sub Division Watlab for information and necessary action.
07. M/S WAPCOAS Ltd Corporate office 76-C industrial area sector 18 Gurgaon for information.
08. File Concerned.