OFFICE OF THE

EXECUTIVE ENGINEER JAL SHAKTI PHE (HYD) DIVISION BANDIPORE

Construction and Successful Testing and Commissioning of 0.10 MGD Rapid Sand Filtration Plant (cost includes PST, Filter House and Wash Water Disposable Chamber) WSS Kota Satri Shokbaba under JJM.

eference: -

ubject:

- Chief Engineer Jal Shakti PHE Department Srinagar's E-NIT No CE/PHE/KMR/JSD/132 of 2021-22 issued under endorsement No CE/PHE/KMR/JSD/44105-56 dated 08/03/2022.
- Revised District Action Plan of District Bandipore approved by DJJM vide No 2. DDCB/BPR/2022/2056 dated 16/07/2022.
- Minutes of Meeting held with District Development Commissioner Bandipore (Chairman 3. DDJM) on 07/12/2023 minutes issued vide order No 16-DDCB of 2024 dated 05/01/2024 issued under endorsement No DDCB/JJM/2023-24/3563-66 dated 05/01/2024
- Amendment in operational guidelines for the implementation of Jal Jeevan Mission issued 4. by NJJM, DDW&S Ministry of Jal Shakti GOI vide F. No W-11016/10/2022-JJM-IV-DDWS Dated 21/06/2022
- Modus operandi communicated by Chief Engineer Jal Shakti PHE Kashmir vide Circular No 5. CE/PHE/MC/DB/13745-83 Dated 26/07/2022
- Superintending Engineer Hydraulic Circle Bla/ Bpr H.Q Sopore's Authorization No 6. SE/Hyd/DB/11050-63 dated 12/01/2024
- Letter of intent issued vide this office No PHE/Hyd/Bpr/JJM/3202-13 dated 21/07/2022 7.
- Administrative Approval Accorded by Chief Engineer Jal Shakti PHE Department Srinagar 8. vide order No CE/PHE/DB/JJM/302 of 11/2022 dated 11/11/2022 issued under endorsement No CE/PHE/DB/JJM/29140-49 dated 12/11/2022.
- Technical Sanction issued by Chief Engineer Jal Shakti (PHE) Department Kashmir's Order 9. No CE/PHE/DB/735 of 11/2022 Dated 15/11/2022 issued under endorsement No CE/PHE/DB/2938-44 dated 15/11/2022.

ORDER NO. PHE/HYD/BPR/ 65 OF 2023-2024 DATED: 29 / 01 /2024

Major Head of Account: JAL JEEVAN MISSION

Advertised Cost: Rs.121.18 Lacs Allotted Cost: Rs.1,40,60,131.00 Time of Completion: 150 Days (GST No: - O1AOOPM3054L1ZV)

For and on behalf of the Lieutenant Governor of Union Territory of Jammu and Kashmir, contract for the work "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (cost includes PST, Filter House and Wash Water Disposable Chamber) WSS Kota Satri Shokbaba under JJM" is hereby fixed with M/s Mir Construction Co. Prop. Naseer Ahmad Mir S/o Ghulam Mohammad Mir R/o Ward No 03 Bandipore bearing Regd No SE/Hyd/Bud-AAY/Civil/181/2003-04, on the allotted cost of Rs.1,40,60,131.00 (Rupees One Crore Forty Lacs Sixty Thousand One Hundred Thirty One only) on the rates quoted and subsequently negotiated / accepted by bidder on percentage basis as per the Annexure "A" of this allotment order with the standard terms and conditions as laid down in Annexture "B" of this allotment and Detailed E-NIT and SBD.

Bandipore

No:-PHE/Hyd/Bpr/CC/ 7058-71 D1:-29/01/2024

Copy to the: -

- 01. Chief Engineer Jal Shakti PHE Department Srinagar for favour of information. 02.
- District Development Commissioner Bandipore (Chairman DJJM) for favour of information. 03.
- Additional District Development Commissioner Bandlpore (Member DJJM) for favour of information.
- 04. Superintending Engineer Hydraulic CIrcle Bla/ Bpr H.Q Sopore (Member Secretary DJJM) for favour of Information. 05.
- Assistant Commissioner Development Bandipore (Member DJJM) for favour of information.
- 06. Divisional Forest Officer Bandipore (Member DJJM) for favour of information. 07.
- Chief Planning Officer Bandipore (Member DJJM) for favour of information. 08. Chief Medical Officer Bandipore (Member DJJM) for favour of information.
- 09. Chief Education Officer Bandipore (Member DJJM) for favour of information.
- 10. District Social Welfare Officer Bandipore/District Tribal Welfare Officer Bandipore (Member DJJM) for favour of information.
- 11. District Information Officer Bandipore (Member DJJM) for favour of information. 12.
- Assistant Executive Engineer PHE Sub-Division Bandipare for information. 13.
- WAPCOS Bandipore for information.
- 14. M/s Mir Construction Co. Prop. Naseer Ahmad Mir S/a Ghulam Mohammad Mir R/o Ward No 03 Bandipore for information.

Allotment JJM 2023-2024

Final Paint

OFFICE OF THE

ECUTIVE ENGINEER PHE (HYD) DIVISION BANDIPORE

Kure "A" TO ALLOTMENT Order No. ____65 PHE/HYD/BPR/2023-24 Dated 29 101 /2028

work :- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

Adv. Cost :- 121.18 Lacs Allotted Cost :- 1,40,60,131.00

F	Particulars	Qty.	Unit	Advertised/ Allotted	Description
No				Rates	
,	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height				
'	of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	750.00	m²	11.36	_
	Earth work in bulk excavation by mechanical means (hydraulic				Š
	excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as				age
2	well as 10 sqm on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-				
	Charge. (All kinds of soil). 80%	5903.04	m³	188.75	ئ و
2.01	Ordinary rock 20%	1403.58	m3	378.35	_ ≥
	Earth work in bulk excavation by manual means over areas				70
3	(exceeding 30 cm in depth, 1.5 m in width as well as 10 m2 on plan)			•	÷
-	including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil	297.46	m ³	539.35	Ě
	Filling available excavated earth (excluding rock) in trenches, plinth,				<u>~</u>
	sides of foundations etc. in layers not exceeding 20 cm in depth,				S
4	consolidating each deposited layer by ramming and watering, lead			100.70	e e
	upto 50 m and lift upto 1.5 m	375.64	W ₃	198.70	2
4.01	Extra for levelling & neatly dressing of disposed soil completely as	148.73	m ³	59.95	Р
	directed by Engineer-in-charge. Providing and laying hand packed stone soling 50 mm nominal size	140			, ₹
5	including filling, spreading, dressing, ramming, all leads lifts and all				
	carriages complete.	28.29	m ³	1320.00	→
	Providing and shrouding filter media including laying, including all			1	Se
6	carriages by mechanical transport from Gandrabal and head load	4.50	M ₃	7700.00	Έ
	Supply and filling of filter media from approved source (course filter	4.50	 	7700.00	× ×
7	SAND-in filter beds incld. All carriges complete job	4.50	W ₃	7968.00	8
	Supplying and filling in plinth with fine sand under floors including,				9
8	watering, ramming, consolidating and dressing complete.	20.63	m ³	787.40	=
9	Boulder/Sand filling in rooms including hand packing properly & all	39.52	m ³	787.40	, š
-	Providing and laying in position cement concrete of specified grade		m-	767.40	<u> </u>
	including curing but excluding the cost of centring and shuttering. All		1		٥
10	work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8				8 %
	graded stone aggregate 40 mm nominal size).	15.49	m ³	4861.84	(a)
	Providing and laying in position cement concrete of specified grade				<u>.</u>
11	including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 (1 cement: 2 coarse sand: 4				. <u>ē</u>
	graded stone aggregate 40 mm nominal size).	8.21	Cum	6434.01	9
	Providing and laying in position cement concrete of specified grade				٩
1	including curing but excluding the cost of centring and shuttering. All				÷.
1	work upto plinth level with: 1:3:6 (1 cement : 3 coarse sand : 6	91.10	m ₃	5399.02	Ĕ
	Providing & Laying in position reinforced cement concrete of		- m-	3399.02	÷.
	specified grade excluding the cost of centering and shuttering,				7
1	finishing and reinforcement. All works upto plinth level in 1:1.5:3 mix				
	(1 Cement : 1.5 Sand : 3 Graded stone aggregates). Non Water		1	7800.76	
	Retaining structures	30.47	m ³	7800.70	

Head Draftsman

contd. On 2nd

ork :- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	includes P31, Filler House and Wash Water Disposable C	mumber, w	22 1/010	Jam Snokbal	oa.
	byiding and laying in position machine batched and machine mixed				
	ion mix M-25 grade cement concrete for reinforced cement				
- f	perete work, using cement content as per approved design mix,		- 1		
E.	cluding pumping of concrete to site of laying but excluding the cost		- 1		
Ir	centering, shuttering, finishing and reinforcement, including				
0	dmixtures in recommended proportions as per IS: 9103 to				
0	dmixtures in reconstitute of concrete improve workshilling without				
0	ccelerate, retard setting of concrete, improve workability without	1			
/ i	npairing strength and durability as per direction of Engineer-				
i	charge. Note: - Cement in this item is @ 330 kg/ cum. Excess or less	- 1			
10	ement used as per design mix is content considered payable or recoverable		.		
5	eparately. (All work above plinth level upto floor V-level)	124.74	m ₃	9302.98	
	xtra for providing richer mixes at all floor levels. Note:- Excess/ less	- 1			
1	rement over the specified cement content used is payable/			1	
	ecoverable separately. Providing M-30 grade concrete instead of	- 1			
	M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @	1		1	
	340 kg/cum)	124.74	m ³	111.87	
	Reinforced cement concrete work in beams, suspended floors, roofs			-6	
	having slope upto 15°, landings, balconies, shelves, chajjas, lintels,				
	bands, plain window sills, staircases and spiral stair cases upto five				
4 1	level including curing but excluding the cost of centring, shuttering,				
	finishing and reinforcement with 5.3.1 1:11/2:3 (1 cement: 11/2 coarse		; ;e:		
		37.77	m³	9849.35	
-	sand : 3 graded stone aggregate 20 mm nominal size)	37.77	111.	7047.33	
	Reinforced cement concrete work in columns (any thickness) including				
_	attached pilasters, buttress, plinth and string, curses,				
7	columns, fillets etcupto Floor V level excluding cost of centering,				
	shuttering, and reinforcement in 1:1.5:3 mix (1 Cement: 1.5 Sand: 3		•		
	Graded stone aggregates)Non Water Retaining structures.	12.43	m ³	9408.14	
	Providing and mixing water proofing material in cement concrete				
18	work in doses by weight of cement as per manufacturer's				
	specification. (1 kg of water proofing material in 50 kg of cement)	1496.91	Kg	57.90	
	Form work: Centering and Shuttering including strutting, propingetc			· •	
19	and removal of same for.		_		
	a) Foundations, footings, bases for columns	384.72	m ²	262.30	
	b) Retaining walls, return walls, walls (any thickness) including				
9.01	attached pilasters buttresses, plinth and string course fillets, kerbs				
	and steps etc	833.57	m ²	573.85	
9.02	c) Columns, pillars, piers, abutments, posts and struts	392.64	m²	680.15	
9.03	d) Beams ist floor				
7.03	e) Beams 2nd floor F. House.	229.86	m ²	502.85	
	g) Suspended floors, roofs, landings, balconies and access platforms				
19.0	clab floor I		t		
. 7.0	h) Trough				
	i) Slab floor —II.	192.66	m²	635.60	
19.0	5 Extra for circular works Raft	30.30	m ²	52.46	
19.0		244.91	m ²	114.77	
19.0		25.24	m ²	100.57	
19.0		251.80	Rm	242.30	
20	Detale and the second of the s				
20	Cement mortar 1:4 (1 cement : 4 coarse sand).	32.29	m ³	7476.38	
20.	Enter for 1 11		1	1	
	five level by manual means.	32.29	m ³	1522.20	
2			1	, , , , , , ,	
1	bending and placing in position all complete (TMT).	21294.62	Kg	87.18	
	Providing wood work in frames of doors, windows, clerestory		1.0	57.10	
1	windows and other frames, wrought framed and fixed in position				
	with hold fast lugs or with dash fasteners of required dia and length	1			
1	min dash rasteners of required ald and length		_	-	
3	(hold fast lugs or with dash fasteners shall be paid for separately): 2nd				

Head Draftsman

contd. On 3rd

ork :- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost

includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	includes PST, Filter House and Wash water Disposable	Chamber) W	/SS Kota	Satri Shokbab	a.
	F of glazed shutters for doors, windows, clerestory windows using				
	(com (4mm thick) float glass panes including ISI marked M.S.				
	hinges bright finished of required size with necessary screws		1		
- 1	2nd class kail wood)30mm thick	18.926	m ²	3081.90	
- #	F = 30mm thick wire gauze shutters using galvanized MS wire gauze				
- //	of avg width for aperture 1.4 mm in both directions with wire of dia		- 1	1	
	0.63 mm for doors, windows and clerestory windows with hinges and	1			
	necessary screws ISI marked bright pressed finished M.S Butt hinges	1			
/	with necessary screws. Second class kail wood 30mm.	18.976	M ²	2966.35	
	Providing and fixing panelled or panelled and glazed shutters for	10.770		2700.00	_
	doors, windows and clerestory windows fixing with butt hinges of	1		1	ũ
	required size with necessary screws, excluding panelling which will be			1	e e
	paid for separately, all complete as per direction of Engineer-in-	1		1	9
	charge. Second kail wood (30 mm thick shutter)	6.567	M ²	2489.75	
		0.307	-M-	2467.73	چّ
	Pre-laminated particle board with decorative lamination on both	15.00	142	1021.20	
	sides, Grade I, Type II IS : 12823 marked	15.00	M ²	1931.20	٩
	Structural steel work in built up sections, trusses and framed work,		1		7
	including cutting, hoisting, fixing in position and applying a priming			10014	ž
	coat of approved steel primer all complete. Welded.	6721.24	Kg	102.14	š
	Steel work welded in built up sections/framed work, including cutting,		1		5
	hoisting, fixing in position and applying a priming coat of approved		1		as
- 1	steel primer using structural steel etc. as required, chequered plate		1		S
8	wherever required, all complete. In gratings, frames, guard bar,		1		ŧ
	ladder, railings, brackets, gates and similar works. (In gratings,			1	2
	frames, guard bar, ladder, railings, brackets, gates and similar				Ď
	works.)	1697.39	Kg	114.60	¥
	Providing and fixing hand rail of approved size by welding etc. to	1		1	
9	steel ladder railing, balcony railing, staircase railing and similar			1	8
7	works, including applying priming coat of approved steel primer.				₹
	M.S. tube Filter house Hollow pipe 32 Dia.	379.70	kg	172.90	ě
	Supplying and fixing rolling shutters of approved make, made of		•	1	÷
	required size M.S. laths, interlocked together through their entire				9
	length and jointed together at the end by end locks, mounted on				∻
	specially designed pipe shaft with brackets, side guides and				ĕ
10	arrangements for inside and outside locking with push and pull				9
	operation complete, including the cost of providing and fixing				=
	necessary 27.5 cm long wire springs manufactured from high tensile				Ş
	steel wire of adequate strength confirming to IS:4454 part-1 and				ó
	M.S. top cover of required thickness for rolling shutters 80x1.25 mm				d d
	M.S. laths with 1.25 mm thick top cover	8.00	M ²	3238.20	,o
31	Providing and fixing ball bearing for rolling shutters.	4.00	each	483.10	8 %
	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded				
	stone aggregate) finished with a floating coat of neat cement				(9)
32	including cement slurry and curing complete, but excluding the cost of				.0
	nosing of steps etc. complete. 50 mm thick with 20mm nominal size				0
	stone aggregate.	45.00	M ²	505.00	9
	Providing and laying Ceramic glazed floor tiles 300x300 mm				Ď
	(thickness to be specified by the manufacturers) of 1st quality				9
	conforming to IS: 15622 of approved make, laid on 20 mm thick bed				v
33	of cement mortar 1: 4 (1 cement: 4 coarse sand) including skirting in				E
	vertical & pointing the joints with white cement and matching pigment	1			iŧe
	etc., complete In colour such as White, Ivory, Grey, Fume, Red Brown				=
	(as dirrected by the engineer incharge)	229.84	W ₃	1210.66	⋖
	Flooring with marble stone of specified thickness as per sample of				
24	marble approved by Engineer-in-charge, over 20 mm (average) thick	1			
34	base of cement mortar 1:4 (1 cement:4 coarse sand) laid and jointed				
	with grey cement slurry including skirting in vertical, rubbing, polishing				
_	and curing complete with:	73.50	Sqm	6175.39	
	I CEMENT PLASTED WITH A ELMATING COAT OF NEAT CEMENT				
35	CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT		1	1	-
35	15mm Cement plaster on the rough side of single or half brick wall of mix: 1:4 (1 cement: 4 fine sand)		m²	300.45	Λ

Head Draftsman

contd. On 4th

ork :- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	includes PST, Filter House and Wash Water Disposable	Chamber) \	NSS Kol	a Satri Shokbo	aba.
	Cement plaster finished with floating coat of neat cement of				
	1.4() cement: 4 fine sand)	1056.23	m ²	325.45	
	with synthetic enamel paint of approved brand and				1
- 1	-aufacture to give an even shade (two or more coats on new work)	287.02	M ²	121.95	
_ A	Finishing walls with water proofing cement paint of required shade				1
	on New work (two or more coats applied @ 3.84 kg/10sqm)	299.32	M2	91.80	
	Finishing with Epoxy paint (two or more coats) at all locations				1
	prepared and applied as per manufacturer's specifications including				
k l	appropriate priming coat, preparation of surface, etc complete on				
		354.32	M2	188.80	Ι.
	steel works	135.00	M ²	183.43	1 1
0.01	Concrete work	133.00	- M-	163.43	1 :
	Providing and applying white cement based putty of specified				1
40	thickness, of approved brand and manufacturer, over the plastered				
	wall surface to prepare the surface even and smooth complete.	70244	112	120.50	ني ا
	1 mm thick	783.64	M2	129.50	
	Providing and fixing aluminum handles ISI marked anodized (anodic				4
41	coating not less than grade AC 10 as per IS: 1868) transparent or	1		1]
-1	dyed to required colour and shade with necessary screws				1
	etc.complete 125mm	60.00	No	66.35	1 1
.01	100mm	65.00	No	52.30	1 1
	Providing and fixing aluminum tower bolts ISI marked anodized				1
42	(anodic coating not less than grade AC 10 as per IS: 1868)		1		(
42	transparent or dyed to required colour or shade with necessary				-
	screws etc. complete :- 150x10 mm	75.00	No	80.35	
2.02	100x10 mm	120.00	No	57.35	
	Providing corrugated G.S sheets roofing fixed with playmercoatd J				1
	or L hooks, nuts & bolts 8mm dia with bitumen and G.I limpet washers				
12	filled with white lead and including a coat of approved steel primer				1
43	and two coats of approved paint on overlapping of sheets complete	f I			7
	(upto a pitch of 60 degrees) excluding the cost of purlins, rafters and	i.			
	trusses. 0.50 mm thick with zinc coating not less than 275 gram/m2	125.00	m ²	830.25	4
	Providing ridges or hips width 60mm overall of G.S sheets fixed with				3
44	polymer coated J or L hooks nolts and nuts 8mm dia G.I Limpet and				-
	bitumen washers complete. 0.50 mm thick with zinc coating not less				
	than 275 gram/m2	27.18	Rm	626.70	9
45	Providing and fixing plained eaves boarding. 2nd class kail wood				1 7
3	300x40 mm (nominal size)	44.05	Rm	998.85	
46	Providing and fixing of 0.5mm Color GS Sheet Soffit boarding		-=:		
	including Backing, supports etc complete job	33.04	Sqm	600.00	1
	Providing and fixing glazing in aluminum door, window, ventilator				%
	shutters and partitions etc. with EPDM rubber / neoprene gasket etc.	,			α
47	complete as per the architectural drawings and the directions of				(6
	engineerin-charge. (Cost of aluminum snap beading shall be paid in				
	basic item.) With floating glass panes of 4.0 mm thickness (weight not				1
	less than 10.00 kg / sqm)	20.00	M ²	1072.17	i
	Providing & fixing of PVC under drainage laterals with specifications				9
40	conforming to IS-4985 & IS-15801, 8mm thick fabricated out of				7
48	approved make with nominal dia of 9mm perforations as per design				
	of bed provided at 60 degrees along with PVC Tees and end caps		0	1 422 22	Ĕ
48.01	grouted in concrete, the pressure rating of 10kg/sq cm 75 mm dia	121.00	Rm D	1420.00	9
3.5	- Sommada	5.00	Rm	1990.00	-
	P/F of air blower standard make ISI mark capable of providing				A
	compression @ 15cum per minute @ 0.35 kgs/sqm suitable 3 phase induction electric moster 40hp Kislashas/ Compton Grayer make				
49		•			
	complete with auxiliary pipe system upto filter beds (two nos) filling pressure gauge Nozzles, cement concrete, block base plate air check				
	the state of the s			87500.00	
		1 100	3.01		
	valve, non return valve. (4.20 KLPM Air blower with 5.0 HP Motor.)	1.00	Set	0,000.00	
50	Providing, fitting, testing and commissioning of following items for Chlorine Dosing Unit- Mixing device with reduction gear system				
50.0	Providing, fitting, testing and commissioning of following items for Chlorine Dosing Unit- Mixing device with reduction gear system		Set No	2500.00 3400.00	٨

Head Draftsman

contd. On 5th

ork: "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	includes PST, Filter House and Wash water Disposable	Chamber) V	NSS Kote	a Satri Shokbaba.	
	welet overflow system with fittings upto point of application.	1.00	Lot	530.00	
	ter along with necessary wiring upto motor	1.00	No	1680.00	
	50 mm dia Drain out let	1.00	Lot	1350.00	
	andia service water piping	1.00	Lot	530.00	
- 41	tent dozing unit with time device	1.00	Set	1500.00	
	titing, testing and commissioning of following items for I				
	Dosing Unit- Mixing device with reduction gear system.	1.00	Set	2500.00	
1	3-phase electrically driven motors: 1.0 HP	1.00	No	4800.00	
-	Foundation / Base plate	1.00	Set	1680.00	,
03	Starter along with necessary wiring upto motor	1.00	No	1000.00	
-	P.V.C outlet, overflow system with fittings upto point of application	1.00	Lot	530.00	:
-	150mm dia drain out let	1.00	Lot	1350.00	
-	50 mm dia Service water piping.	1.00	Lot	530.00	1
-	Constant dozing unit with time device	1.00	Set	1500.00	,
_	Manually operated hoist	1.00	Set	10000.00	
.08	Providing/ Fixing, installation, successful commissioning of double			5	+
52	flanged MS pipes/specials to be fabricated from MS tube heavy quality nominal thickness 6mm, conforming to relevant Indian Standard IS-1239 and/or IS 1161 read with up to date amendments. The pipe material should be of standard quality and must withstand all the anticipated design pressure ratings. The work should be leakproof and should be painted with anti corrosive red oxide primer. Complete Job. (150mm dia/200mmdia) subject to			offed rates as	
	actual	317.95	Kg/mtr	147.00	,
3	with rubber insertions, bolts, nuts, extention road joint connector supporting pedestal with base plate etc (the tail pieces if required will be paid separately). Confirming to IS: 14846 read with latest amendments. 200mm dia	1.00	No	42300.00	
.01	150mm dia	8.00	No	26720.00	•
.02	80mm dia	1.00	No	14058.00	:
54	Providing and fixing D.I. sluice valves of rating (PN-1.6) class -lst (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments. 200mm dia	2.00	No	31698.00	
.01	150mm dia	6.00	No	20243.00	2
.02		2.00	No	10815.00	
1.03		1.00	No	13164.00	9)
55	P/F testing and commissioning of MS Rotating Desludging Bridge comprising of following items: Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete for the Installation Testing and Commissioning of Half Bridge with Central Drive mechanism, scrapper and churners for required diaClarifer. Welded	1500.00	Kg	102.14	200
56	Central axle turn table with double bearing and guide for incoming cable.	2.00	Set	4800.00	
57	Peripheral drive assembly with following motors, gear box, rollers, drive trolly(60:1 reduction gear box). Pumping unit with 5.0 HP Motor.	1.00	Set	24268.00	
7.01		1.00	No	1680.00	
57.03	ti i i i i i i i i i i i i i i i i i i	1.00	No	7300.00	
	Incoming cable, telescopic electric pole with rotary current collector				

Head Draftsman

contd. On 6th

ork :- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	includes PST, Filler House and Wash water Disposable	Chamber)	M22 KO	a Safri Shokbe	ıba.
	pply installation and successful testing and commissioning of mono				
	I rumping unit standard make 151 mark coupled with 2 phase				
	nduction motor with appropriate pumping capacity so as to fill the				
- 1	within the max, of 2 hours with nominal dynamic head of 25m				
	with all accessories like foot valves, non- return valves,				
	foundation block, base plate, suction pipe, suitable rising main with				
	cominal dia 50mm (class-B) with heavey duty valves and other				
	accessories required for the job. (Pumping unit with 5.0 HP Motor.)	1.00	Job	20268.00	
1	Providing fitting testing and commissioning of following items for				1
1.	Flash Mixer: Mixer device with reduction gear system 3-phase				_
80	Electrically driven motor: 1.0 HP	1.00	No	4800.00	<u> </u>
	Foundation / base plate	1.00	Set	4548.00	ē
	Starter along with necessary wiring upto motor	3.00	No	1680.00	5
	P/f testing and commissioning of drive assembly unit for churners of	3.00	1.5	1000.00	9
	floculator with 3 phase induction motor 2HP capacity with Radicon				<u>غ</u>
	reduction gear system and paddle set fixed on C/C bae with base				>
		1.00	ich	12500.00	
	plate Some big and fixing of 25mm dia modium alors PVC conduit along	1.00	job	12300.00	7
	Supplying and fixing of 25mm dia. medium class PVC conduit along				, ž
61	with accessories in surface/recess including cutting the wall and	1.50.00	0	102.50	ž
	making good the same in case of recessed conduit as required.	150.00	Rm	103.50	5
	Providing and carrying out wiring for light point/ fan point/ exhaust				as
	fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper				y y
	conductor single core cable in surface / recessed medium class PVC				at e
62	conduit, with modular switch, modular plate, suitable GI box and				2
	earthing the point with 1.5 sq.mm FRLS PVC insulated copper				<u> </u>
	conductor single core cable etc. as required. (excl. cost of			00155	≝
	conduit)Lighting points	30.00	point	824.55	_ ≗
	Providing and carrying out wiring for twin control light point with 4.0				٥
	sq.mm FRLS PVC insulated copper conductor single core cable in				-
63	surface / recessed medium class PVC conduit, modular plate, suitable				Se 1
	GI box and earthing the point with 2 sq.mm FRLS PVC insulated				' =
	copper conductor single core cable etc. as required. (excl. cost of	7.00		101555	ē
	conduit)	7.00	point	1215.55	6
	Providing and carrying out wiring for heating points with 4.0 sq.mm				8
	FRLS PVC insulated copper conductor single core cable in surface /				l e
64	recessed medium class PVC conduit, modular combined S&S 16Amp				
	along with modular plate, suitable GI box and earthing the point with				Š
	2 sq.mm FRLS PVC insulated copper conductor single core cable etc.	10.00	No	1300.00	þ
	as required. (excl cost of conduit) Heating points	10.00	140	1300.00	0
	Providing and carrying out circuit/ submain wiring along with earth				8 %
65	wire with the following sizes of FRLS PVC insulated copper conductor,				œ
	single core cable in surface/ recessed medium class PVC conduit as	200.00	Mtr	230.00	(9)
	required (excl. cost of conduit) 2x4sq.mm +1x4sq.mm earth wire	200.00	Mil	230.00	
	Supplying and fixing suitable size GI box with modular plate and				i i
66	cover in front on surface or in recess, including providing and fixing 6				<u> </u>
	pin 5/6A & 15/16 A modular socket outlet and 15/16 A modular	10.00	No.	569.25	9
	Supply and fixing of two module stapped type Flectronic Fon		140.	307.23	-
67	Supply and fixing of two module stepped type Electronic Fan regulator on the existing modular plate switch box including	ı			¥
	connections but excl cost modular plate etc., as required.	4.00	No.	393.30	ı E
	Supplying and fixing single pole 5 A to 32 A rating, 240V, 10 kA,		140.	373.30	<u>ē</u>
	"C" curve ministure circuit brooker cultable for industive load in the	1	1		=
86	MCB DB complete with connections, testing and commissioning etc. as	1			Ā
	required.	12.00	No.	228.85	
	Supplying and fixing double pole 63 Amp 240V, 10 kA, "C" curve,		1,10.	220.03	
69		1			
	complete with connections, testing and commissioning etc. as required.	3.00	No.	442.75	
70	Supplying and fixing 2 pin 5 A salting ages on the syleting burstion		1.10.		
	box/ wooden block including connections etc. as required	4.00	No.	74.75	
71	Supply of 24-Watt LED slim aluminum panel surface type complete le		1	, 4., 5	\wedge
	all respects.	6.00	No.	600.00	
	30Xm				V

Head Draftsman

contd. On 7th

rk:- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	Includes 151, 1 met 1100se and Wash water Disposable	Chamber)	M 22 K 01	a Sairi Shokbaba.
	ply of 1200 mm sweep Ceilling Fans complete in all respects.	0.00		
	firming to relevant Indian Standards.	2.00	No	2125.00
	apply of 200 mm nominal sweep Exhaust Fans including shutter from			
	outside complete.Confirming to relevant Indian Standards incl			
- 1	installation of exhaust fan in the existing opening, including making			
/	good the damage, connection, testing, commissioning etc. as required.	3.00	No	1550.00
I	installation, testing and commissioning of pre-wired, fluorescent			
	fitting/ compact fluorescent fitting of all types, complete with all			
	accessories and tube/lamp etc. directly on ceiling/ wall, including			
	connections with 1.5 sq. mm FRLS PVC insulated, copper conductor,			
/	single core cable and earthing etc. as required.	20.00	No.	193.20
	Installation, testing and commissioning of ceiling fan, including wiring			
75	the down rods of standard length (up to 30 cm) with 1.5 sq. mm FRLS			
	PVC insulated, copper conductor, single core cable etc. as required.	2.00	No.	196.65
	Installation of exhaust fan in the existing opening, including making			
7.6	good the damage, connection, testing, commissioning etc. as required.	3.00	No.	417.45
	Supplying and fixing 12-way double door, single pole and neutral,			
	sheet steel, MCB distribution board, 240 V, on surface/ recess,			
	complete with tinned copper bus bar, neutral bus bar, earth bar, din			
	bar, interconnections, powder painted including earthing etc. as			
	required. (But without MCB/RCCB/Isolator)	3.00	No.	2360.95
	Providing, fitting and testing of LED flood light IP65 30W rating to	•		
/H 1	pre-wired electric points on the outside of the Filter House building.	8.00	No	1500.00
	Providing and laying of armoured cable 95mm, 3.5 core for main		1	
	service line of reputed make in P.V.C pipes of required dia to			
9	accommodate the service line including bends etc., from main			
	transformer to the main panel board including copper thimbles, earth			
	work excavation and filling for laying of cable complete.	25.00	Mtr	325.00
_	Providing and fitting at site 3-phase, Voltage stabilizer of following		1	
	ratings, oilemersed, of standard make and quality including			
0	accessories as required. The job includes making of connections with			•
	main panel board and service line. To be paid in fitted and finished			
	form after testing on full load capacity, complete job. 25 KVA	1.00	Job	42000.00
-	Providing and fitting of panel board with angle iron supports and		700	12000.00
	A.C. sheets for fixing of MCCB, change over switch, bus bars etc. The			
31	job includes nuts bolts and embedding of supports in cement concrete			
	blocks complete job.	3.00	Job	4250.00
	Providing and fitting of: 100 Amp 4 pole change over of reputed		700	1250.00
82	make.	1.00	No	7598.00
2.01		2.00	_	
	100 Amp-Copper bus bar	+	No	4550.00
2.02	100 Amp MCCB	2.00	No	3300.00
2.03	63 Amp MCCB	5.00	No	2700.00
2.04	40 Amp MCCB	2.00	No	2100.00
2.05	16 Amp MCCB	4.00	No	1250.00
2.06		8.00	No	630.00
2.07		·		
2.08		12.00	No	445.00
2.00		3.00	No	1190.00
	Providing and laying/fixing S&S Centrifugally Cast (Spun)/ Ductile			
24.7	Iron Pipes Class K-7 conforming to IS: 8329.			
83	A PROPERTY AND A STATE OF THE S	15.00	Mtr	1947.00
	150mm dia washout in pipe gallery	30.00	Mtr	1581.25
	150mm dia washout in pipe gallery Providing and fixing G.I. pipes complete with G.I. fittings excluding		Mtr	1581.25
83.01 84	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (B medium). 50mm dia nominal bore		Mtr	559.35
83.01	Providing and fixing G.I. pipes complete with G.I. fittings excluding trenching and refilling etc. (B medium). 50mm dia nominal bore			

Head Draftsman

contd. On 8th

- "Construction and successful testing and commissioning of 0.10 MGD Rapid Sand Filtration Plant (Cost includes PST, Filter House and Wash water Disposable Chamber) WSS Kota Satri Shokbaba.

	(Allotted rate @ 8%	above on a	all iten	ns of work)	10,41,491.00
00.00				TOTAL	1,30,18,640.00
86.05	Bricks for 80 Km's.	15339.10	No	2.66	
86.04	Structural steel for an avg. lead of 15 Km.	8.81	MT	249.65	ab All
85.03	40mm Aggregrates for 50 Km's	13.78	m ³	761.25	= > %
	20mm Aggregates for 50 Km's	274.17	m ³	700.37	e t es
85.01		162.38	m ³	650.69	ems the
F°	stacking :- Cement / Steel for an avg. lead of 15 Km.	165.12	MT	303.64	2 B 6
	mechanical transport including loading, unloading and				ly e
	Carriage of materials from source to road site of work by				
-	220 mm dia	5.00	No	3480.00	paid tised,
	150mm dia	10.00	No	2150.00	_ 4
	100mm dia	15.00	No	1520.00	@ <u>e</u> g
	all sorts of carriage complete job:- 80mm dia.	5.00	No	1100.00	8% llotted gency
	anged G.1 / D.1 pipes incia. Curring of pipes, welding charges				ું હું ડ્ર
	oviding and fixing of MS flanged joints 12mm thick to double				

Rs.1,40,60,131.00

(Rupees One Crore Forty Lac Sixty Thousand One Hundred Thirty One only)

(Allotted rate @ 8% above on all items of work)

Head Draftsman

Executive Engineer PHE (Hyd) Division **Bandipora**

ANNEXURE "B"

and Successful Testing and Commissioning of 0.10 MGD Rapid Sand Filtration Plant (cost includes PST, Filter Wash Water Disposable Chamber) WSS Kota Satri Shokbaba under JJM

AND CONDITIONS

the work shall be executed strictly as per approved design / drawing, specifications and JJM Guidelines. Any deviation or change in proposal/location is subject to the prior approval from the competent authority.

The rates allotted are inclusive of all taxes applicable as per norms amended by competent authorities from time to time. Labour cess and royalties shall have to be borne by the executing agency/contractor.

The execution of work shall be subject to check by the third party monitoring agency (TPIQM) appointed by the Department

No liability should be created on this account.

- This letter of allotment will constitute a legal contract between the government and the contractor and the conditions as laid down in the master NIT for 2021-2022 and PWD Form No. 25 (Double) will also hold good even before the drawl of an agreement between the Government and the contractor.
- That the date of start of the work shall be reckoned within two days from the date of issue of Letter of Intent issued vide this office No PHE/Hyd/Bpr/JJM/3202-13 dated 21/07/2022 and 06. in case of delay on the part of the contractor in execution of the work within stipulated time of completion a penalty upto 10% of contract value shall be imposed upon him.
- The total amount of work should not exceed Rs.1,40,60,131.00 in any case. 07.
- The bidder shall furnish a performance security equivalent to 03% of the value of the contract within one week of the issuance of allotment order in the shape of CDR/FDR/Bank Guarantee, 08. valid for a period of 24 Months, which shall be released after successful fulfilment of the laid down conditions in SDB/E-NIT.
- In case the contractor fails to execute the work, the work shall be put to fresh tenders on the risk and cost of the contractor & the excess cost if involved shall be recovered from the contractor 09. and strict action as warranted under contractual obligation shall be taken against the defaulter
- The time of completion of the work is reckoned 150 Days (One Fifty Days) as per the condition 10. laid down in the e-NIT.
- The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of subject work. If during warranty period any malfunctioning/ defects arise, the firm shall have to rectify the same within a period of ten days of receipt of intimation. In case of any failure on the part of the firm to remove the defect, the department may get the defects removed/repaired by any other agency and cost thereof shall be recovered from the Im and shall be recommended for further punitive action as governed under the relevant clause of the contract including blacklisting
- After testing and commissioning of work, the bidder will have to make a trial run of the work for a period of 03 months during which the bidder will have to operate and maintain the executed work to the full satisfaction of the Department
- The defects Liability period shall be for a period of 12 Months which shall commence after the successful completion of Trial run. The bidder shall be 13. responsible to make good & remedy at his own expense any defect in works which is noticed during the DLP. In case any defect remains unattended by the firm at the completion of DLP, the department may extend the DLP for such time as deemed fit for getting the defect rectified subject to a maximum ceiling of 6 Months
- In the event of allottee failing, declining, neglecting or delaying the supplies / works or in the event of any damage occurring or being caused by the allottee or in the 14. event of any default or failure by the allottee in complying with any of the terms and conditions of the contract, the Department shall with or without prejudice to any other remedies available to it under any law for the time

Allotment JJM 2021-2024

*# - * - * 1/M 2023-2024 Scanned with CamScanner enforce in the UT:
erminate the contract after 15 days' notice
and/or

Recover the amount of loss caused by damage, failure or default, as be determined by the department.

and/or

c). Recover the extra cost, if any, involved in allotting contract to other party.

d). Impose Liquidated damages on account of delay beyond the schedule completion period to the tune of 0.5% of the delayed portion of contract every week but not exceeding 10% value of the contract.

and/or

- Any failure or commission to carry out the provision of the contract shall not give rise to any claim by the department or bidder one against the other if such failure of commission arises from the 'ACT OF GOD' which shall include all natural calamities such as fires, floods, earthquake, hurricane, strikes, riots, embargoes or from any political or other reasons beyond the control of the parties including war, or a state of insurgency
- 16. In the event of the death or insanity or insolvency or imprisonment of the bidder or where the bidder being a partnership or firm becomes dissolved or being corporation goes into liquidation, voluntary or otherwise, the contract may, in the option of the Engineer-in-charge, be terminated by notice in writing posted at the site of the works
- 17. The bidder should ensure the safety of the water supply lines, sewer lines, telephone cables, power cables, storm water drains etc., pipe laying alignment and, if any damage occurs during execution it should be attended immediately at the cost of the bidder. Failing to attend immediately, the same will be got done by the Department at the risk and cost of the allotee
- 18. All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract are the responsibility of the Bidder
- 19. The bidder shall not sublet the whole or part of the work. The bidder shall not assign the work or any part thereof or any benefit or any interest thereon or any claim arising of the contract, without prior written consent of the allotting authority
- 20. From the commencement of the work to the completion thereof the same shall be under the bidder's charge. The bidder shall be held responsible for and make good any loss or injuries by fire or other causes / theft and shall hold the Government harmless for any claims for injuries to persons or damage to property happening from any neglect, default, want of proper care and misconduct on the part of the bidder, or any of his employees, during the execution of work. The bidder shall be responsible for the compensation if any, to labour under the existing labour laws of the country
- 21. The bidder shall make his own arrangements for the engagement of all types of the labour, required for the execution of the job. No workman below the age of 18 years shall be employed on the works. Also the bidder shall comply with the provisions of all labour laws and the rules framed there under
- 22. The bidder shall at his own cost make arrangements for proper storage especially towards Rain and Snow damages of the equipment/ materials at sites till its erection/completion. For the purpose the bidder shall, with the approval of Engineer in charge construct temporary storage accommodation for equipment/ material at site for which land shall be provided by the department near the site of work
- 23. The bidder shall in connection with the work provide and maintain at his own cost all lights, guards, fencing and watching, when and where necessary or required by the Department for the protection of the work or safety and convenience of the Public etc

bidder/firm shall make his own arrangement, at his own cost, for all lines, ividual power points, etc. to the machinery and plant required by him for the ection, testing and commissioning of the equipment ordered on him. The bidder hall pay for all electrical energy consumed by him for this purpose at the evalent electricity tariff in J&K State. Such charges shall be paid by the bidder/firm directly to the Power Corporation and the bidder's final bill shall be settled only after he gets a no outstanding certificate from the concerned Electric Division.

The Division shall not be responsible, and the bidder shall have no claim whatsoever for any interruption in power supply or voltage fluctuation or total cut off at the site. The bidder/firm must provide an alternative source of power, at his own cost, at the site for completion of the work. The bidder shall make his own arrangements for water to be used for the execution/Hydro-testing/ water tightness Test/ Curing, labour colony, Site Office etc

- 25. Forfeit the performance security and blacklist the firm
- 26. Geo Tagged Photographic evidences of the work; pre-execution, during execution and post execution should be maintained by the agency on his own expenses
- 27. The executing agency/contractor must execute the work as per the requirements/specifications detailed in the relevant/applicable IS codes
- 28. The tests for concrete and allied materials shall have to be carried out at reputed institute as per directions of Engineer in-charge and the charges for the same shall have to be borne by the executing agency/contractor
- 29. All Environmental norms, labour laws and all other guidelines issued by competent authorities shall be followed in letter and spirit
- 30. The payment of work shall be made as and when the funds are available to the tune within available provision of DPR by the competent authority under the proper scheme/ account head.
- 31. As soon as letter of award is communicated to the firm, the contract shall be complete and binding upon them, the bidder/firm shall also be required to execute an agreement with the competent authority within seven days from the date of issue of letter of award. Failure to execute such an agreement in time shall not however, prevent this contract from being enforced against the firm and the date of delivery of the material/completion of works shall be reckoned from the date of issue of the letter of award in favour of successful firm.
- 32. Nothing shall be paid to the contractor on account of dewatering/diversion even if involved at site of work.
- 33. If the Contractor have not start the work within 15 days of issuance of this letter of intent, the contract shall be cancelled at the risk and cost of contactor without serving any notice. The Assistant Ex. Engineer concerned shall intimate this office regarding the same.

34. All other terms and conditions as laid down in Master E-NIT, Tender documents and

PWD form 25 shall remain in force.

Technical Officer

PHE (Hyd) Division

Allotment IJM 2023-2024