

Office of the Executive Engineer R&B Div Tangdar

Email Address: xenssdt@gmail.com

Mr. Bagh Hussain Shah

S/o. Kh Maskeen Shah
R/o Chamkote

Reg No: CE(R&B)K-03/2008-09
GSTIN: 01BCXPS1075D1ZK
Mob No: 8899857303

No: 5788-98
Dated: 22-11-2023

Subject: Const. of SRs (02 no 0.21ac GIns, 02 no 0.161ac GIns, 01 no 0.101ac GIns), Collection Chambers (04 No), Sluice Chamber (05 No), Spring Protection (11 No), Crude Filter(01 No), Chain link fencing etc at Seemari, Teetwal, Dringla, Ibkote, Chamkote- Chitterkote, Kadham

Under WSS seemari

Ref:

1. Revised DAP approved and issued under No: DDCK/PLG/JJM/4465-85 dtd: 14.07.2022
2. DPR appraisal committee meeting held on 8th Feb 2022 issued under CE/PHE/DB/44620-41 Dtd: 12.03.2022
3. Accord of Administrative approval accorded by Chief Engineer PHE DEptt. Kmr Order No. CE/PHE/DB/249 of 8/2022 dtd: 31.08.2022.
4. Technical Sanction issued by Chief Engineer PHE Deptt Kmr Order No CE/PHE/DB/255 of 8/2022 dtd: 31.08.2022.
5. This office 10 the Fresh E-NIT No. 124 of 2023-24, Dated: 02.09.2023, issued under endstt. No. 3845-52 Dt. 02.09.2023
6. Your tender received in response to this office E-NIT No. 124 of 2023-24
7. District Development Commissioner Kupwara's Authorization No: DDCK/PLG/JJM/6622-27 Dated: 31.10.2023.

Adv. Cost 107.23 Lacs
Alloted Cost: 115.80 lacs

For and on behalf of Lt. Governor of Union Territory of Jammu & Kashmir, the above noted work is hereby allotted to you on following negotiated rates which are @8% on advertised rates

S.No	Particulars of Items	Unit	Qty	Estimated Rate	Alloted Rate @8%	Amount
1	Earth work in excavation by mechanical means in trenches for foundations, drains, pipes, cables etc. All kinds of soil	Cum	1049.61	188.75	203.85	213963.00
2	Ordinary rock	Cum	537.19	378.35	408.62	219505.50
3	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed in:-All kinds of Soil	Cum	125.53	436.00	470.88	59109.57
4	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed in:-Ordinary Rock	Cum	10.4	841.60	908.93	9452.85
5	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material :Addl 1 lift All kinds of Soil	Cum	279.25	81.65	88.18	24624.82
6	Ordinary Rock	Cum	129.24	146.45	158.17	20441.37

OK

BB

7	Addl 2 lift All kinds of Soil	Cum	168.2	163.30	176.36	29664.42
8	Ordinary Rock	Cum	72.8	292.90	316.33	23028.97
9	Providing and laying dry stone soling hand packed tightly including cost of 50-200mm nallah boulders	Cum	82.06	678.04	732.28	60091.16
10	Providing and laying in position cement concrete of specified grade including curing butexcluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 mix (1 Cement: 4 Course Sand : 8 graded crushed stone agg 40mm nominal size)	Cum	58.61	4861.84	5250.79	307748.64
11	Providing and laying in position cement concrete of specified grade including curing butexcluding the cost of centring and shuttering. All work upto plinth level with: 1:2:4 mix (1 Cement: 2 Course Sand : 4 graded crushed stone agg 20mm nominal size)	Cum	80.87	6465.20	6982.42	564667.98
12	Providing and laying in position Reinforced cement concrete of specified grade including curing butexcluding the cost of centring and shuttering. All work upto plinth level with: 1:1.5:3 mix (1 Cement: 3 Course Sand : 3 graded crushed stone agg 20mm nominal size)	Cum	82.6	7801.00	8425.08	695911.61
13	Reinforced cement concrete work in walls (any thickness) including attached pillars, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement.1:1.5:3 mix.	Cum	123.8	9408.14	10160.79	1257905.95
14	Reinforced cement concrete work in suspended floors, roofs having slope upto 15°, beams etc upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	21.66	9849.35	10637.30	230403.87
15	Reinforced cement concrete work in arches, arch ribs, domes, vaults shells, folded plate and roofs having slope more than 15° upto floor five level level including curing but excluding the cost of centering, shuttering finishing and reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	15.44	10404.50	11236.86	173497.12
16	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level	Kg	22272.5	87.18	94.15	2097053.87
17	12 mm thick Cement plaster 1 : 3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement	Sqm	1835.51	378.12	408.37	749566.48
18	Random Rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1:6:12 (1 Cement : 6 coarse sand : 12 graded stone aggregate 20mm nominal size) upto plinth level and curing complete with: Cement mortar 1:6 (1 Cement : 6 coarse sand) Excluding Cost of Stones	Cum	44.55	4878.77	5269.07	234737.14

17

19	Providing and laying 50mm thick DPC 1:2:4 (1 Cement : 2 Coarse Sand : 4 graded sstone agg) (Crushed)	Sqm	0.18	410.13	442.94	79.73
20	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations	Sqm	50.6	262.30	283.28	14334.17
21	Walls	Sqm	1543.66	573.85	619.76	956695.63
22	Beams	Sqm	58.1	502.85	543.08	31552.83
23	Suspended Floors	Sqm	109.45	635.60	686.45	75131.73
24	Columns	Sqm	25	680.15	734.56	18364.05
25	Domes exceeding 6 Mtr Span	Sqm	145.64	3095.25	3342.87	486855.59
26	Edges of slabs and breaks in floors upto 200mm thick.	Sqm	259.5	242.30	261.68	67907.00
27	Extra for Centering and shuttering in Circular Foundations	Sqm	36	52.46	56.66	2039.64
28	Walls	Sqm	597.65	114.77	123.95	74079.67
29	Beams	Sqm	58.1	100.57	108.62	6310.57
30	Laying and fitting of G.I. Pipes in trenches with flanged joints including cost of MS Flanges, nuts, bolts etc but excluding cost of earth work and pipes. 100mm dia	Mtr	60	107.70	116.32	6978.96
31	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc, in layers no exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5m	Cum	519.87	198.70	214.60	111562.02
32	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	Kg	1800	63.69	68.79	123813.36
33	Providing PGI Sheet for Construction Joints 0.63 mm thick including all carriages	Sqm	130.37	750.00	810.00	105599.70
34	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel as required in gratings, frames, guard bars, ladder, railings, brackets, gates and similar works.	Kg	1195	146.63	158.36	189240.68
35	Structural Steel Work in built up sections in trusses, and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Riveted and bolted)	Kg	2187	105.76	114.22	249800.89
36	Structural Steel Work in built up sections in trusses, and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Welded)	Kg	455	102.13	110.30	50186.68
37	Providing and fixing G.I. Chain Link fabric fencing of required width in mesh size 50 x 50mm Including strengthening with 2mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer - In- Charge made of G.I. Wire of dia 4mm.	Sqm	192	806.85	871.40	167308.42



38	Providing and fixing 1mm thick MS sheet Door with frame of 40x40x6mm angle iron and 3mm MS Gusset plates at the junctions and corners, all necessary fitting complete including applying a priming coat of steel primer, using flats 30x6mm for diagonal braces and central cross pieces.	Sqm	30	4788.25	5171.31	155139.30
39	Painting with synthetic enamel paint 2 coats.	Sqm	155	134.15	144.88	22456.71
40	Providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including setting in position in cement mortar 1:3 (1 cement :3 coarse sand) including the cost of required centering, shuttering and curing but excluding cost of reinforcement with: 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	0.28	9036.31	9759.21	2732.58
41	Supplying, Cleaning, Washing laying and levelling selected nallah boulders 50 to 150mm size in layers as per the direction of Engineer Incharge including all carriages and head loads etc complete	Cum	8.1	1500.00	1620.00	13122.00
42	Supplying, Cleaning, Washing laying and levelling selected nallah aggregate 12 to 20mm size in layers as per the direction of Engineer Incharge including all carriages and head loads etc complete	Cum	2.7	2000.00	2160.00	5832.00
43	Providing and fixing 100mm dia sluice valve	No	10	18000.00	19440.00	194400.00
44	Providing and fixing 80mm dia sluice valve	No	4	12000.00	12960.00	51840.00
45	Providing and fixing 65mm dia sluice valve	No	6.7	10000.00	10800.00	72360.00
46	Demolishing of RR Masonry 1:6 mix incl staking of serviceable material and disposal of unserviceable material within 50m lead	Cum	140	1741.35	1880.66	263292.12
47	Carriage of materials from source to road site of work by Mechanical Transport including loading unloading and stacking complete. Cement and Steel 15 Km's	MT	170.76	303.65	327.94	55999.38
48	Stones/ Soling Stones 7 Km's	Cum	99.67	277.77	299.99	29900.16
49	Sand 7 km's and 20mm crushed aggregate	Cum	482.82	236.11	255.00	123118.52
50	Crushed Aggregate 40mm nominal Size 7 Kms	Cum	65.26	256.63	277.16	18087.49
51	Carriage of 125/100mm Dia D.I/G.I Pipes from divisional store avg 15Kms	HMtr	0.6	303.65	327.94	196.77
52	Carriage of materials from road site upto actual site of work by manual means (Head Load) avg 1000 mtrs including loading unloading and stacking complete. Cement	MT	115.15	460.46	497.30	57263.73
53	Steel	MT	22.26	989.14	1068.27	23779.72
54	Stones / Soling	Cum	99.67	1268.43	1369.90	136538.37
55	Sand and 20mm Crushed agg	Cum	482.82	1078.22	1164.48	562233.07
56	40mm crushed aggregate	Cum	65.26	1165.59	1258.84	82151.72
57	G.I Pipes above 125/100mm dia	HMtr	0.6	1111.04	1199.92	719.95

Rupees one crore fifteen lacs and eighty thousand

Total 11580379.25


Xem

TERMS & CONDITIONS:

- 1 The contractor shall draw agreement with the Executive Engineer R&B Div.Tangdar within a period of 07 days from the date of issue of allotment order and failing to execute such an agreement in time shall not however prevent this contract being enforced against the contractor and the conditions laid down in the SBD shall hold good even before drawal of formal agreement.
- 2 The work shall have to be executed strictly in accordance with the approved proposals and specifications of the sanctioned estimates
- 3 The date of start of work shall be reckoned from the date of issuance of allotment order subject to the working weather conditions
- 4 It shall be mandatory for the executing agency / contractor to ensure safe and adequate supply of electricity required for all the workmen skilled / unskilled deployed at site of work.
- 5 Suitable arrangement for supply of potable water at site of work for all the workmen skilled/unskilled be made by
- 6 Arrangement for sufficient sanitation facility at site be ensured by the executing agency / contractor for all the workmen to be mobilized at site besides , saperate toilet facilities be provided for female workers at the site of work
- 7 Performance security equivalent to 03% of the value of the contract i.e Rs. 321690 valid in accordance with bid condition shall have to be furnished by you in shape of CDR/FDR/Bank Gurantee within one week of the date of issuance of allotment order or at the time of signing of agreement whichever is earlier.
- 8 Insurance cover as admissible under rules shall be provided to all workers / skilled / unskilled deployed at site and the necessary premiums shall be borne by the executing agency / contractor itself.
- 9 Payment are subject to the recommendations of the third party verification agency (M/S WAPCOS Ltd) or any other agency engaging by the Govt for the purpose.

TIME OF COMPLETION

The work shall be completed within a period of (90 working Days) after the date of issue of allotment. In the event of the contractor failing / declining /neglecting /causing delay in the execution of the work, penalty to the extent of 10% of the allotted amount shall be imposed on the contracor and the work shall be got executed departmentally or through any other agency at the risk and extra cost of the contractor. besides action under rules for black listing of the contractor shall be taken up by the department.

EARNEST MONEY :

The CDR/FDR bearing No.642087, Dated.21.11.2023 for an amount of RS.321000 & No: 3647082 dtd: 21.11.2023 Rs. 700/- from Bank Jammu & kashmir bank BO Tangdar pleged to Executive Engineer Spl Sub Division Tangdar shall be retained in this office till successful completion of the above mentioned work after the expiry of the Defective Liability Period (D.L.P)

ADVANCE PAYMENT :

No mobilization advance or advance payment shall be made to the allottee (Contractor)

GENERAL :


All other terms and conditions as laid down in the E-NIT No.124 of 2023-24, dt 02.09.2023, issued under endstt. No..3845-52 Dt. 02.09.2023, from this office shall be binding on the contractor.



Head Drafts man



T.O



Executive Engineer
Spl Sub Div Tangdar

Copy to the:-

1. Chief Engineer Kmr PHE Department Srinagar for information.
2. District Development Commissioner Kupwara (Chairman DJJM Kupwara) for favour of information.
3. District Superintending Engineer Hydraulic Circle Kupwara HQ- Kupwara (Secretary DJJM Kupwara) for favour of information
4. Technical officer to Chief Engineer JSD (PHE) Kashmir for favour of information to Chief Engineer.
5. Team Leader WAPCOS Kupwara for information & necessary action.
6. AEE PHE Sub-Division Tangdar for information. He is directed to get the work executed as per approved drawings / Specifications within allotted cost.
7. HD/AAO / Divisional office for information & record.
8. File Concern.