

Jammu & Kashmir

OFFICE OF THE EXECUTIVE ENGINEER PHE DIVISION SOPORE

M/s Basharat Ali
 S/o: Ali Mohd Peer
 R/o: Thindma Kreeri
 Reg. No.: PWD JNK-CONT-2023-505193
 E-Mail: Basharatali007786@gmail.com
 GST No: 01AILPA6460DIZV

No:- 12146-52
 Dated:- 04-03-2024
 Advt. Cost: Rs.55.52 lacs
 Allott. Cost: Rs. 55.52 lacs
 Time of Complt.: 60 days

Subject: - Construction of Sump Cum Pump House with Intake Channel stage Ist including balance work of steel and railing over PST and at necessary spots for retrofitting to W.S.Scheme Gulshanpora Nowpora under JJM (Tender ID: 2023 PHE_226156_1).


Ref:

1. Your on-line tender received in response to this office E-NIT No: 17/JJM/JSDS of 08/2023 dated: 12-08-2023.
2. Corrigendum issued vide this office No.: 5549-52 dated 24-08-2023.
3. This Office letter of Intent No: JS/PHED/Spr./CS/6430-31 dated: 16/09/2023
4. Superintending Engineer Hyd. Circle Sopore's Authorization issued vide No: SE/Hyd./DB/12407-20 dated 29-02-2024.

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, contract for the work mentioned above is here by fixed with you on the following negotiated rates, terms and conditions.

A Rates:

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
1	Supply, Fabrication, Fixing in position Mild Steel Edge Cutter with mild steel anchorage including welding and making position for fixing of reinforcement of wall as per approved drawings and technical specifications and as per instructions of Site Engineer Incharge incld. all carriages and cost complete.	Kg	787.96	180.00	141832.80
2	Sinking of well through all types of sink complete as per drawings and all technical specification having inner dia of 6.00m by way of making of platform overhead wall, with loading, unloading of sand filled EC bags for required number of castings and engagement of skilled with sinking depth as per site conditions and removal of platform as per directions of site Engineer Incharge incld. all carriages.	Mtr	8.00	25000.00	200000.00



 Head Draftsman


 Technical Officer



 Exen

Construction of Sump Cum Pump House for W.S.Scheme Gulshanpora Nowpora under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
3	Earth work in excavation by manual means over areas (exceeding 30cm and upto 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 1mtr from cutting edge disposal earth to be leveled and neatly dressed . All kinds of soil	Cum	392.74	592.90	232855.55
4	Earth work in excavation by mechanical means over areas (exceeding 30cm and upto 1.5mtr in depth, 1.5mtr in width as well as 10 sqm on plan) including disposal of excavated earth upto 1mtr from cutting edge disposal earth to be leveled and neatly dressed . All kinds of soil	Cum	168.32	187.30	31526.34
5	Extra for every additional lift upto 1.5mtrs	Cum	288.49	89.75	25891.98
6	Close timbering in case of shafts, wells, cesspits, manholes and the like including strutting, shoring and packing cavities (wherever required) etc. complete. (Measurements to be taken of the face area timbered). Depth exceeding 3 m but not exceeding 4.50 m	Sqm	90.00	301.65	27148.50
7	Pumping out water from trenches during execution/ construction of Intake channel by way of motors total pumping	K.L	1077.02	167.80	180723.96
8	Providing and laying of dry stone soling hand packed on level	Cum	15.88	1320.00	20961.60
9	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with:1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	7.18	5202.90	37356.82
10	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	19.44	7788.40	151406.50
11	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	100.98	9395.70	948777.79
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	24.40	6591.25	160826.50
13	Centering and shuttering including strutting, propping etc. and removal of form work for: Foundations, footings, bases for columns	Sqm	12.04	286.35	3447.65
14	Centering and shuttering including strutting, propping etc. and removal of form work for: Retaining walls, return walls, walls (any thickness) including attached pilasters buttresses, plinth and string course fillets, kerbs and steps etc.	Sqm	501.92	628.95	315682.58


Head Draftsman


Technical Officer


Exen

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
15	Centering and shuttering including straightening propping etc, and removal of form work for: Lintels, beams, plinth beams, girders, bressumers and cantilevers	Sqm	75.62	577.55	43674.33
16	Centering and shuttering including straightening propping etc, and removal of form work for: Suspended floors, roofs, landings, balconies and access platforms	Sqm	119.05	718.20	85501.71
17	Centering and shuttering including strutting, propping etc. and removal of form for: Columns, pillars, piers, abutments, posts and struts.	Sqm	20.50	742.55	15222.28
18	Centering and shuttering including strutting, propping etc. and removal of form for: Edges of slabs and breaks in floors and walls Under 20 cm wide	Rm	100.00	262.20	26220.00
19	Extra for Shuttring in circular works: For Foundation	Sqm	8.04	57.27	460.45
20	Extra for Shuttring in circular works: For walls	Sqm	401.92	125.79	50557.52
21	Extra for Shuttring in circular works: For Lintles, beams	Sqm	25.12	115.51	2901.61
22	Extra for Shuttring in circular works: Suspended floors	Sqm	80.30	143.64	11534.29
23	Reinforcement for RCC work including straightening, cutting ,bending ,binding and placing in position complete T.M.T Bars	Kg	12147.98	123.20	1496631.14
24	Brick work with common burnt clay F.P.S (non-modular) bricks of class designation 75 in foundation and plinth in : Cement mortar 1 : 6 mix (1 cement : 6 fine sand)	Cum	27.51	7571.55	208293.34
25	Extra for brick work in super structure above plinth level upto floor V level. (by manual level)	Cum	19.26	1455.65	28035.82
26	12mm cement plaster of mix 1 : 3 (1 cement : 3 fine sand) with a floating coat of neat cement	Sqm	456.50	370.75	169247.38
27	EXTERIOR Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	Sqm	228.25	98.75	22539.69
28	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel prime, Using M.S. angles 40x40x6mm for diagonal braces.	Sqm	2.64	5493.90	14503.90
29	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. Chequered plate wherever required, all complete In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	Kg	1726.00	141.40	244056.40
30	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. 32mm M.S. tube of 2.60mm thickness	Kg	127.00	161.05	20453.35
31	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): Second class kail wood:	Cum	0.68	101081.85	68735.66

Head Draftsman

Technical Officer

Exen


Construction of Sump Cum Pump House for W.S.Scheme Gulshanpora Nowpora under JJM

S. No	Particulars of Items	Unit	Quantity	Allotted Rate	Amount in Rs.
32	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge, Using First class kail wood 35mm Thick.	Sqm	15.80	3201.80	50588.44
33	Float glass panes of 4 mm thick glass pane (weighing not less than 10 kg/sqm) for exterior	Sqm	3.00	1985.85	5957.55
34	Fly proof stainless steel grade 304 wire gauge with 0.5 mm dia wire and 1.4 mm wide aperture with matching wood beading	Sqm	3.00	1540.30	4620.90
35	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength confirming to IS:4454 part-1 and M.S. top cover of required thickness for rolling shutters.80x1.25 mm M.S. laths with 1.25 mm thick top cover	Sqm	7.00	3305.00	23135.00
36	Providing and filling of E.C Bags with sand/earth including cost of E.C Bags, earth, Sand all carriages, cost etc and including laying in position to acts as copper dam/spur/diversion, as per site requirements and directions of site Engineer.	Bag	4000.00	30.00	120000.00
37	Dismantling Earthwork In Excavation of Ring Bund/Spur Bund/Push bund	Cum	80.00	592.90	47432.00
38	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	Cum	392.74	218.40	85774.42
39	Carriage of materials by mechanical transport including loading, unloading and stacking of materials. Cement/Steel for avg. lead 15 kms	M.T	409.41	306.18	125353.15
40	Carriage of materials by mechanical transport including loading, unloading and stacking of materials.Sand/Agg. for avg. lead 30 kms	Cum	194.67	520.34	101294.59
41	Carriage of materials by mechanical transport including loading, unloading and stacking of materials.agg. 40mm and above for avg. lead 20 kms	Cum	3.20	445.64	1426.05
Total Allotted Amount					5552589.0

Rates and quantities checked:


Head Draughtsman



Technical Officer


Executive Engineer
Jal Shakti PHE Division
Sopore

Construction of Sump Cum Pump House for W.S.Scheme Gulshanpora Nowpora under JJM**B Terms and conditions:**

01. Time of completion is essence of the contract
02. Total amount of the work should in no case exceed beyond **Rs.5552589.00** (**Rs.Fifty Five Lacs Fifty Two Thousand Five Hundred and Eighty Nine only**) which includes all taxes, levies etc.
03. The work shall have to be completed by you within a period of **60 days** failing which the panality under rules shall be imposed upon you.
04. An agreement shall have to be drawn by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you. However payment on account of this work shall not be considered in absence of agreement.
05. The earnest money amounting to **Rs.111040.00/=** deposited by you in this office as a bid security against the contract vide CDR/FDR/BG No: **3392486** dated : **16-08-2023** shall be considered for release once the performance security @ **5%** of allotted amount is deposited by you.
06. Performance security @ **5%** of allotted cost i.e **Rs. 277630.00** in shape of CDR/BG/FDR shall have to be deposited by you in this office within seven days from the date of issue of this allotment from this office failing which action shall be initiated as per the SBD of relevant E-NIT.
07. The allotted work shall have to be monitored by Third Party Monitoring Agency (WAPCOAS) appointed by the department.
08. All other terms and conditions shall remain same as laid down in E-NIT/ Standard bidding document/PWD from No 25 and GFR-2017.


**Assistant Accounts
 Officer**


Technical officer


**Executive Engineer
 Jal Shakti PHE Division
 Sopore**

Copy to the:

- i) Chief Engineer Kashmir Jal Shakti PHE Department Srinagar for favour of information.
- ii) District Development Commissioner Bandipora (Chairman DJJM) for favour of information.
- iii) Superintending Engineer Hydraulic Circle Baramulla/Bandipora (Member Secretary JJM) for favour of information.
- iv) Assistant Executive Engineer PHE Sub Division Sumbal for information and necessary action.
- v) M/S WAPCOAS Ltd Corporate office 76-C intuitional area sector 18 Gurgon for information
- vi) Head Draftsman for information.
- vii) File Concerned.