

# **OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE Division**

## **BARAMULLA**

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



**Allotment Order No.**

**15 of 9/2024**

**Dated: 12-09-2024**

Name of the agency/ contractor	<b>Mohammad Ishfaq Bhat</b>
Address	<b>R/o: Beerwah Budgam</b>
Registration No.	<b>SE/Hyd/SPR/BEE 389/</b>
Contact/ Email	<b>(9419717761)</b>
Name of work	<b>Construction of Clear Water Sump for WSS Nowgam Shogpora under JJM</b>
References	<b>ENIT No: 58 of 11/2023 dated: 20-11-2023</b>
Accord of administrative approval No. & date	<b>CE/PHE/ DB/ JJM/ 256 of 09/ 2022 dated: 05-09-2022</b>
Allotted Cost	<b>Rs. 1589632/- (Rupees Fifteen Lacs Eighty Nine thousand Six Hundred &amp; Thirty Two only)</b>
Time of completion	<b>45 days</b>

**For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" to this allotment, on the terms and conditions given here under:**

### **Conditions:**

01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **45** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning / defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed/

repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

(End: Annexure "A")

No. 3659-72  
Dt. 13-09-2024

  
Executive Engineer  
Jai Shakti Department  
PHE Division Baramulla


Copy to the :-

- 1/- Mission Director, Mission Directorate Jai Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJDM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJDM) for information.
- 5/- Additional District Development Commissioner Baramulla (Member DJDM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJDM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJDM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJDM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJDM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJDM) for information.
- 11/- District Information Officer Baramulla (Member DJDM) for information.
- 12/- Asstt. Ex. Engineer PHE Sub Division Watergam for information.
- 13/- Head Draftsman for information.
- 14/- File Concerned.

Name of work: Construction of Clear Water Sump for WSS Nowgam Shogpora under JJM					
Sl. No.	Item Description	Qty	Unit	Rate	Amount
1	Pumping out water caused by springs, tidal or river seepage, broken water mains or drains and the like.	493.310	KL	155.550	76734.371
2	Earth work in bulk excavation by mechanical means (hydraulic excavator) over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil :	296.350	Cum	188.750	55936.063
3	Extra for every additional lift of 1.5 m or part thereof in excavation/banking excavated or stacked material : All kinds of soil :	227.960	cum	81.650	18612.934
4	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m <sup>2</sup> on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil :	74.090	Cum	539.350	39960.442
5	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	13.200	cum	1320.000	17424.000
6	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	5.150	cum	4861.835	25038.450
7	Providing and laying in position specified grade of reinforced cement concrete including curing but excluding the cost of centering, shuttering, finishing and reinforcement. All works upto plinth level 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	12.560	cum	7800.760	97977.546
8	Reinforced cement concrete work in walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts upto floor five level including curing but excluding cost of centering shuttering, finishing and reinforcement. 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	21.200	cum	9408.135	199452.462
9	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto five level including curing but excluding the cost of centring, shuttering, finishing and reinforcement with 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	12.160	cum	9849.345	119768.035
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	3597.630	Kg	87.175	313623.395

Reh 73

11	<b>Structural steel work in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.</b>				
11.1	Welded	300.000	Kg	102.135	30640.500
12	<b>Centering and shuttering including strutting, propping etc. and removal of form for:</b>				
12.1	Foundations, footings, bases of columns etc. for mass concrete.	6.280	sqm	262.300	1647.244
12.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	169.560	sqm	573.850	97302.006
12.3	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	27.000	sqm	502.850	13576.950
12.4	Suspended floors, roofs, landings, balconies and access platforms.	66.330	sqm	635.600	42159.348
12.5	Edges of slabs and breaks in floors and walls Under 20 cm wide	43.960	Mtr	243.300	10695.468
13	<b>Extra for shuttering in circular work:</b>				
13.1	Foundations, footings, bases of columns etc.	6.280	sqm	52.460	329.449
13.2	Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	169.560	sqm	114.770	19460.401
13.3	Suspended Floors	66.330	sqm	127.120	8431.870
13.4	Lintel beams etc.,	27.000	sqm	100.570	2715.390
14	Brick work with common burnt clay (non-modular) bricks of class designation 7.5 in foundation and plinth including curing in : Cement mortar 1:6 ( 1 cement : 6 coarse sand)	15.430	Cum	6802.125	104956.789
15	Extra for brick work with common burnt clay bricks/cement concrete bricks in superstructure above plinth level upto floor five level	15.430	Cum	1323.650	20423.920
16	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	270.040	kg	57.900	15635.316
17	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia and length (hold fast lugs or with dash fasteners shall be paid for separately): KD/ Silver wood	0.270	cum	55000.000	14850.000
18	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4mm thick float glass panes including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws. KD/ Silver wood	2.880	sqm	2500.000	7200.000
19	Providing and fixing wire gauze shutters using galvanized M.S. wire gauze of average width for aperture 1.4 mm in both directions with wire of dia. 0.63 mm for doors, windows and clerestory windows with ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws as per direction of Engineer-in-charge : KD/ Silver wood	2.880	sqm	2500.000	7200.000



20	Providing and fixing panelled or panelled and glazed shutters for doors , windows and clerestory windows including ISI marked M.S pressed Butt hinges bright finished of required size with necessary screws 35mm thick silver wood/K.D	5.760	sqm	2500.000	14400.000
21	15mm Cement plaster on the rough side of single or half brick wall of mix: 1 : 4 ( 1 cement : 4 fine sand)	139.350	sqm	300.450	41867.708
22	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 ( 1 cement : 3 fine sand)	114.810	sqm	343.750	39465.938
23	Providing and incorporating during concreting G.P strip water seal 0.63 mm nominal thick at construction joint as per proper specification and instruction of Engineer Incharge complete job.	12.720	sqm	450.000	5724.000
24	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	148.180	Cum	198.700	29443.366
25	<b>Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND: 10 Kms</b>				
25.1	5 Km	24.380	Cum	206.276	5029.009
25.2	Beyond 5 km upto 10 km per km	24.380	Cum	14.916	1818.260
26	<b>Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate below 40mm : 40 Kms</b>				
26.1	5 km	41.370	Cum	206.276	8533.638
26.2	Beyond 5 km upto 10 km per km	41.370	Cum	14.916	3085.375
26.3	Beyond 10 km upto 20 km per km	41.370	Cum	12.144	5023.973
26.4	Beyond 20 km per additional km	41.370	Cum	9.936	8221.046
27	<b>Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above : 40 Kms</b>				
27.1	5 Km	4.640	Cum	224.204	1040.307
27.2	Beyond 5 km upto 10 km per km	4.640	Cum	16.215	376.188
27.3	Beyond 10 km upto 20 km per km	4.640	Cum	13.202	612.573
27.4	Beyond 20 km per additional km	4.640	Cum	10.799	1002.147
28	<b>Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement/ Steel: for 10 Kms</b>				
28.1	5 Km	32.350	Tonne	183.356	5931.567
28.2	Beyond 5 km upto 10 km per km	32.350	Tonne	13.260	2144.805
29	<b>Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Bricks: 55 Kms</b>				
29.1	5 Km	7715.000	No	0.550	4243.250
29.2	Beyond 5 km upto 10 km per km	7715.000	No	0.039	1504.425
29.3	Beyond 10 km upto 20 km per km	7715.000	No	0.032	2468.800
29.4	Beyond 20 km per additional km	7715.000	No	0.026	7020.650
<b>Total =</b>					
<b>Quoted Percentage @ above 2.510% =</b>					
<b>Allotted Amount =</b>					

Res  
97  
Draftsman

Executive Engineer  
RTE Division Battamallai

1550709.370  
38922.805  
1589632.175