

OFFICE OF THE EXECUTIVE ENGINEER (JSD) PHE DIVISION

BARAMULLA

Email: kmrphebla@gmail.com (FAX) 01952234575 (Tel) 01952234244



Allotment Order No.

08 of 2024

Dated: 23-07-2024

Name of the agency/ contractor	M/s. Sajid & Co
Address	R/o: Ushkara Bala Baramulla
Registration No.	PWDJNK-CONT-2024-674914
Contact/ Email	(7006176616) sajidmehraj566@gmail.com
Name of work	Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM
References	ENIT No: 03 of 2024 dated: 29-06-2024
Accord of administrative approval No. & date	151/SE/HYD/DB/JJM of 2022-23 dated. 31-01-2023
Allotted Cost	Rs. 3150781/- (Rupees Thirty one lac fifty thousand seven hundred & eighty one only)
Time of completion	60 days

For and on behalf of Lt. Governor of Jammu and Kashmir Union Territory, the above noted work is hereby allotted to you on quoted rates given in the Annexure "A" to this allotment, on the terms and conditions given here under:

Conditions:


01. Time of completion is essence of the contract.
02. The work shall have to be started by you at site immediately & ensure its successful completion within a period of **60** days from the date of issuance of allotment from this office strictly in accordance with the approved proposals failing which the work shall have to be got executed through any other means at your risk and cost, besides CDR deposited by you as security against this contract shall be forfeited.
03. An agreement shall have to be drawn up by you with the department within a period of 07 days from the date of issuance of allotment failure to execute such a formal deed shall not however prevent the contract from being enforced upon you.
04. The allotted works shall be subject to Check by the third party monitoring agency appointed by the Department.
05. Payment shall be released as per actual / measured work done not less than 20% of the allotted cost on a monthly basis.
06. Performance security equivalent to 03% of the value of the contract shall have to be deposited by you in shape of CDR/FDR/Bank Guarantee within one week of issuance of allotment order & Valid for a period of 03 months beyond the expiry of warranty period of the contract
07. The firm shall be bound for satisfactory performance of works for 18 months after the successful commissioning of the works. If during warranty period any malfunctioning /

defects arise, you shall have to rectify the same within a period of 10 days of receipt of intimation. In case of any failure on your part, the department may get the defects removed/ repaired by any other means and cost thereof shall be recovered from you and shall be recommended for further punitive action as governed under the relevant clause of the contract including black listing.

08. After testing and commissioning of works you shall have to make a trial run of the works for a period of 03 months during which you have to operate and maintain the executed works to the full satisfaction of the department.
09. The defective liability period shall be for a period of 12 months and shall commence after the successful completion of trial run.
10. Pre & post Geo-tagged photographic evidence be taken during the execution of the work and shall have to be produced at the time of submission of the bill.
11. Date of start of the work within 07 days from the date of issue of this letter. However date of start for laying and fitting of pipes will start within 02 days of issuance of pipe material by the department.
12. All other terms and conditions shall be applicable as laid down in Standard bid Document & PWD form No. 25/33.
13. Any rules/ terms and conditions if not stipulated in the bidding document, shall be strictly dealt in accordance with the relevant rules/ guidelines stipulated in General Financial Rules (GFR-2017 and manual for procurement of works 2019 G.O.I).

(Encl: Annexure "A")

No. 2280-95
Dt. 24-07-2024


Executive Engineer
Jal Shakti Department
PHE Division Baramulla

Copy to the :-

- 1/- Mission Director, Mission Directorate Jal Jeevan Mission J&K Civil Secretariat Srinagar/ Jammu for information.
- 2/- Chief Engineer Kashmir PHE Department Srinagar for favour of information.
- 3/- District Development Commissioner Baramulla (Chairperson DJJM) for favour information.
- 4/- Distt. Superintending Engineer Hydraulic Circle Bla/Bpr HQ Sopore (Member Secretary DJJM) for information.
- 5/- Additional District Development Commissioner Baramulla (Member DJJM) for information.
- 6/- Assistant Commissioner Development Baramulla (Member DJJM) for information.
- 7/- Divisional Forest Officer Baramulla (Member DJJM) for information.
- 8/- Chief Planning Officer Baramulla (Member DJJM) for information.
- 9/- Chief Medical Officer Baramulla (Member DJJM) for information.
- 10/- District Social Welfare Officer Baramulla/ District Tribal Welfare Officer Baramulla (Member DJJM) for information.
- 11/- District Information Officer Baramulla (Member DJJM) for information.
- 12/- Project Management (DPMU) Baramulla, for information.
- 13/- Asstt. Ex. Engineer PHE Sub Division Baramulla for information.
- 14/- M/s Wapcos Ltd. Corporate Office 76-C Institutional sector 18 Gurgaon for information.
- 15/- Head Draftsman, for information.

Annexure "A"

Name of Work: Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM

S.#	Item Description	Qty	Unit	Rate	Amount
1	Earth work in excavation by manual means in trenches for foundations, drains, pipes, cables etc. (not exceeding 1.5 m in width) and for shafts, wells, cesspits and the like not exceeding 10 sqm on plan, including dressing of sides and ramming of bottoms lift upto 1.5 m, including getting out excavated earth and disposal of surplus excavated earth as directed				
1.1	All Kinds of soil.	1038.000	Cum	436.000	452568.000
1.2	Ordinary Rock	259.500	Cum	967.850	251157.075
2	Earth work in bulk excavation by manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 m ² on plan) including disposal of excavated earth lead upto 50 meters and lift upto 1.5 m, as directed by Engineer-in-Charge. All kinds of soil :	141.500	Cum	539.350	76318.025
3	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). 100 mm dia. Class I	2.000	each	4597.850	9195.700
4	Laying and fitting of G.I. pipes (all classes) complete excluding cost of pipes, fittings and Earth work.				0.000
4.1	15 mm dia. nominal bore	2000.000	Mtr	20.250	40500.000
4.2	20 mm dia. nominal bore	800.000	Mtr	20.250	16200.000
4.3	25 mm dia. nominal bore	600.000	Mtr	30.650	18390.000
4.4	50 mm dia. nominal bore	400.000	Mtr	40.800	16320.000
4.5	65 mm dia. nominal bore	500.000	Mtr	73.050	36525.000
5	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing Tee, including cutting and threading the pipe etc. complete				0.000
5.1	25 to 40 mm nominal bore	5.000	No	666.250	3331.250
5.2	50 to 80 mm nominal bore	5.000	No	1268.750	6343.750
6	Manufacturing providing fixing of MS Bends/ Tees including carriage of welding machine upto site of work incl. cost of nuts, bolts, rubber washers etc., complete job.	50.000	Kg	210.000	10500.000
7	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
7.1	80 mm dia. Class 1	1.000	No	10815.000	10815.000
7.2	100 mm dia. Class 1	2.000	No	13164.000	26328.000
8	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end)				0.000
8.1	20 mm nominal bore	2.000	No	463.650	927.300
8.2	25 mm nominal bore	2.000	No	543.850	1087.700
8.3	50 mm nominal bore	2.000	No	942.750	1885.500
9	Providing and fixing C.I. double acting air valve of approved quality with bolts, nuts, rubber insertions etc. complete (The tail pieces, tapers etc. if required will be paid separately).				0.000
9.1	20 mm dia	2.000	No	1500.000	3000.000
9.2	25 mm dia	2.000	No	2000.000	4000.000
10	Providing fixing of MS lid cover of 0.60x0.60m with angle iron frame including locking arrangement and all carriages complete.	2.000	No	4500.000	9000.000

Name of Work: Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM

S.#	Item Description	Qty	Unit	Rate	Amount
11	Providing and laying hand packed stone soling 50 mm nominal size including filling, spreading, dressing, ramming, all leads lifts and all carriages complete.	18.740	cum	1320.000	24736.800
12	Providing and laying in position cement concrete of specified grade including curing but excluding the cost of centring and shuttering. All work upto plinth level with: 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	5.350	cum	4861.835	26010.817
13	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/cum. Excess or less cement used as per design mix is content considered payable or recoverable separately. All works upto plinth level	14.190	Cum	7911.255	112260.708
14	Extra for providing richer mixes at all floor levels. Note:- Excess/ less cement over the specified cement content used is payable/ recoverable separately. Providing M-30 grade concrete instead of M-25 grade BMC/RMC. (Note:- Cement content considered in M-30 is @ 340 kg/cum)	50.500	Cum	111.870	5649.435
15	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. Note: - Cement in this item is @ 330 kg/cum. Excess or less cement used as per design mix is content considered payable or recoverable separately. All works above plinth level upto floor V level	36.310	Cum	9302.975	337791.022
16	Add or deduct for using more or less cement in the items of design mix over and above the specified cement content therein.	101.000	Qtl	1074.370	108511.370
17	Steel work welded in built up sections/framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				0.000
17.1	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	900.000	Kg	146.630	131967.000

3/5
low

Red, 23

Hyd Xen

Name of Work: Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM

S.#	Item Description	Qty	Unit	Rate	Amount
18	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	5400.000	Kg	87.175	470745.000
19	Cement concrete flooring 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry and curing complete, but excluding the cost of nosing of steps etc. complete. 50 mm thick with 20mm nominal size stone aggregate.	25.000	sqm	555.500	13887.500
20	Centering and shuttering including strutting, propping etc. and removal of form for:				0.000
20.1	Foundations, footings, bases of columns etc. for mass concrete.	13.200	sqm	262.300	3462.360
20.2	Lintel, beams, plinth beams, girders, bressumers and cantilevers.	44.850	sqm	502.850	22552.823
20.3	Suspended floors, roofs, landings, balconies and access platforms.	54.290	sqm	635.600	34506.724
20.4	Columns, pillars, piers, abutments, posts and struts.	79.380	sqm	680.150	53990.307
20.5	Edges of slabs and breaks in floors and walls Under 20 cm wide	81.200	Mtr	242.300	19674.760
20.6	Stairs (excluding landings) except spiral staircases.	41.130	sqm	807.500	33212.475
21	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc. including cost of de-shuttering and de-centering at all levels, over a height of 3.5 m, for every additional height of 1 meter or part thereof (Plan area to be measured). Suspended floors, roofs, landings, beams and balconies (plan area to be measured)	669.970	sqm	267.600	179283.972
22	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.				0.000
22.1	M.S. tube	1500.000	Kg	172.900	259350.000
23	Providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification. (1 kg of water proofing material in 50 kg of cement)	615.490	kg	57.900	35636.871
24	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angles 40x40x6mm for diagonal braces	2.880	sqm	4352.950	12536.496
25	12mm Cement plaster finished with a floating coat of neat cement of mix: 1 : 3 (1 cement : 3 fine sand)	410.040	sqm	343.750	140951.250
26	Finishing walls with water proofing cement paint of required shade on New work (two or more coats applied @ 3.84 kg/10sqm)	260.000	sqm	91.800	23868.000

ame of Work: Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM

S.#	Item Description	Qty	Unit	Rate	Amount
27	Providing and fixing G.I pipes (B medium) complete with G.I fittings excluding trenching and refilling etc., (external work) for rising main and delivery main of OHT				0.000
27.1	100 mm dia. nominal bore	50.000	Mtr	1234.950	61747.500
28	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m.	1256.700	cum	198.700	249706.290
29	Providing and fixing D.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately). Confirming to IS:14846 read with latest amendments.				0.000
29.1	100 mm dia. Class 1	2.000	No	17210.000	34420.000
29.2	150 mm dia. Class 1	2.000	No	26720.000	53440.000
30	Providing and fixing of MS fittings viz., bends of suitable degree, tees, collars etc., to be fabricated from 6mm Nominal size MS plate as per requirement of site including cost of welding. The work should be leak proof and should be painted with anti corrosive red oxide primer. Complete Job.	1500.000	Kg	147.820	221730.000
31	Providing and fixing of MS flanged joints (12mm thick) to double flanged GI/DI pipes including cutting of pipes, welding charges, cutting of flanges, rubber gasket, bolts, nuts including testing of joint and all sorts of carriages. Complete Job.				0.000
31.1	80 mm dia. pipe	313.000	Joint	1100.000	344300.000
31.2	100 mm dia. pipe	92.000	Joint	1520.000	139840.000
32	Providing & fixing of 0.63mm thick PGI sheets at construction joints including all leads and lifts complete job as directed by Engineer-in-charge	15.000	Sqm	800.000	12000.000
33	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - SAND: for 05 Kms				0.000
33.1	5 Km	33.880	Cum	206.276	6988.631
34	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate below 40mm : for 35 Kms				0.000
34.1	5 km	45.450	Cum	206.276	9375.244
34.2	Beyond 5 km upto 10 km per km	45.450	Cum	14.916	677.932
34.3	Beyond 10 km upto 20 km per km	45.450	Cum	12.144	551.945
34.4	Beyond 20 km per additional km	45.450	Cum	9.936	451.591
35	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Aggregate 40mm and above : for 35 Kms				0.000
35.1	5 Km	5.930	Cum	224.204	1329.530
35.2	Beyond 5 km upto 10 km per km	5.930	Cum	16.215	96.155
35.3	Beyond 10 km upto 20 km per km	5.930	Cum	13.202	78.288
35.4	Beyond 20 km per additional km	5.930	Cum	10.764	63.831
36	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Steel: for 10 Kms				0.000
36.1	5 Km	6.420	Tonne	183.356	1177.146
36.2	Beyond 5 km upto 10 km per km	6.420	Tonne	13.260	85.129
37	Carriage of materials by mechanical transport including loading, unloading, stacking of materials - Cement/ Pipes below 100mm dia : for 10 Kms				0.000

Handwritten signature and initials at the bottom right of the page.

Name of Work: Laying and fitting of pipes and Construction of Backwash Tank for existing R.S.F.P for WSS Johama under JJM

S.#	Item Description	Qty	Unit	Rate	Amount
37.1	5 Km	30.780	Tonne	183.356	5643.698
37.2	Beyond 5 km upto 10 km per km	30.780	Tonne	13.260	408.143
Total in Figures					4189089.042
Amount Quoted By : (- 24.786%)					1038307.610
Total Allotted Cost in Figures					3150781.432

I/C Head Draftsman

Executive Engineer
PNE (USD) Division Baramulla